

淨劑滅火器
CLEAN AGENT TYPE EXTINGUISHERS

Ansul Inc., 1 Stanton Street, Marinette, WI 54143, U.S.A.

Model: CA-0681 Size: 2.73 kilogram Fire Rating: 5B:C

Model: CA-1081 Size: 4.55 kilogram Fire Rating: 1A:10B:C

Model: CA-1481 Size: 6.36 kilogram Fire Rating: 2A:10B:C

Model: FE02 Size: 1.14 kilogram Fire Rating: 2B:C

Model: FE05 Size: 2.16 kilogram Fire Rating: 5B:C

Model: FE09 Size: 4.32 kilogram Fire Rating: 1A:10B:C

Model: FE13 Size: 6.02 kilogram Fire Rating: 2A:10B:C

Model: FE13NM Size: 6.02 kilogram Fire Rating: 1A:10B:C

BSCO, Inc., 343-B, Granary Road, Forest Hill, MD 21050, U.S.A.

Model: M740-900 Max. Protected Volume 25.5m³ Remark: Dupont FE-227

Model: MA740-100 Max. Protected Volume 2.8m³ Remark: Dupont FE-227

Model: MA740-1000 Max. Protected Volume 28.3m³ Remark: Dupont FE-227

Model: MA740-1100 Max. Protected Volume 31.1m³ Remark: Dupont FE-227

Model: MA740-1200 Max. Protected Volume 34m³ Remark: Dupont FE-227

Model: MA740-125 Max. Protected Volume 3.5m³ Remark: Dupont FE-227

Model: MA740-1300 Max. Protected Volume 36.8m³ Remark: Dupont FE-227

Model: MA740-1400 Max. Protected Volume 39.6m³ Remark: Dupont FE-227

Model: MA740-150 Max. Protected Volume 4.2m³ Remark: Dupont FE-227

Model: MA740-1500 Max. Protected Volume 42.5m³ Remark: Dupont FE-227

Model: MA740-200 Max. Protected Volume 5.7m³ Remark: Dupont FE-227

Model: MA740-250 Max. Protected Volume 7.1m³ Remark: Dupont FE-227

Model: MA740-300 Max. Protected Volume 8.5m³ Remark: Dupont FE-227

Model: MA740-350 Max. Protected Volume 9.9m³ Remark: Dupont FE-227

Model: MA740-400 Max. Protected Volume 11.3m³ Remark: Dupont FE-227

Model: MA740-450 Max. Protected Volume 12.7m³ Remark: Dupont FE-227

Model: MA740-50 Max. Protected Volume 1.4m³ Remark: Dupont FE-227

Model: MA740-500 Max. Protected Volume 14.2m³ Remark: Dupont FE-227

Model: MA740-550 Max. Protected Volume 15.6m³ Remark: Dupont FE-227

淨劑滅火器——續

CLEAN AGENT TYPE EXTINGUISHERS—Contd.

Model: MA740-600 Max. Protected Volume 17m³ Remark: Dupont FE-227
Model: MA740-650 Max. Protected Volume 18.4m³ Remark: Dupont FE-227
Model: MA740-700 Max. Protected Volume 19.8m³ Remark: Dupont FE-227
Model: MA740-75 Max. Protected Volume 2.1m³ Remark: Dupont FE-227
Model: MA740-750 Max. Protected Volume 21.2m³ Remark: Dupont FE-227
Model: MA740-800 Max. Protected Volume 22.7m³ Remark: Dupont FE-227
Model: MA740-900 Max. Protected Volume 25.5m³ Remark: Dupont FE-227
Model: M740-450 Max. Protected Volume 12.7m³ Remark: Dupont FE-227
Model: M740-50 Max. Protected Volume 1.4m³ Remark: Dupont FE-227
Model: M740-500 Max. Protected Volume 14.2m³ Remark: Dupont FE-227
Model: M740-550 Max. Protected Volume 15.6m³ Remark: Dupont FE-227
Model: M740-600 Max. Protected Volume 17m³ Remark: Dupont FE-227
Model: M740-650 Max. Protected Volume 18.4m³ Remark: Dupont FE-227
Model: M740-700 Max. Protected Volume 19.8m³ Remark: Dupont FE-227
Model: M740-75 Max. Protected Volume 2.1m³ Remark: Dupont FE-227
Model: M740-750 Max. Protected Volume 21.2m³ Remark: Dupont FE-227
Model: M740-800 Max. Protected Volume 22.7m³ Remark: Dupont FE-227
Model: A740-100 Max. Protected Volume 2.8m³ Remark: Dupont FE-227
Model: A740-1000 Max. Protected Volume 28.3m³ Remark: Dupont FE-227
Model: A740-125 Max. Protected Volume 3.5m³ Remark: Dupont FE-227
Model: A740-150 Max. Protected Volume 4.2m³ Remark: Dupont FE-227
Model: A740-200 Max. Protected Volume 5.7m³ Remark: Dupont FE-227
Model: A740-250 Max. Protected Volume 7.1m³ Remark: Dupont FE-227
Model: A740-300 Max. Protected Volume 8.5m³ Remark: Dupont FE-227
Model: A740-350 Max. Protected Volume 9.9m³ Remark: Dupont FE-227
Model: A740-400 Max. Protected Volume 11.3m³ Remark: Dupont FE-227
Model: A740-450 Max. Protected Volume 12.7m³ Remark: Dupont FE-227
Model: A740-50 Max. Protected Volume 1.4m³ Remark: Dupont FE-227
Model: A740-500 Max. Protected Volume 14.2m³ Remark: Dupont FE-227
Model: A740-550 Max. Protected Volume 15.6m³ Remark: Dupont FE-227
Model: A740-600 Max. Protected Volume 17m³ Remark: Dupont FE-227
Model: A740-650 Max. Protected Volume 18.4m³ Remark: Dupont FE-227
Model: A740-700 Max. Protected Volume 19.8m³ Remark: Dupont FE-227
Model: A740-75 Max. Protected Volume 2.1m³ Remark: Dupont FE-227
Model: A740-750 Max. Protected Volume 21.2m³ Remark: Dupont FE-227
Model: A740-800 Max. Protected Volume 22.7m³ Remark: Dupont FE-227
Model: A740-900 Max. Protected Volume 25.5m³ Remark: Dupont FE-227
Model: M740-100 Max. Protected Volume 2.8m³ Remark: Dupont FE-227
Model: M740-1000 Max. Protected Volume 28.3m³ Remark: Dupont FE-227
Model: M740-1100 Max. Protected Volume 31.1m³ Remark: Dupont FE-227
Model: M740-1200 Max. Protected Volume 34m³ Remark: Dupont FE-227
Model: M740-125 Max. Protected Volume 3.5m³ Remark: Dupont FE-227
Model: M740-1300 Max. Protected Volume 36.8m³ Remark: Dupont FE-227
Model: M740-1400 Max. Protected Volume 39.6m³ Remark: Dupont FE-227
Model: M740-150 Max. Protected Volume 4.2m³ Remark: Dupont FE-227
Model: M740-1500 Max. Protected Volume 42.5m³ Remark: Dupont FE-227
Model: M740-200 Max. Protected Volume 5.7m³ Remark: Dupont FE-227
Model: M740-250 Max. Protected Volume 7.1m³ Remark: Dupont FE-227
Model: M740-300 Max. Protected Volume 8.5m³ Remark: Dupont FE-227
Model: M740-350 Max. Protected Volume 9.9m³ Remark: Dupont FE-227
Model: M740-400 Max. Protected Volume 11.3m³ Remark: Dupont FE-227

Consolidated Marine Products, Inc., Fireboy Division, 100, Commerce Avenue, SW, Grand Rapids, Michigan 49503, U.S.A.

Model: CG2 Remark: FM-200, Serial No. 025-1000

Model: MA2 Remark: FM-200, Serial No. 025-1500

淨劑滅火器——續

CLEAN AGENT TYPE EXTINGUISHERS—Contd.

Fireboy-Xintex, Inc., O-379 Lake Michigan Dr., Grand Rapids, MI 49544

Fireboy Automatic (CG2 Series) Fire Extinguishing Systems Model: CG2-025 through-1000-227 Stored Pressure Type HFC-227ea Remark: All CG2 Model Numbers refer to the volume that can be protected (in cubic feet) with an 8.3 percent concentration of HFC-227ea Clean Agent

Fireboy Manual-Automatics (MA2 Series) Fire Extinguishing Systems Model: MA2-025 through-1500-227 Stored Pressure Type HFC-227ea Remark: All MA2 Model Numbers refer to the volume that can be protected (in cubic feet) with an 8.3 percent concentration of HFC-227ea Clean Agent

Sea-Fire Extinguishing Marine products, Division of Metalcraft, Inc., 9331A Philadelphia Road, Baltimore, Maryland 21237, U.S.A.

Model: C100 Size: 4.89 kilogram Fire Rating: 5B:C Remark: FM-200

Model: C20 Size: 1.25 kilogram Fire Rating: 2B:C Remark: FM-200

Model: C50 Size: 2.61 kilogram Fire Rating: 5B:C Remark: FM-200

Model: FD1000 Size: 18.5 kilogram Max. Protected Volume 28.3m³ Remark: FM-200

Model: FD1100 Size: 20.45 kilogram Max. Protected Volume 31.1m³ Remark: FM-200

Model: FD1200 Size: 22.27 kilogram Max. Protected Volume 33.9m³ Remark: FM-200

Model: FD1300 Size: 24.09 kilogram Max. Protected Volume 36.8m³ Remark: FM-200

Model: FD1400 Size: 25.91 kilogram Max. Protected Volume 39.6m³ Remark: FM-200

Model: FD150 Size: 2.68 kilogram Max. Protected Volume 4.2m³ Remark: FM-200

Model: FD1500 Size: 27.73 kilogram Max. Protected Volume 42.5m³ Remark: FM-200

Model: FD200 Size: 3.55 kilogram Max. Protected Volume 5.7m³ Remark: FM-200

Model: FD250 Size: 4.45 kilogram Max. Protected Volume 7.1m³ Remark: FM-200

Model: FD300 Size: 5.55 kilogram Max. Protected Volume 8.5m³ Remark: FM-200

Model: FD350 Size: 6.45 kilogram Max. Protected Volume 9.9m³ Remark: FM-200

Model: FD400 Size: 7.41 kilogram Max. Protected Volume 11.3m³ Remark: FM-200

Model: FD450 Size: 8.32 kilogram Max. Protected Volume 12.7m³ Remark: FM-200

Model: FD500 Size: 9.23 kilogram Max. Protected Volume 14.2m³ Remark: FM-200

Model: FD600 Size: 11.09 kilogram Max. Protected Volume 17m³ Remark: FM-200

Model: FD700 Size: 12.95 kilogram Max. Protected Volume 19.8m³ Remark: FM-200

Model: FD800 Size: 14.77 kilogram Max. Protected Volume 22.7m³ Remark: FM-200

Model: FD900 Size: 16.64 kilogram Max. Protected Volume 25.5m³ Remark: FM-200

Model: FG100 Size: 1.73 kilogram Max. Protected Volume 2.8m³ Remark: FM-200

Model: FG125 Size: 2.18 kilogram Max. Protected Volume 3.5m³ Remark: FM-200

Model: FG150 Size: 2.59 kilogram Max. Protected Volume 4.2m³ Remark: FM-200

Model: FG175 Size: 3.05 kilogram Max. Protected Volume 5m³ Remark: FM-200

Model: FG200 Size: 3.45 kilogram Max. Protected Volume 5.7m³ Remark: FM-200

Model: FG225 Size: 3.86 kilogram Max. Protected Volume 6.4m³ Remark: FM-200

Model: FG50 Size: 0.86 kilogram Max. Protected Volume 1.4m³ Remark: FM-200

Model: FG75 Size: 1.32 kilogram Max. Protected Volume 2.1m³ Remark: FM-200

Walter Kidde, The Fire Extinguishing Company, 1394 South Third Street, Mebane, North Carolina 27302, U.S.A.

Model: FW100 FM200 Size: 1.79 kilogram Max. Protected Volume 2.8m³ Remark: FM-200

Model: FW125 FM200 Size: 2.24 kilogram Max. Protected Volume 3.5m³ Remark: FM-200

Model: FW200 FM200 Size: 3.59 kilogram Max. Protected Volume 5.6m³ Remark: FM-200

Model: FW275 FM200 Size: 4.9 kilogram Max. Protected Volume 7.8m³ Remark: FM-200

Model: FW400 FM200 Size: 7.18 kilogram Max. Protected Volume 11.3m³ Remark: FM-200

Model: FW50 FM200 Size: 0.896 kilogram Max. Protected Volume 1.4m³ Remark: FM-200

Model: FW500 FM200 Size: 8.98 kilogram Max. Protected Volume 14.2m³ Remark: FM-200

Model: FW750 FM200 Size: 13.47 kilogram Max. Protected Volume 21.2m³ Remark: FM-200

Model: FW950 FM200 Size: 17.06 kilogram Max. Protected Volume 27m³ Remark: FM-200