

2017 年第 12 號特別公告
G.N. (S.) 12 of 2017

漁農自然護理署

除害劑條例 (第 133 章)

有關除害劑註冊的公告

現依據《除害劑規例》第 5(1) 條的規定公布，下列化學藥品已於 2017 年 1 月 1 日註冊為除害劑。

AGRICULTURE, FISHERIES AND
CONSERVATION DEPARTMENT

PESTICIDES ORDINANCE (Chapter 133)

NOTIFICATION OF REGISTRATION OF PESTICIDES

Pursuant to regulation 5(1) of the Pesticides Regulations, it is hereby notified that as on 1 January 2017 the following chemicals have been registered as pesticides.

第一部

PART I

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Abamectin | A mixture of > 80% avermectin B _{1a} (5-O-demethyl avermectin A _{1a}) and < 20% avermectin B _{1b} (5-O-demethyl-25-de-(1-methylpropyl)-25-(1-methylethyl) avermectin A _{1a}) | 1P169 | AL (0.019) w/w RB (0.05) w/w |
| Acephate | O,S-dimethyl acetylphosphoramidothioate | 1P140 | RB (1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Acephate/ Diflubenzuron | <i>O,S</i> -dimethyl acetylphosphoramidothioate/ 1-(4-chlorophenyl)-3-(2,6= difluorobenzoyl)urea | 1P177 | RB (5/0.4) w/w |
| d-Allethrin | (<i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (<i>1R</i>)- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P74 | FU (22) w/w VP (6) w/w |
| d-Allethrin/ Deltamethrin/ Dichlorvos | (<i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (<i>1R</i>)- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>S</i>)- α -cyano-3-phenoxybenzyl (<i>1R,3R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate | 1P75 | AE (0.2/0.05/0.7) w/v |
| d-Allethrin/ Empenthrin/ Thymol | (<i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (<i>1R</i>)- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>RS</i>)-1-ethynyl-2-methylpent-2-enyl (<i>1RS</i>)- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 5-methyl-2-(1-methylethyl) phenol | 1P141 | IP (0.59/0.07/0.02) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| d-Allethrin/ Permethrin/ Piperonyl butoxide | (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P91 | AE (0.163/0.11/0.3) w/w |
| d-Allethrin/ d-Phenothrin | (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 3-phenoxybenzyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 1P187 | AE (0.3/0.2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|--|-----------------------------|--|
| d-Allethrin/ d-Phenothrin/ Tetramethrin | (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 3-phenoxybenzyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate | 1P78 | AE (0.3/0.2/0.2) w/v |
| d-Allethrin/ d-Phenothrin/ Tetramethrin/ Piperonyl butoxide | (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 3-phenoxybenzyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P87 | AE (0.095/0.047/0.5/1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|---|
| d-Allethrin/ Piperonyl butoxide | (RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P76 | FU (5/2) w/w FU (4/4) w/w FU (6/0.34) w/w IP (0.25/1.2) w/w VP (3.6/0.16) w/w |
| d-Allethrin/ Prallethrin/ Piperonyl butoxide | (RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1R)- cis,trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P179 | FU (3.2/0.9/0.6) w/w |
| d-Allethrin/ Pyrethrins | (RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ pyrethrins | 1P77 | FU (0.3/0.02) w/w |
| Allethrin | (RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)- 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P2 | AE (0.34) w/v FU (4) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|--|---------------------------------|--|
| Allethrin/ Dichlorvos/ Tetramethrin | (RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P3 | AE (0.04/0.07/0.5) w/v |
| Allethrin/ Permethrin | (RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P182 | AL (0.1/0.3) w/v |
| Allicin/ Capsaicin | S-2-Propenyl-2-propene-1-sulfinothioate/ (E)-N-[(4-Hydroxy-3-methoxyphenyl)= methyl]-8-methyl-6-nonenamide | 1P191 | AL (1/1) w/v |
| Amorphous silicon dioxide/ Celastrus alkaloids/ Disodium octaborate tetrahydrate | Amorphous silicon dioxide/ Celastrus alkaloids/ Disodium octaborate tetrahydrate | 1P192 | DP (43/0.05/43) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Atrazine/ Dichlone/ Monuron/ Simazine | 6-chloro- <i>N</i> ² -ethyl- <i>N</i> ⁴ -isopropyl= 1,3,5-triazine-2,4-diamine/ 2,3-dichloro-1,4-naphthoquinone/ 3-(4-chlorophenyl)-1,1-dimethylurea/ 6-chloro- <i>N</i> ² , <i>N</i> ⁴ -diethyl-1,3,5-triazine= 2,4-diamine | 1P4 | TB (0.2/0.1/0.8/0.6) w/w |
| Atrazine/ Dichlone/ Simazine | 6-chloro- <i>N</i> ² -ethyl- <i>N</i> ⁴ -isopropyl= 1,3,5-triazine-2,4-diamine/ 2,3-dichloro-1,4-naphthoquinone/ 6-chloro- <i>N</i> ² , <i>N</i> ⁴ -diethyl-1,3,5-triazine= 2,4-diamine | 1P5 | TB (0.2/0.1/0.6) w/w |
| Azamethiphos/ Muscalure | <i>S</i> -6-chloro-2,3-dihydro-2-oxo= oxazolo[4,5- <i>b</i>]pyridin-3-ylmethyl= <i>O,O</i> -dimethyl phosphorothioate/ (<i>Z</i>)-tricos-9-ene | 1P134 | GB (1/0.1) w/w |
| Bioallethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P6 | AE (0.2) w/v FU (4.2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Bioallethrin/ Bioresmethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 5-benzyl-3-furylmethyl (1 <i>R</i> ,3 <i>R</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P162 | AE (0.225/0.042) w/w |
| Bioallethrin/ Cypermethrin/ Tetramethrin/ Piperonyl butoxide | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>RS</i>)- α -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P195 | AE (0.15/0.1/0.25/0.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Bioallethrin/ Cyphenothrin/ Permethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>RS</i>)- α -cyano-3-phenoxybenzyl (1 <i>RS</i>)- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P180 | AE (0.33/0.13/0.25) w/w |
| Bioallethrin/ Deltamethrin/ Permethrin/ Piperonyl butoxide | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P125 | AE (0.22/0.66/0.11/1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Bioallethrin/ Permethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P112 | AE (0.1/0.5) w/w |
| Bioallethrin/ Permethrin/ Piperonyl butoxide | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P113 | AE (0.2/0.068/0.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale |
|---|--|-------------------------|--|
| Bioallethrin/ Permethrin/ Tetramethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P89 | AE (0.08/0.2/0.1) w/w |
| Bioallethrin/ Piperonyl butoxide | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P8 | AE (2/3) w/v AE (2.057/16.83) w/w VP (3.6/0.16) w/w |
| Bioallethrin-S | (1 <i>S</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer] | 1P7 | AE (0.3) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Bioallethrin-S/ Deltamethrin | (1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ (S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P142 | AE (0.2/0.01) w/w |
| Bioallethrin-S/ Permethrin/ Tetramethrin | (1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P124 | AE (0.105/0.263/0.544) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Bioallethrin-S/ Piperonyl butoxide | (1 <i>S</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% <i>S</i> -cyclopentenyl isomer]/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P163 | AE (0.54/4.32) w/w |
| Borax | Disodium tetraborate | 1P9 | PA (5) w/v |
| Borax/ Tetramethrin | Disodium tetraborate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P10 | DP (5/12) w/w GR (5/12) w/w |
| Boric acid | Boric acid | 1P11 | AE (20) w/w AL (0.2) w/v GE (21) w/w GR (0.2) w/w RB (99) w/w TB (70) w/w |
| Boric acid/ Fenitrothion | Boric acid/ <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate | 1P157 | RB (13.5/0.9) w/w |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|---|---|--|
| Brodifacoum | 3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin | 1P12 | SB (0.005) w/w |
| Bromadiolone | 3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxycoumarin | 1P13 | AB (0.005) w/w |
| Butoxycarboxim | 3-methylsulphonylbutanone O-methylcarbamoyloxime | 1P14 | PR (9.8) w/w |
| Camphor | 1,7,7-trimethylbicyclo[2.2.1]heptan-2-one | 1P15 | VP (-) |
| Carbaryl | 1-naphthyl methylcarbamate | 1P16 | DP (0.3) w/w |
| Celastrus alkaloids | Celastrus alkaloids | 1P185 | AL (0.02) w/w GE (0.1) w/w |
| Cellulose | Cellulose | 1P166 | PE (45) w/w |
| Chlorfenapyr | 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile | 1P201 | AE (0.5) w/w |
| Chlorophacinone | 2-[2-(4-chlorophenyl)-2-phenylacetyl]indan-1,3-dione | 1P17 | AB (0.005) w/w |

| 活性成分通用名稱 | 化學名稱 | 註冊 編號 | 零售之劑型及最高 濃度限制 |
|--|--|-------------|--|
| Common Name of the Active Ingredient | Chemical Name | Reg. No. | Formulation and Maximum Concentration for Retail Sale |
| Chloroxylenol | 4-chloro-3,5-dimethylphenol | 1P105 | VP (2.9) w/w |
| Chloroxylenol/ Empenthrin | 4-chloro-3,5-dimethylphenol/ (<i>RS</i>)-1-ethynyl-2-methylpent-2-enyl (<i>1RS</i>)- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P149 | IP (0.025/47.475) w/w VP (0.1/0.3) w/w |
| Chlorpyrifos | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate | 1P18 | AL (1) w/v RB (0.6) w/w |
| Chlorpyrifos/ lambda-Cyhalothrin/ Esbiothrin | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ α -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)= 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the (<i>Z</i>)-(1 <i>R</i> ,3 <i>R</i>), <i>S</i> -ester and (<i>Z</i>)-(1 <i>S</i> , 3 <i>S</i>), <i>R</i> -ester/ (1 <i>S</i>)-3-allyl-2-methyl-4- oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2- dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [$\geq 72\%$ <i>S</i> -cyclopentenyl isomer] | 1P138 | AL (0.125/0.01/0.025) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Chlorpyrifos/ Deltamethrin | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2= pyridyl phosphorothioate/ (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P120 | AL (0.5/0.023) w/w |
| Chlorpyrifos/ Dichlorvos | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2= pyridyl phosphorothioate/ 2,2-dichlorovinyl dimethyl phosphate | 1P19 | AE (1/1) w/v |
| Chlorpyrifos/ Empenthrin | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2= pyridyl phosphorothioate/ (<i>RS</i>)-1-ethynyl-2-methylpent-2-enyl= (1 <i>RS</i>)- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P102 | IP (2.7/0.9) w/w |
| Cholecalciferol | 9,10-secholesta-5,7,10(19)-trein-3 betaol; activated 7- dehydrocholesterol | 1P20 | AB (0.08) w/w |
| Citronella oil | Natural botanical extract of <i>Cymbopogon</i> spp. | 1P146 | BR (18) w/w VP (65) w/w |
| Citronella oil/ Eucalyptus oil | Mixture of natural botanical extract of <i>Cymbopogon</i> spp. and <i>Eucalyptus</i> spp. | 1P198 | VP (12.5/37.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Coumatetralyl | 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin | 1P21 | AB (0.8) w/w DP (0.75) w/w RB (0.0375) w/w |
| Coumatetralyl/ White oils | 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin/ various refined petroleum oils | 1P23 | AB (0.05/0.05) w/w |
| Cyfluthrin | (RS)- α -cyano-4-fluoro-3-phenoxymethyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 1P170 | AE (0.04) w/w |
| Cyfluthrin/ Dichlorvos/ Fenfluthrin/ Propoxur | (RS)- α -cyano-4-fluoro-3-phenoxymethyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2,3,4,5,6-pentafluorobenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate | 1P24 | AE (0.03/0.5/0.04/1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|---|---------------------------------|--|
| Cyfluthrin/ Dichlorvos/ Propoxur | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate | 1P25 | AE (0.04/0.5/1) w/w |
| Cyfluthrin/ 2-Phenylphenol/ Propoxur | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/ 2-isopropoxyphenyl methylcarbamate | 1P160 | AE (0.025/0.1/0.75) w/w |
| Cyfluthrin/ 2-Phenylphenol/ Propoxur/ Transfluthrin | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/ 2-isopropoxyphenyl methylcarbamate/ (1R)-trans-(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate | 1P150 | AE (0.025/0.1/1.0/0.04) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Cyfluthrin/ Propoxur | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate | 1P156 | AE (0.025/0.75) w/w |
| Cyfluthrin/ Propoxur/ Tetramethrin/ Piperonyl butoxide | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P26 | AE (0.04/1/0.2/1) w/w |
| Cyfluthrin/ Propoxur/ Transfluthrin | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ (1R)-trans-(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate | 1P122 | AE (0.025/1/0.04) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Cyfluthrin/ Pyrethrins | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins | 1P130 | AE (0.04/0.3) w/w |
| Cyfluthrin/ Tetramethrin/ Piperonyl butoxide | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P117 | AE (0.04/0.2/1) w/w |
| Cyfluthrin/ Transfluthrin | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1R)-trans-(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate | 1P123 | AE (0.025/0.04) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| lambda-Cyhalothrin/ Prallethrin | α -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)= 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the (Z)-(1R,3R), S-ester and (Z)-(1S,3S),R-ester/ (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1R)-cis,trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P196 | AL (0.1/0.1) w/w |
| alpha-Cypermethrin | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P73 | AE (0.02) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|---|-------------------------|---|
| beta-Cypermethrin/ Propoxur/ Tetramethrin/ Piperonyl butoxide | A reaction mixture comprising two enantiomeric pairs in ratio approx. 2:3: (S)-α-cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane-2-carboxylate and (R)-α-cyano-3-phenoxybenzyl (1S)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate with (S)-α-cyano-3-phenoxybenzyl (1R)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (R)-α-cyano-3-phenoxybenzyl (1S)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P193 | AE (0.08/0.32/0.15/0.45) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| beta-Cypermethrin/ Tetramethrin | A reaction mixture comprising two enantiomeric pairs in ratio approx. 2:3: (S)- α -cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane-3-carboxylate and (R)- α -cyano-3-phenoxybenzyl (1S)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate with (S)- α -cyano-3-phenoxybenzyl (1R)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (R)- α -cyano-3-phenoxybenzyl (1S)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 1P155 | AE (0.11/0.23) w/w |
| Cypermethrin | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 1P27 | AL (1.3) w/v GB (0.1) w/w IP (0.33) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Cypermethrin/ Dichlorvos | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate | 1P28 | AE (0.2/0.8) w/v |
| Cypermethrin/ Imiprothrin | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1- imidazolidinyl]methyl (1R)-cis-trans- chrysanthemate | 1P154 | AE (0.286/0.14) w/w |
| Cypermethrin/ Imiprothrin/ 2-Phenylphenol | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1- imidazolidinyl]methyl (1R)-cis-trans- chrysanthemate/ biphenyl-2-ol | 1P183 | AE (0.1/0.1/0.15) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Cypermethrin/ Permethrin/ Tetramethrin/ Piperonyl butoxide | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-= (2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P144 | AE (0.05/0.3/0.2/1) w/w |
| Cypermethrin/ 2-Phenylphenol/ Tetramethrin | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-= (2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P152 | AE (0.201/0.15/0.371) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Cypermethrin/ Prallethrin | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1R)- <i>cis,trans</i> - 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P199 | FU (8/4) w/w |
| Cypermethrin/ Propiconazole | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ (\pm)-1-[2-(2,4-dichlorophenyl)- 4-propyl-1,3-dioxolan-2- ylmethyl]-1H-1,2,4-triazole | 1P168 | AS (0.1/0.45) w/w |
| Cypermethrin/ Pyrethrins | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ pyrethrins | 1P114 | AE (0.11/0.6) w/w AE (0.15/0.2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Cypermethrin/ Tetramethrin/ Piperonyl butoxide | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P29 | AE (0.3/0.2/1) w/v |
| Cypermethrin/ Transfluthrin | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1R)-trans-(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate | 1P188 | AL (0.1/0.1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| d,d-T-Cyphenothrin/ Tetramethrin | (RS)- α -cyano-3-phenoxybenzyl (1R)-cis,trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate [>97% trans-isomer]/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P176 | AE (0.17/0.12) w/w |
| Cyphenothrin | (RS)- α -cyano-3-phenoxybenzyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P85 | FU (8) w/w |
| Cyphenothrin/ Imiprothrin | (RS)- α -cyano-3-phenoxybenzyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1= imidazolidinyl]methyl (1R)-cis-trans= chrysanthemate | 1P135 | AE (0.33/0.2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Cyphenothrin/ d-Tetramethrin | (R <i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> <i>S</i>)- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i>)- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P93 | AE (0.3/0.3) w/w |
| Deltamethrin | (S)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P30 | AE (0.06) w/w AL (0.015) w/w CK (4) w/w |
| Deltamethrin/ Esbiothrin | (S)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1 <i>S</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [\geq 72% S-cyclopentenyl isomer] | 1P94 | AE (0.02/0.2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Deltamethrin/ Esbiothrin/ Propoxur | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [$\geq 72\%$ S-cyclopentenyl isomer]/ 2-isopropoxyphenyl methylcarbamate | 1P139 | AE (0.02/0.15/1) w/w |
| Deltamethrin/ Kadethrin | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 5-benzyl-3-furylmethyl (E)-(1R,3S)= 2,2-dimethyl-3-(2-oxothiolan= 3-ylidenemethyl) cyclopropanecarboxylate | 1P31 | AE (0.02/0.06) w/v |
| Deltamethrin/ Octachlorodipropyl ether/ Permethrin | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P32 | DP (0.1/0.2/0.1) w/w GR (0.1/0.2/0.1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Deltamethrin/ Permethrin/ Tetramethrin/ Piperonyl butoxide | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P84 | AE (0.05/0.1/0.25/1) w/w |
| Deltamethrin/ Tetramethrin | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P127 | AE (0.015/0.23) w/w |
| 1,4-Dichlorobenzene | 1,4-dichlorobenzene | 1P1 | VP (-) |
| 1,4-Dichlorobenzene/ 2-Phenylphenol | 1,4-dichlorobenzene/ biphenyl-2-ol | 1P90 | VP (72.6/0.2) w/w |
| 1,4-Dichlorobenzene/ Thymol | 1,4-dichlorobenzene/ 5-methyl-2-(1-methylethyl) phenol | 1P92 | VP (99.9/0.05) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|--|-----------------------------|--|
| Dichlorvos | 2,2-dichlorovinyl dimethyl phosphate | 1P35 | AE (1) w/v |
| Dichlorvos/ Fenitrothion/ Permethrin/ Tetramethrin/ Piperonyl butoxide | 2,2-dichlorovinyl dimethyl phosphate/ <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P36 | AE (0.5/0.8/0.04/ 0.08/0.4) w/v |
| Dichlorvos/ Fenitrothion/ Tetramethrin | 2,2-dichlorovinyl dimethyl phosphate/ <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P37 | AE (1/1/0.2) w/v |
| Dichlorvos/ Permethrin | 2,2-dichlorovinyl dimethyl phosphate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate | 1P38 | AE (0.8/0.2) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Dichlorvos/ Permethrin/ Propoxur | 2,2-dichlorovinyl dimethyl phosphate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate | 1P39 | AE (0.5/0.1/1) w/v |
| Dichlorvos/ Permethrin/ Tetramethrin/ Piperonyl butoxide | 2,2-dichlorovinyl dimethyl phosphate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P82 | AE (1/0.25/0.02/0.1) w/w |
| Dichlorvos/ Propoxur | 2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate | 1P40 | AE (1/2) w/v |
| Dichlorvos/ Tetramethrin/ Piperonyl butoxide | 2,2-dichlorovinyl dimethyl phosphate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P41 | AE (1/0.08/0.4) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Diethyltoluamide/ Esbiothrin | <i>N,N</i> -diethyl- <i>m</i> -toluamide/ (1 <i>S</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥72% <i>S</i> -cyclopentenyl isomer] | 1P133 | FU (2.41/2.52) w/w |
| Difethialone | 3-[(1 <i>R</i> ,3 <i>R</i> ; <i>S</i> ; <i>S</i>)-3-(4'- bromobiphenyl-4-yl)-1,2,3,4= tetrahydro-1-naphthyl]-4-hydroxy- 1-benzothiain-2-one | 1P131 | PE (0.0025) w/w |
| Diiodomethyl-4-tolyl sulfone | Diiodomethyl- <i>p</i> -tolyl sulfone | 1P121 | AE (0.015) w/w |
| Diiodomethyl 4-tolyl sulfone/ Isobornyl thiocyanacetate/ Permethrin/ beta-Thujaplicin | Diiodomethyl- <i>p</i> -tolyl sulfone/ 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl thiocyanatoacetate/ 3-phenoxybenzyl(1 <i>R</i> ,3 <i>R</i> ; <i>S</i> ; <i>S</i>)-3= (2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate/ 2-hydroxy-4-isopropyl-2,4,6= cycloheptatrien-1-one | 1P104 | IP (0.86/0.62/0.10/0.03) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Dimefluthrin | 2,3,5,6-tetrafluoro-4-=(methoxymethyl)benzyl=(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate | 1P186 | FU (0.03) w/w VP (0.31) w/w |
| Dimethoate | <i>O,O</i> -dimethyl <i>S</i> -methylcarbamoylmethyl phosphorodithioate | 1P42 | AE (0.4) w/v |
| Dinotefuran | (<i>RS</i>)-1-methyl-2-nitro-3-=(tetrahydro-3-furylmethyl)guanidine | 1P202 | GE (0.5) w/w |
| Diphacinone | 2-(diphenylacetyl)indan-1,3-dione | 1P43 | AB (0.1) w/w |
| Disulfoton | <i>O,O</i> -diethyl <i>S</i> -2-ethylthioethyl phosphorodithioate | 1P44 | PR (1) w/w |
| Emamectin benzoate | A mixture of $\geq 90\%$ emamectin B _{1a} benzoate ((4" <i>R</i>)-5- <i>O</i> -demethyl-4"-deoxy-4"-(methylamino)avermectin A _{1a} benzoate) and $\leq 10\%$ emamectin B _{1b} benzoate ((4" <i>R</i>)-5- <i>O</i> -demethyl-25-de(1-methylpropyl)-4"-deoxy-4"-(methylamino)-25-(1-methylethyl)=avermectin A _{1a} benzoate) | 1P190 | GE (0.1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Empenthrin | (RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P101 | IP (20.7) w/w |
| Empenthrin/ Freside S | (RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 4-isopropyl-3-methylphenol | 1P110 | VP (30.97/1.55) w/w |
| Empenthrin/ Freside S/ d-Phenothrin | (RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 4-isopropyl-3-methylphenol/ 3-phenoxybenzyl (1R)-cis-trans- 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P109 | VP (0.11/0.14/0.19) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Empenthrin/ Octachlorodipropyl ether/ 2-Phenylphenol/ d-Tetramethrin | (RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether/ biphenyl-2-ol/ cyclohex-1-ene-1,2-dicarboximidomethyl (1R)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P107 | IP (0.18/0.9/0.09/0.18) w/w |
| Empenthrin/ 2-Phenylphenol | (RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ biphenyl-2-ol | 1P106 | VP (50/8) w/w |
| Esbiothrin | (1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥72% S-cyclopentenyl isomer] | 1P45 | FU (5) w/w VP (3) w/w |
| Etofenprox | 2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether | 1P161 | AE (1.25) w/w AL (2.5) w/w FU (8) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Fenitrothion | <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate | 1P108 | RB (5) w/w |
| Fenitrothion/ Permethrin | <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P46 | AE (1.3/1.4) w/v |
| Fenitrothion/ Permethrin/ Tetramethrin | <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P47 | AE (0.8/0.3/0.3) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Fenitrothion/ Permethrin/ Tetramethrin/ Piperonyl butoxide | <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2- dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P126 | AE (1/0.047/0.091/ 0.462) w/w |
| Fenoxycarb/ Permethrin/ Pyrethrins/ MGK 264/ Piperonyl butoxide | ethyl 2-(4-phenoxyphenoxy)ethyl= carbamate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins/ <i>N</i> -(2-ethylhexyl)-8,9,10= trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P118 | AE (1/0.5/0.05/0.4/ 0.1) w/w AL (0.06/0.2/0.05/ 0.4/0.1) w/w |

| 活性成分通用名稱 Common Name of the Active Ingredient | 化學名稱 Chemical Name | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale |
|---|--|-------------------------|--|
| Fenvalerate/ Pyrethrins/ MGK 264/ Piperonyl butoxide | (RS)- α -cyano-3-phenoxybenzyl (RS)-2-(4-chlorophenyl)- 3-methylbutyrate/pyrethrins/ N-(2-ethylhexyl)-8,9,10- trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P136 | AE (0.4/0.05/0.166/0.1) w/w |
| Fipronil | (\pm) -5-amino-1-(2,6-dichloro- α,α,α - trifluoro- <i>p</i> -tolyl)-4-trifluoromethyl- sulfinylpyrazole-3-carbonitrile | 1P145 | RB (0.05) w/w |
| Floucoumafen | 4-hydroxy-3-[1,2,3,4-tetrahydro-3-[4- (4-trifluoromethylbenzyloxy)phenyl]-1- naphthyl]coumarin (mixture of <i>cis</i> - and <i>trans</i> -isomers) | 1P48 | AB (0.005) w/w BB (0.005) w/w TB (0.005) w/w |
| Freside S | 4-isopropyl-3-methylphenol | 1P119 | VP (0.1) w/w |
| d-trans-Furamethrin | 5-(2-propynyl)-2-furylmethyl(1R)- <i>trans</i> -2,2-dimethyl-3-(2-methylprop-1- enyl)cyclopropanecarboxylate | 1P159 | FU (10) w/w VP (1.68) w/w |
| Geraniol | (E)-3,7-Dimethyl-2,6-octadien-1-ol | 1P181 | VP (30) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Hydramethylnon | 5,5-dimethylperhydropyrimidin-2-one 4-trifluoromethyl- α - (4-trifluoromethylstyryl)- cinnamylidenehydrazone | 1P49 | GB (0.9) w/w RB (2.0) w/w |
| S-Hydroprene | ethyl (2 <i>E</i> ,4 <i>E</i>)-(7 <i>S</i>)-3,7,11-trimethyl= dodeca-2,4-dienoate | 1P153 | VP (90.6) w/w |
| Imidacloprid | 1-(6-chloro-pyridin-3-yl= methyl)- <i>N</i> -nitroimidazolidin= 2-ylideneamine | 1P158 | GE (2.15) w/w |
| Indoxacarb | methyl (<i>S</i>)- <i>N</i> -[7-chloro-2,3,4a,5= tetrahydro-4a-(methoxycarbonyl)= indeno[1,2- <i>e</i>][1,3,4]oxadiazin-2= ylcarbonyl]-4'--(trifluoromethoxy)= carbanilate | 1P184 | RB (1) w/w |
| Isobornyl thiocyanacetate/ Permethrin | 1,7,7-trimethylbicyclo[2.2.1]= hept-2-yl thiocyanatoacetate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate | 1P98 | IP (1.08/0.16) w/w |
| d-Limonene | (R)-4-isopropenyl-1-methylcyclohexene | 1P167 | L (5.8) w/w |
| Linalool | 3,7-dimethyl-1,6-octandien-3-ol | 1P178 | VP (96) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|---|---------------------------------|--|
| Malathion/ Pyrethrins/ Rotenone | diethyl (dimethoxyphosphorylthio)= succinate/ pyrethrins/ (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i>)-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -= hexahydro-2-isopropenyl-8,9-= dimethoxychromeno[3,4- <i>b</i>]= furo[2,3- <i>h</i>]chromen-6-one | 1P50 | AE (0.3/0.02/0.1) w/v |
| Menthol | (1 <i>R</i> ,2 <i>S</i> ,5 <i>R</i>)-(-)-Menthol | 1P164 | VP (4.3) w/w |
| S-Methoprene/ Permethrin | isopropyl (2 <i>E</i> ,4 <i>E</i>)-(7 <i>S</i>)-11-methoxy-= 3,7,11-trimethyldodeca-2,4-dienoate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate | 1P147 | AE (0.1/0.64) w/w |
| S-Methoprene/ Pyrethrins/ MGK 264/ Piperonyl butoxide | isopropyl (2 <i>E</i> ,4 <i>E</i>)-(7 <i>S</i>)-11-methoxy-= 3,7,11-trimethyldodeca-2,4-dienoate/ pyrethrins/ <i>N</i> -(2-ethylhexyl)-8,9,10-= trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P171 | AE (0.1/0.5/1.7/1.0) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| S-Methoprene/ Pyrethrins/ Tetramethrin/ MGK 264/ Piperonyl butoxide | isopropyl (2 <i>E</i> ,4 <i>E</i>)-(7 <i>S</i>)-11-methoxy= 3,7,11-trimethyldodeca-2,4-dienoate/ pyrethrins/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ <i>N</i> -(2-ethylhexyl)-8,9,10= trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P172 | AE (0.1/0.2/0.1/1/1) w/w |
| Methoprene/ Permethrin | isopropyl (<i>E</i> , <i>E</i>)-(<i>RS</i>)-11= methoxy-3,7,11-trimethyldodeca= 2,4-dienoate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate | 1P128 | AE (0.15/0.5) w/w |
| Methothrin/ Permethrin | (<i>E</i> , <i>Z</i>) 2,2-dimethyl 3-isobutenyl cyclopropanecarboxylate p-methoxy methyl benzylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate | 1P95 | CK (0.1/0.1) w/w |
| Methoxychlor | 1,1,1-trichloro-2,2-bis(4-methoxyphenyl)= ethane | 1P51 | AE (3) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Methyl neodecanamide | methyl neodecanamide | 1P116 | AL (2) w/w |
| Methyl nonyl ketone | undecan-2-one | 1P194 | VP (21) w/w |
| Metofluthrin | 2,3,5,6-tetrafluoro-4-(methoxymethyl)= benzyl (EZ)-(1RS,3RS;1RS,3SR)-2,2-dimethyl= 3-prop-1-enylcyclopropanecarboxylate | 1P200 | VPM (15) mg/mat #7 |
| Metoxadiazone/ d-Phenothrin | 5-methoxy-3-(2-methoxyphenyl)-= 1,3,4-oxadiazol-2(3H)-one/ 3-phenoxybenzyl (1R)-cis-trans-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P132 | FU (8/14) w/w |
| Naphthalene | naphthalene | 1P53 | VP (-) |
| Octenol | 1-octen-3-ol | 1P175 | VP (67.2) w/w #5 |
| Permethrin | 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 1P55 | AL (0.3) w/v DP (0.5) w/w FU (12.6) w/w MG (0.9) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Permethrin/ 2-Phenylphenol/ Pyrethrins/ Piperonyl butoxide | 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P165 | AE (0.2/0.15/0.2/0.5) w/w |
| Permethrin/ Propoxur/ Tetramethrin | 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P86 | AE (0.207/0.96/0.207) w/w |
| Permethrin/ Pyrethrins | 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ pyrethrins | 1P54 | AE (0.04/0.1) w/v |
| Permethrin/ Pyrethrins/ Piperonyl butoxide | 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P137 | AE (0.2/0.2/0.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Permethrin/ d-Tetramethrin | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i>)- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P97 | AE (0.84/0.84) w/v |
| Permethrin/ Tetramethrin | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P56 | AE (1/0.3) w/v |
| Permethrin/ Tetramethrin/ Octachlorodipropyl ether | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether | 1P174 | AE (0.35/0.2/0.6) w/w |
| Petroleum oils | various refined petroleum oils | 1P57 | RB (62) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| d-Phenothrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P148 | P (0.4) w/w |
| d-Phenothrin/ Phenyl salicylate | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ phenyl 2-hydroxybenzoate | 1P151 | AE (0.4/6.7) w/w |
| d-Phenothrin/ Prallethrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>S</i>)-2-methyl-4-oxo-3-(2= propynyl)cyclopent-2-enyl (1 <i>R</i>)-= <i>cis,trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P115 | AE (0.05/0.13) w/w AE (0.125/0.1) w/w AL (0.11/0.01) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| d-Phenothrin/ Prallethrin/ d-Tetramethrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i>)- <i>cis,trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i>)- <i>cis-trans</i> -2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P197 | AE (0.2/0.1/0.2) w/w |
| d-Phenothrin/ Tetramethrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P96 | AE (0.075/0.3) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| d-Phenothrin/ Tetramethrin/ Piperonyl butoxide | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P79 | AE (0.04/0.2/1) w/v |
| 2-Phenylphenol | biphenyl-2-ol | 1P81 | GR (0.2) w/w |
| Phoxim | <i>O,O</i> -diethyl α -= cyanobenzylideneamino-= oxyphosphonothionate | 1P58 | DP (3) w/w RB (0.0875) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|--|-----------------------------|--|
| Pirimiphos-methyl/ Resmethrin/ Tetramethrin/ Piperonyl butoxide | O-2-diethylamino-6= methylpyrimidine-4-yl, O,O= dimethyl phosphorothioate/ 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ; =1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P59 | AE (0.5/0.2/0.1/0.6) w/v |
| Prallethrin | (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i>)- <i>cis,trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P103 | FU (1.67) w/w VP (1.33) w/v VP (2) w/w |
| Prallethrin/ Piperonyl butoxide | (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i>)- <i>cis,trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P99 | FU (1.41/2.94) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Propoxur | 2-isopropoxyphenyl methylcarbamate | 1P60 | AL (5) w/v GB (1) w/w IP (1) w/w RB (1.5) w/w VP (1) w/v |
| Propoxur/ Pyrethrins | 2-isopropoxyphenyl methylcarbamate/ pyrethrins | 1P61 | FU (2/0.3) w/w |
| Propoxur/ Pyrethrins/ Piperonyl butoxide | 2-isopropoxyphenyl methylcarbamate/ pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P62 | AE (1/0.4/1.1) w/v |
| Propoxur/ Pyrethrins/ Tetramethrin/ Piperonyl butoxide | 2-isopropoxyphenylmethylcarbamate/ pyrethrins/ cyclohex-1-ene-1,2- dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ; 1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P88 | AE (1.1/0.5/0.16/1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Propoxur/ Tetramethrin | 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P83 | AE (1/0.3) w/w |
| Pyrazophos | ethyl 2-diethoxythiophosphoryloxy-5= methylpyrazolo[1,5-a]= pyrimidine-6-carboxylate | 1P63 | AE (0.1) w/v |
| Pyrethrins | mixture of esters of pyrethrolone, cinerolone and jasmolone with chrysanthemic and pyrethric acids: extracted from <i>Chrysanthemum</i> <i>cinerariaefolium</i> and similar species of plants | 1P64 | AE (0.4) w/v |
| Pyrethrins/ MGK 264/ Piperonyl butoxide | pyrethrins/ <i>N</i> -(2-ethylhexyl)-8,9,10= trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P65 | AE (0.1/0.2/0.8) w/v AE (0.975/3.21/1.95) w/w AL (3/10/6) w/w |
| Pyrethrins/ Piperonyl butoxide | pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P66 | AE (0.3/1.3) w/v AE (1/5) w/w AL (0.02/0.2) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|--|-----------------------------|--|
| Pyrethrins/ Resmethrin/ Tetramethrin | pyrethrins/ 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P67 | AE (0.02/0.3/0.3) w/v |
| Pyrethrins/ Tetramethrin/ MGK 264/ Piperonyl butoxide | pyrethrins/ cyclohex-1-ene-1,2= dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ; 1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ N-(2-ethylhexyl)-8,9,10-trinorborn= 5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P68 | AE (0.2/0.07/1/1) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Pyrethrins/ Tetramethrin/ Piperonyl butoxide | pyrethrins/ cyclohex-1-ene-1,2- dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;= 1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 1P69 | AE (0.2/0.09/1.1) w/v |
| d-Resmethrin/ d-Tetramethrin | 5-benzyl-3-furylmethyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i>)- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P80 | AE (0.3/0.62)w/v |
| Resmethrin/ Tetramethrin | 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;= 1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate | 1P70 | AE (0.3/0.3) w/v |
| Simazine | 6-chloro- <i>N</i> ² , <i>N</i> ⁴ -diethyl- 1,3,5-triazine-2,4-diamine | 1P71 | SL (3.5) w/v TB (3.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Thiamethoxam | 3-(2-chloro-1,3-thiazol-5-ylmethyl)- 5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine | 1P189 | GE (0.1) w/w |
| Transfluthrin | (1 <i>R</i>)- <i>trans</i> -(2,3,5,6-tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate | 1P129 | AL (1.7) w/v FU (8.3) w/w VP (95) w/w |
| Warfarin | 4-hydroxy-3-(3-oxo-1-phenylbutyl)- coumarin | 1P72 | AB (0.1) w/w |

第二部

PART II

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Abamectin | A mixture of > 80% avermectin B _{1a} (5- <i>O</i> -demethyl avermectin A _{1a}) and < 20% avermectin B _{1b} (5- <i>O</i> -demethyl-25-de-(1-methylpropyl)-25-(1-methylethyl) avermectin A _{1a}) | 2P226 | CS (1.9) w/w #2 EC (1.8) w/v #2 RB (0.05) w/w #2 SC (2) w/v #2 |
| S-abscisic acid | (2 <i>Z</i> ,4 <i>E</i>)-5-[(1 <i>S</i>)-1-hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3-methylpenta-2,4-dienoic acid | 2P310 | L (-) P (-) |
| Acephate | <i>O,S</i> -dimethyl acetylphosphoramidothioate | 2P6 | GR (16) w/w SP (75) w/w WP (75) w/w |
| Acetamiprid | (<i>E</i>)- <i>N</i> ¹ -[(6-chloro-3-pyridyl)methyl]- <i>N</i> ² -cyano- <i>N</i> ¹ -methylacetamidine | 2P273 | EC (3) w/w |
| d-Allethrin | (<i>RS</i>)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1 <i>R</i>)- <i>cis-trans</i> -2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 2P196 | EC (40) w/v FU (20) w/w |
| Allicin/ Capsaicin | <i>S</i> -2-Propenyl-2-propene-1-sulfinothioate/ (<i>E</i>)- <i>N</i> -[(4-Hydroxy-3-methoxyphenyl)methyl]-8-methyl-6-nonenamide | 2P316 | SL (1/1) w/v |
| Amitraz | <i>N</i> -methylbis(2,4-xylilyliminomethyl)amine | 2P9 | EC (40) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Amorphous silicon dioxide | Amorphous silicon dioxide | 2P237 | DP (50) w/w |
| Amorphous silicon dioxide/ Deltamethrin/ Piperonyl butoxide | Amorphous silicon dioxide/ (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P320 | DP (90/0.1/0.4) w/w |
| Anilazine | 2,4-dichloro-6-(2-chloroanilino)- 1,3,5-triazine | 2P203 | WP (50) w/w |
| Atrazine | 6-chloro- <i>N</i> ² -ethyl- <i>N</i> ⁴ - isopropyl- 1,3,5-triazine-2,4-diamine | 2P10 | SC (50) w/v WP (80) w/w |
| Azadirachtin | dimethyl (3 <i>S</i> ,3 <i>aR</i> ,4 <i>S</i> ,5 <i>S</i> ,5 <i>aR</i> ,5 <i>a</i> ¹ <i>R</i> ,7 <i>aS</i> ,8 <i>R</i> ,10 <i>S</i> ,= 10 <i>aS</i>)-8-acetoxy-3,3 <i>a</i> ,4,5,5 <i>a</i> ,5 <i>a</i> ¹ ,7 <i>a</i> ,8,9,= 10-decahydro-3,5-dihydroxy-4- {(1 <i>S</i> ,3 <i>S</i> ,7 <i>S</i> ,8 <i>R</i> ,9 <i>S</i> ,11 <i>R</i>)-7-hydroxy-9- methyl-2,4,10-trioxatetracyclo= [6.3.1.0 ^{3,7} .0 ^{9,11}]dodec-5-en-11-yl}-4- methyl-10[(<i>E</i>)-2-methylbut-2-enoyloxy]-= 1 <i>H</i> ,7 <i>H</i> -naphtho[1,8 <i>a</i> ,8- <i>bc</i> :4,4 <i>a-c'</i>]difuran- 3,7 <i>a</i> -dicarboxylate | 2P261 | EC (6) w/w WP (6) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Azadirachtin/ Etofenprox | dimethyl (3 <i>S</i> ,3 <i>aR</i> ,4 <i>S</i> ,5 <i>S</i> ,5 <i>aR</i> ,5 <i>a</i> ¹ <i>R</i> ,7 <i>aS</i> ,8 <i>R</i> ,10 <i>S</i> ,= 10 <i>aS</i>)-8-acetoxy-3,3 <i>a</i> ,4,5,5 <i>a</i> ,5 <i>a</i> ¹ ,7 <i>a</i> ,8,9,= 10-decahydro-3,5-dihydroxy-4- {(1 <i>S</i> ,3 <i>S</i> ,7 <i>S</i> ,8 <i>R</i> ,9 <i>S</i> ,11 <i>R</i>)-7-hydroxy-9- methyl-2,4,10-trioxatetracyclo= [6.3.1.0 ^{3,7} .0 ^{9,11}]dodec-5-en-11-yl}-4- methyl-10[(<i>E</i>)-2-methylbut-2-enoyloxy]-= 1 <i>H</i> ,7 <i>H</i> -naphtho[1,8 <i>a</i> ,8- <i>bc</i> :4,4 <i>a-c'</i>]difuran- 3,7 <i>a</i> -dicarboxylate/ 2-(4-ethoxyphenyl)-2-methylpropyl 3- phenoxybenzyl ether | 2P257 | EC (1/20) w/w EW (5/8) w/v |
| Azocyclotin | tri(cyclohexy)-1 <i>H</i> -1,2,4-triazol-1-yltin | 2P11 | WP (25) w/w |
| Azoxystrobin | methyl (<i>E</i>)-2-{2-[6-(2-cyanophenoxy)= pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate | 2P287 | DC (9.5) w/v SC (25) w/w WG (50) w/w |
| <i>Bacillus sphaericus</i> | None | 2P282 | GR (-) P (-) |
| <i>Bacillus subtilis</i> | None | 2P296 | WP (-) |
| <i>Bacillus thuringiensis</i> | None | 2P12 | BR (-) EC (-) GR (-) OF (-) P (-) SC (-) WP (-) |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| <i>Beauveria bassiana</i> | None | 2P239 | SC (7.16) w/w |
| Benazolin ethyl | Ethyl 4-chloro-2-oxobenzothiazolin= 3-ylacetate | 2P13 | EC (10) w/v |
| Bendiocarb | 2,2-dimethyl-1,3-benzodioxol-4-yl methylcarbamate | 2P14 | WP (80) w/w |
| Benfluralin | <i>N</i> -butyl- <i>N</i> -ethyl- α,α,α -trifluoro= 2,6-dinitro- <i>p</i> -toluidine | 2P15 | EC (20) w/v GR (2.5) w/w |
| Benodanil | 2-iodobenzanilide | 2P16 | WP (50) w/w |
| Benomyl | methyl 1-(butylcarbamoyl)= benzimidazol-2-ylcarbamate | 2P17 | WP (50) w/w |
| Bentazone | 3-isopropyl-1 <i>H</i> -2,1,3-benzothiadiazin= 4(3 <i>H</i>)-one 2,2-dioxide | 2P18 | SL (50) w/v |
| Benzalkonium chloride/ Copper-triethanolamine complex | alkyl dimethylbenzylammonium chloride/ Copper-triethanolamine complex | 2P215 | SL (20/30.5) w/v |
| Benzoylprop-ethyl | ethyl (\pm)-2-[<i>N</i> -(3,4-dichlorophenyl)= benzamidol]propionate | 2P19 | EC (20) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Bifenthrin | 2-methylbiphenyl-3-ylmethyl (Z)-(1RS,3RS)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate | 2P240 | EC (25.1) w/w SC (8.5) w/w |
| Bifenthrin/ Imidacloprid | 2-methylbiphenyl-3-ylmethyl (Z)-(1RS,3RS)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate/ 1-(6-chloro-pyridin-3-yl-methyl)-N-nitroimidazolidin-2-ylideneamine | 2P332 | SC (4.5/5.5) w/v |
| Bifenthrin/ Imiprothrin/ Piperonyl butoxide | 2-methylbiphenyl-3-ylmethyl (Z)-(1RS,3RS)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1-imidazolidinyl]methyl (1R)-cis-trans-chrysanthemate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P335 | SE (10/1/12) w/v |
| Bioallethrin | (1RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 2P21 | TK (93) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Bioallethrin/ Permethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 2P26 | L (9/43) w/v |
| Bioallethrin/ Permethrin/ Piperonyl butoxide | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P27 | L (20/4/40) w/v UL (0.5/0.1/1.0) w/v |
| Bioallethrin/ Permethrin/ Tetramethrin | (1 <i>RS</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P28 | OL (4/4/6) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Bioallethrin/ Piperonyl butoxide | (1 <i>R,S</i>)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1 <i>R,3R</i>)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P25 | EC (9/67) w/w OL (9/67) w/w |
| Bioallethrin-S | (1 <i>S</i>)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1 <i>R,3R</i>)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer] | 2P22 | TK (93) w/w |
| Bioallethrin-S/ Deltamethrin | (1 <i>S</i>)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1 <i>R,3R</i>)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ (<i>S</i>)-α-cyano-3-phenoxybenzyl (1 <i>R,3R</i>)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate | 2P247 | SE (2/2.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Bioallethrin-S/ Deltamethrin/ Piperonyl butoxide | (1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ (S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P23 | TK (2/45/45) w/w |
| Bioallethrin-S/ Permethrin/ Piperonyl butoxide | (1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P24 | AS (0.2/4.9/4.9) w/v EC (1/17/17) w/v SL (0.2/11/11) w/v |
| Bioresmethrin | 5-benzyl-3-furylmethyl (1R,3R)= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P29 | EC (20) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Bioresmethrin/ Piperonyl butoxide | 5-benzyl-3-furylmethyl (1 <i>R</i> ,3 <i>R</i>)= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P30 | OL (12/11) w/w |
| Bistrifluron | 1-[2-chloro-3,5-bis(trifluoromethyl)= phenyl]-3-(2,6-difluorobenzoyl)urea | 2P329 | RB (1) w/w |
| Bitertanol | <i>all-rac</i> -1-(biphenyl-4-yloxy)= 3,3-dimethyl-1-(1 <i>H</i> -1,2,4= triazol-1-yl)butan-2-ol [ratio of racemates (1 <i>RS</i> ,2 <i>RS</i>) & (1 <i>RS</i> ,2 <i>SR</i>) is c. 20:80] | 2P31 | EC (50) w/v WP (50) w/w |
| Brassinolide | (22 <i>S</i> ,23 <i>S</i>)-2 α ,3 α ,22,23-tetrahydroxy-6,7= seco-5 α -ergostano-6,7-lactone [3 <i>epi</i> -BR]/ (22 <i>R</i> ,23 <i>R</i>)-2 α ,3 α ,22,23-tetrahydroxy-6,7= seco-5 α -ergostano-6,7-lactone [24 <i>epi</i> -BR] | 2P238 | EC (0.01) w/v SP (0.1) w/w |
| Brodifacoum | 3-[3-(4'-bromobiphenyl-4-yl)= 1,2,3,4-tetrahydro-1-naphthyl]-4= hydroxycoumarin | 2P295 | BB (0.005) w/w #2 |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Brodifacoum/ Permethrin | 3-[3-(4'-bromobiphenyl-4-yl)- 1,2,3,4-tetrahydro-1-naphthyl]-4- hydroxycoumarin/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)- 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate | 2P234 | BB (0.005/0.001) w/w #2 |
| Bromadiolone | 3-[3-(4'-bromobiphenyl-4-yl)-3- hydroxy-1-phenylpropyl]-4- hydroxycoumarin | 2P225 | BB (0.005) w/w #2 |
| Bromophos | O-4-bromo-2,5-dichlorophenyl O,O-dimethyl phosphorothioate | 2P32 | EC (40) w/v WP (40) w/w |
| Bromopropylate | isopropyl 4,4'-dibromobenzilate | 2P33 | EC (50) w/v |
| Buprofezin | 2-tert-butylimino-3-isopropyl-5- phenyl-1,3,5-thiadiazinan-4-one | 2P34 | WP (25) w/w |
| Butachlor | N-butoxymethyl-2-chloro- 2',6'-diethylacetanilide | 2P35 | EC (85) w/v GR (6) w/w |
| Captan | N-(trichloromethylthio)cyclohex- 4-ene-1,2-dicarboximide | 2P37 | WP (85) w/w |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|---|---|--|
| Carbaryl | 1-naphthyl methylcarbamate | 2P38 | DP (80) w/w EC (80) w/v GR (10) w/w RB (5) w/w WP (85) w/w |
| Carbaryl/ Dicofol/ Malathion | 1-naphthyl methylcarbamate/ 2,2,2-trichloro-1,1= bis(4-chlorophenyl)ethanol/ diethyl (dimethoxyphosphorylthio)= succinate | 2P39 | WP (30/5/15) w/w |
| Carbaryl/ Quintozene | 1-naphthyl methylcarbamate/ pentachloronitrobenzene | 2P40 | GR (0.71/2.14) w/w |
| Carbaryl/ Rotenone | 1-naphthyl methylcarbamate/ (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i>)-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -= hexahydro-2-isopropenyl-8,9-= dimethoxychromeno[3,4- <i>b</i>]= furo[2,3- <i>h</i>]chromen-6-one | 2P41 | DP (5/20) w/w SP (5/20) w/w WP (5/20) w/w |
| Carbendazim | methyl benzimidazol-2-ylcarbamate | 2P42 | EC (50) w/v FP (50) w/w FS (50) w/v SC (50) w/v WP (75) w/w |
| Carbofuran | 2,3-dihydro-2,2-dimethylbenzofuran-7-yl methylcarbamate | 2P43 | GR (3) w/w #2 |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale |
|---|---|-------------------------|--|
| Cartap | S,S'-(2-dimethylaminotrimethylene) bis(thiocarbamate) | 2P44 | DP (80) w/w GR (80) w/w SP (80) w/w |
| Celastrus alkaloids | Celastrus alkaloids | 2P307 | EC (0.5) w/w |
| Chlorantraniliprole | 3-bromo-4'-chloro-1-(3-chloro-2'-pyridyl)-2'-methyl-6'-(methyl= carbamoyl)pyrazole-5-carboxanilide | 2P327 | SC (20) w/v TC (95.3) w/w |
| Chlorantraniliprole/ Thiamethoxam | 3-bromo-4'-chloro-1-(3-chloro-2'-pyridyl)-2'-methyl-6'-(methyl= carbamoyl)pyrazole-5-carboxanilide/ 3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine | 2P330 | SC (10/20) w/v |
| Chlorfenapyr | 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile | 2P315 | SC (22) w/w #2,#4 SC (24) w/v #2,#4 |
| Chlorfluazuron | 1-[3,5-dichloro-4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenyl]-3-(2,6-difluorobenzoyl)urea | 2P281 | P (0.1) w/w |
| Chloridazon | 5-amino-4-chloro-2-phenylpyridazin-3(2H)-one | 2P45 | WP (65) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Chlorothalonil | tetrachloroisophthalonitrile | 2P47 | SC (80) w/v WP (80) w/w |
| Chlorpyrifos | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2-pyridyl phosphorothioate | 2P48 | CS (20.8) w/v DP (2.5) w/w EC (40) w/v EC (44.9) w/w GR (40) w/w WP (40) w/w |
| Chlorpyrifos/ lambda-Cyhalothrin/ Esbiothrin | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2= pyridyl phosphorothioate/ α -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)= 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the (<i>Z</i>)-(1 <i>R</i> ,3 <i>R</i>), <i>S</i> -ester and (<i>Z</i>)-(1 <i>S</i> , 3 <i>S</i>), <i>R</i> -ester/ (1 <i>S</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [\geq 72% <i>S</i> -cyclopentenyl isomer] | 2P235 | L (12.5/1/2.5) w/w |
| Chlorpyrifos/ Dichlorvos | <i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2= pyridyl phosphorothioate/ 2,2-dichlorovinyl dimethylphosphate | 2P50 | OF (1/1) w/v #2 OL (1/1) w/v #2 |
| Chlorpyrifos-methyl | <i>O,O</i> -dimethyl <i>O</i> -3,5,6= trichloro-2-pyridylphosphorothioate | 2P49 | EC (50) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Chlorthal-dimethyl | dimethyl tetrachloroterephthalate | 2P51 | GR (5) w/w WP (75) w/w |
| Clofentezine | 3,6-bis(2-chlorophenyl)-1,2,=4,5-tetrazine | 2P52 | SC (50) w/v |
| Cnidiadin | Cnidiadin | 2P298 | EC (0.4) w/w |
| Consan Triple Action 20 | n-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides/ n-alkyl (50% C ₁₂ , 30% C ₁₄ , 17% C ₁₆ , 3% C ₁₈) dimethyl ethyl benzyl ammonium chlorides/ n-alkyl (50% C ₁₂ , 30% C ₁₄ , 17% C ₁₆ , 3% C ₁₈) dimethyl benzyl ammonium chlorides | 2P232 | AS (9/9/2) w/w |
| Copper (I) oxide | Copper (I) oxide | 2P204 | AL (65) w/w |
| Copper (I) oxide/ Copper pyrithione | Copper (I) oxide/ bis(1-hydroxy-2(1 <i>H</i>)-=pyridinethionato- <i>O,S</i>)-(<i>T-4</i>)copper | 2P270 | AL (52/4.5) w/w |
| Copper (I) oxide/ Copper pyrithione/ Zineb | Copper (I) oxide/ bis(1-hydroxy-2(1 <i>H</i>)-=pyridinethionato- <i>O,S</i>)-(<i>T-4</i>)copper/ zinc ethylenebis (dithiocarbamate) (polymeric) | 2P319 | AL (40/2.1/5.0) w/w |

| 活性成分通用名稱 | 化學名稱 | 註冊 編號 | 零售之劑型及最高 濃度限制 |
|--|---|-------------|--|
| Common Name of the Active Ingredient | Chemical Name | Reg. No. | Formulation and Maximum Concentration for Retail Sale |
| Copper (I) oxide/ DCOIT | Copper (I) oxide/ 4,5-dichloro-2-n-octyl-3(2 <i>H</i>)-isothiazolone | 2P252 | AL (40/2) w/w |
| Copper (I) oxide/ Dichlofluamid | Copper (I) oxide/ <i>N</i> -dichlorofluoromethylthio- <i>N'</i> , <i>N'</i> - dimethyl- <i>N</i> -phenylsulfamide | 2P267 | AL (45/3) w/w |
| Copper (I) oxide/ Diuron | Copper (I) oxide/ 3-(3,4-dichlorophenyl)-1,1-dimethylurea | 2P208 | AL (50/5) w/w |
| Copper (I) oxide/ Irgarol 1051 | Copper (I) oxide/ 2- <i>tert</i> -butylamino-4-cyclopropylamino- 6-methylthio-1,3,5-triazine | 2P207 | AL (50/5) w/w |
| Copper (I) oxide/ Zinc pyrithione | Copper (I) oxide/ bis(1-hydroxy-2(1 <i>H</i>)- pyridinethionato- <i>O,S</i>)-(<i>T-4</i>)zinc | 2P243 | AL (48.20/4.29) w/w |
| Copper (I) oxide/ Zineb | Copper (I) oxide/ zinc ethylenebis (dithiocarbamate) (polymeric) | 2P209 | AL (65/15) w/w |
| Copper (I) thiocyanate/ Copper pyrithione | Copper (I) thiocyanate/ bis(1-hydroxy-2(1 <i>H</i>)- pyridinethionato- <i>O,S</i>)-(<i>T-4</i>)copper | 2P303 | AL (25/4) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Copper (I) thiocyanate/ Dichlofluamid | Copper (I) thiocyanate/ <i>N</i> -dichlorofluoromethylthio- <i>N'</i> , <i>N'</i> - dimethyl- <i>N</i> -phenylsulfamide | 2P268 | AL (20/4) w/w |
| Copper (I) thiocyanate/ Diuron | Copper (I) thiocyanate/ 3-(3,4-dichlorophenyl)-1,1-dimethylurea | 2P212 | AL (30/5) w/w |
| Copper (I) thiocyanate/ Irgarol 1051 | Copper (I) thiocyanate/ 2- <i>tert</i> -butylamino-4-cyclopropylamino-6- methylthio-1,3,5-triazine | 2P213 | AL (25/5) w/w |
| Copper (I) thiocyanate/ Zinc pyrithione | Copper (I) thiocyanate/ bis(1-hydroxy-2(1 <i>H</i>)- pyridinethionato- <i>O,S</i>)-(<i>T-4</i>)zinc | 2P277 | AL (21/5) w/w |
| Copper (II) hydroxide | Copper (II) hydroxide | 2P53 | SC (80) w/w WP (80) w/w |
| Copper oxychloride | dicopper chloride trihydroxide | 2P54 | SC (50) w/v SP (98) w/w WP (88) w/w |
| Copper oxychloride/ Maneb/ Zineb | dicopper chloride trihydroxide/ manganese ethylenebis= (dithiocarbamate) (polymeric)/ zinc ethylenebis= (dithiocarbamate) (polymeric) | 2P55 | WP (53/10/10) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Copper-triethanolamine complex | Copper-triethanolamine complex | 2P56 | SC (40) w/v SL (30.5) w/v |
| Cue-lure | 4-(<i>p</i> -hydroxyphenyl)-2-butanone acetate | 2P227 | TK (98) w/w |
| Cyantraniliprole | 3-bromo-1-(3-chloro-2-pyridyl)-=4'-cyano-2'-methyl-6'-=(methylcarbamoyl)pyrazole-5=-carboxanilide | 2P337 | RB (0.5) w/w |
| beta-Cyfluthrin | <p>(<i>RS</i>)- α -cyano-4-fluoro-3=-phenoxybenzyl(1<i>RS</i>,3<i>RS</i>;1<i>RS</i>,3<i>SR</i>)-=3-(2,2-dichlorovinyl)-2,2=-dimethylcyclopropanecarboxylate</p> <p>(A mixture of four diastereoisomeric pairs of enantiomers in the following ratios:</p> <p><2% diastereoisomer I:</p> <p>(<i>R</i>)- α -cyano-4-fluoro-3-phenoxybenzyl=(1<i>R</i>)-cis-3-(2,2-dichlorovinyl)-2,2=-dimethylcyclopropanecarboxylate + (<i>S</i>)- α , (1<i>S</i>)-cis-;</p> <p>30%-40% diastereoisomer II:</p> <p>(<i>S</i>)- α , (1<i>R</i>)-cis- + (<i>R</i>)- α , (1<i>S</i>)-cis-;</p> <p><3% diastereoisomer III:</p> <p>(<i>R</i>)- α , (1<i>R</i>)-trans- + (<i>S</i>)- α , (1<i>S</i>)-trans-;</p> <p>53%-67% diastereoisomer IV:</p> <p>(<i>S</i>)- α , (1<i>R</i>)-trans- + (<i>R</i>)- α , (1<i>S</i>)-trans-.)</p> | 2P293 | SC (12.5) w/v #2 |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Cyfluthrin | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 2P57 | EC (5) w/v #2 GR (5) w/v #2 SL (5) w/v #2 UL (5) w/v #2 |
| Cyfluthrin/ Dichlorvos/ Fenfluthrin/ Propoxur | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2,3,4,5,6-pentafluorobenzyl 3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate | 2P58 | EC (1/1/1/1) w/w #2 |
| Cyfluthrin/ Dichlorvos/ Propoxur | (RS)- α -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate | 2P59 | EC (1/1/1) w/w #2 |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Cyfluthrin/ Propoxur/ Tetramethrin/ Piperonyl butoxide | (RS)-α-cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P60 | EC (1/1/1) w/w #2 |
| lambda-Cyhalothrin | α-cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)= 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the (Z)-(1R,3R), S-ester and (Z)-(1S,3S),R-ester | 2P199 | CS (2.5) w/v EC (2.5) w/v EW (2.5) w/w EW (2.5) w/v WP (10) w/w |
| lambda-Cyhalothrin/ Prallethrin | α-cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)= 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the (Z)-(1R,3R), S-ester and (Z)-(1S,3S),R-ester/ (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1R)-cis,trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P321 | CS (9/1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Cyhalothrin | (RS)- α -cyano-3-phenoxybenzyl (Z)-(1RS,3RS)-(2-chloro= 3,3,3-trifluoropropenyl)-2,2= dimethylcyclopropanecarboxylate | 2P61 | EC (5) w/v |
| alpha-Cypermethrin | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 2P195 | EC (10) w/v SC (25) w/v UL (2) w/v WP (5) w/w |
| alpha-Cypermethrin/ Flufenoxuron | (S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 1-[4-(2-chloro- α,α,α -trifluoro- <i>p</i> -= tolyloxy)-2-fluorophenyl]-3-(2,6= difluorobenzoyl)urea | 2P331 | SC (2.94/2.94) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| beta-Cypermethrin | A reaction mixture comprising two enantiomeric pairs in ratio approx. 2:3: (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i>)- <i>cis</i> -3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane=carboxylate and (<i>R</i>)- α -cyano-3-phenoxybenzyl (1 <i>S</i>)- <i>cis</i> -3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate with (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i>)- <i>trans</i> -3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (<i>R</i>)- α -cyano-3-phenoxybenzyl (1 <i>S</i>)- <i>trans</i> -3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 2P278 | EW (4.5) w/w SC (4.5) w/w |
| Cypermethrin | (<i>RS</i>)- α -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 2P62 | EC (30) w/v UL (30) w/v |
| Cypermethrin/ Phosmet | (<i>RS</i>)- α -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ <i>O,O</i> -dimethyl <i>S</i> -phthalimidomethyl phosphorodithioate | 2P214 | WP (11/35) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Cypermethrin/ Tetramethrin/ Piperonyl butoxide | (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P63 | EC (15/8/40) w/v |
| d,d-T-Cyphenothrin | (RS)- α -cyano-3-phenoxybenzyl (1R)- <i>cis,trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate [>97% <i>trans</i> -isomer] | 2P250 | EC (5) w/v |
| Cyphenothrin | (RS)- α -cyano-3-phenoxybenzyl (1RS)- <i>cis,trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P64 | CS (10) w/w EC (15) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Cyphenothrin/ d-Tetramethrin | (RS)- α -cyano-3-phenoxybenzyl (1RS)- <i>cis,trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1R)- <i>cis,trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P201 | EC (12/4) w/w OL (40/40) w/w |
| Cyromazine | N-cyclopropyl-1,3,5-triazine= 2,4,6-triamine | 2P241 | FAP (1) w/w SP (50) w/w |
| 2,4-D | (2,4-dichlorophenoxy)acetic acid | 2P2 | EC (50) w/w GR (50) w/w SL (50) w/w |
| 2,4-D/ Dicamba | (2,4-dichlorophenoxy)acetic acid/ 3,6-dichloro- <i>o</i> -anisic acid | 2P3 | GR (25/7.5) w/w SP (25/7.5) w/w WP (25/7.5) w/w |
| 2,4-D/ Dicamba/ Dichlorprop | (2,4-dichlorophenoxy)acetic acid/ 3,6-dichloro- <i>o</i> -anisic acid/ (RS)-2-(2,4-dichlorophenoxy)propionic acid | 2P233 | EC (32.45/5.38/31.8) w/w |
| 2,4-D/ Mecoprop | (2,4-dichlorophenoxy)acetic acid/ (RS)-2-(4-chloro- <i>o</i> -tolylxy)= propionic acid | 2P4 | EC (25/50) w/v SL (25/50) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| DBM pheromone | Z-11-hexadecenal/Z-11-hexadecenyl acetate/Z-11-hexadecenol | 2P228 | VP (3/7/0.1) w/w |
| DCOIT | 4,5-dichloro-2-n-octyl-3(2 <i>H</i>)-isothiazolone | 2P211 | TK (33) w/w |
| DCOIT/ Zinc pyrethione | 4,5-dichloro-2-n-octyl-3(2 <i>H</i>)-isothiazolone- bis(1-hydroxy-2(1 <i>H</i>)- pyridinethionato- <i>O,S</i>)-(<i>T-4</i>)zinc | 2P323 | AL (3.8/3.2) w/w |
| DSMA | disodium methylarsonate | 2P65 | SC (52.6) w/v SP (-) WP (-) |
| Dalapon | 2,2-dichloropropionic acid: magnesium and/or sodium salts | 2P66 | SP (85) w/w WP (85) w/w |
| Dazomet | 3,5-dimethyl-1,3,5-thiadiazinane-2= thione | 2P67 | DP (-) GR (-) TB (-) |
| Deltamethrin | <i>(S)</i> - α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate | 2P68 | DP (0.05) w/w EC (10) w/v IF (0.2) w/w SC (25) w/v WP (2.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Deltamethrin/ Esbiothrin | (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1 <i>S</i>)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i>)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [$\geq 72\%$ <i>S</i> -cyclopentenyl isomer] | 2P69 | OL (0.3/3.5) w/v |
| Deltamethrin/ Octachlorodipropyl ether/ Permethrin | (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether/ 3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> ;1 <i>R</i> ,3 <i>S</i>)- 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 2P70 | DP (0.1/0.2/0.1) w/w |
| Deltamethrin/ Piperonyl butoxide | (<i>S</i>)- α -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i>)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P248 | EC (2.5/25) w/v |
| Desmedipham/ Phenmedipham | ethyl 3'-phenylcarbamoyloxycarbanilate/ methyl 3-(3-methylcarbaniloxy)= carbanilate | 2P71 | EC (10/10) w/v |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|--|---|--|
| Dicamba | 3,6-dichloro- <i>o</i> -anisic acid | 2P73 | L (48) w/v SC (60) w/v WG (70) w/w |
| Dichlofluamid | <i>N</i> -dichlorofluoromethylthio- <i>N,N</i> - dimethyl- <i>N</i> -phenylsulfamide | 2P260 | TK (90) w/w |
| Dichlorophen/ 1-Naphthylacetic acid | 4,4'-dichloro-2,2'-methylene-diphenol/ 2-(1-naphthyl)acetic acid | 2P74 | L (1/1) w/v |
| 1,3-Dichloropropene | 1,3-dichloropropene | 2P1 | EC (50) w/v FU (50) w/w GR (50) w/w TB (50) w/w |
| Dichlorvos | 2,2-dichlorovinyl dimethyl phosphate | 2P75 | AE (15.5) w/w #2 EC (20) w/v #2 OF (1) w/v #2 OL (20) w/v #2 SC (1) w/v #2 VP (20) w/w #2 |
| Dichlorvos/ Propoxur | 2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate | 2P76 | OF (1/1) w/w #2 OL (1/1) w/w #2 |
| Dichlorvos/ Pyrethrins/ Piperonyl butoxide | 2,2-dichlorovinyl dimethyl phosphate/ pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P77 | AE (1/0.5/2) w/v #2 OF (1/0.5/2) w/v #2 OL (1/0.5/2) w/v #2 |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Dichlorvos/ Rotenone | 2,2-dichlorovinyl dimethyl phosphate/ (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i>)-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -= hexahydro-2-isopropenyl-8,9-= dimethoxychromeno[3,4- <i>b</i>]= furo[2,3- <i>h</i>]chromen-6-one | 2P78 | EC (1/20) w/v #2 |
| Dichlorvos/ Tetrachlorvinphos | 2,2-dichlorovinyl dimethyl phosphate/ (<i>Z</i>)-2-chloro-1-(2,4,5-trichlorophenyl)= vinyl dimethyl phosphate | 2P79 | EC (10/24.5) w/w #2 |
| Dicloran | 2,6-dichloro-4-nitroaniline | 2P80 | WP (75) w/w |
| Dicofol | 2,2,2-trichloro-1,1-bis= (4-chlorophenyl)ethanol | 2P81 | EC (18) w/v |
| Dicofol/ Tetradifon | 2,2,2-trichloro-1,1-bis= (4-chlorophenyl)ethanol/ 4-chlorophenyl 2,4,5-trichlorophenyl sulphone | 2P82 | UL (2/1) w/v |
| Difethialone | 3-[(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3-= (4'-bromobiphenyl-4-yl)-1,2,3,4-= tetrahydro-1-naphthyl]-4-hydroxy-= 1-benzothiin-2-one | 2P231 | BB (0.0025) w/w #2 RB (0.0025) w/w #2 |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Dimethluthrin | 2,3,5,6-tetrafluoro-4-=(methoxymethyl)benzyl= (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl- 3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P302 | OL (5) w/w TC (95) w/w |
| Dimethametryn/ Piperophos | N ² -(1,2-dimethylpropyl)= N ⁴ -ethyl-6-methylthio-1,3,5= triazine-2,4-diamine/ S-2-methylpiperidinocarbonylmethyl O,O-dipropyl phosphorodithioate | 2P83 | EC (10/40) w/w |
| Dimethoate | O,O-dimethyl S-methylcarbamoylmethyl phosphorodithioate | 2P84 | EC (40) w/v |
| Dimethoate/ Phosalone | O,O-dimethyl S-methylcarbamoylmethyl phosphorodithioate/ S-6-chloro-2,3-dihydro-2-oxo-1,3= benzoxazol-3-ylmethyl O,O-diethyl phosphorodithioate | 2P85 | EC (20/17.5) w/w |
| Dinocap | mixture of 2(or 4)-(1-methylheptyl)= 4,6(or 2,6)-dinitrophenylcrotonate | 2P86 | EC (50) w/w WP (25) w/w |
| Dioxabenzofos | 2-methoxy-4 <i>H</i> -1,3,2, λ ⁵ = benzodioxaphosphinine 2-sulphide | 2P87 | EC (25) w/v GR (25) w/w WP (25) w/w |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|---|---|--|
| Dioxacarb | 2-(1,3-dioxolan-2-yl)phenyl methylcarbamate | 2P88 | EC (20) w/v SC (20) w/v WP (20) w/w |
| Diphacinone | 2-(diphenylacetyl)indan-1,3-dione | 2P224 | BB (0.005) w/w #2 |
| Diphenamid | <i>N,N</i> -dimethyldiphenylacetamide | 2P89 | WP (50) w/w |
| Disodium octaborate tetrahydrate | Disodium octaborate tetrahydrate | 2P297 | GE (6) w/w QB (1) w/w SP (-) |
| Disodium octaborate tetrahydrate/ Sodium fluoride | Disodium octaborate tetrahydrate/ Sodium fluoride | 2P266 | PR (58.2/24.3) w/w #2 TB (58.2/24.3) w/w #2 |
| Disparlure | (7 <i>R</i> ,8 <i>S</i>)-7,8-epoxy-2-methyloctadecane | 2P299 | TK (-) VP (-) |
| Diuron | 3-(3,4-dichlorophenyl)-1,1-dimethylurea | 2P90 | SC (80) w/v WP (80) w/w |
| Dodemorph | 4-cyclododecyl-2,6-dimethylmorpholine: acetate or benzoate salts | 2P91 | EC (40) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-------------------------|---|
| Emamectin benzoate | A mixture of $\geq 90\%$ emamectin B _{1a} benzoate ((4''R)-5-O-demethyl-4''-deoxy-4''-(methylamino) avermectin A _{1a} benzoate) and $\leq 10\%$ emamectin B _{1b} benzoate ((4''R)-5-O-demethyl-25-de(1-methylpropyl)-4''-deoxy-4''-(methylamino)-25-(1-methylethyl) avermectin A _{1a} benzoate) | 2P318 | SL (2) w/w |
| Esbiothrin | (1S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [$\geq 72\%$ S-cyclopentenyl isomer] | 2P95 | EC (18) w/w |
| Esbiothrin/ Permethrin/ Piperonyl butoxide | (1S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [$\geq 72\%$ S-cyclopentenyl isomer]/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P280 | EC (0.5/10/10) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Esfenvalerate | (S)- α -cyano-3-phenoxybenzyl (S)-2-(4-chlorophenyl)-3- methylbutyrate \geq 83% in an isomeric mixture of (RS)- α - cyano-3-phenoxybenzyl (RS)- 2-(4-chlorophenyl)-3-methylbutyrate | 2P96 | EC (5) w/v SC (5) w/v |
| Etofenprox | 2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether | 2P254 | EW (20) w/w |
| Etridiazole | ethyl 3-trichloromethyl-1,2,4- thiadiazol-5-yl ether | 2P98 | EC (25) w/v GR (1.3) w/w WP (36) w/w |
| Etrimfos | O-6-ethoxy-2-ethylpyrimidin-4-yl O,O-dimethylphosphorothioate | 2P99 | EC (50) w/w |
| Fenchlorphos | O,O-dimethyl O-2,4,5-trichlorophenyl phosphorothioate | 2P100 | EC (20) w/v |
| Fenitrothion | O,O-dimethyl O-4- nitro- <i>m</i> -tolyl phosphorothioate | 2P101 | EC (55) w/v |
| Fenpropathrin/ Hexythiazox | (RS)- α -cyano-3-phenoxybenzyl 2,2,3,3- tetramethylcyclopropanecarboxylate/ (4RS,5RS)-5-(4-chlorophenyl)- N-cyclohexyl-4-methyl-2-oxo- 1,3-thiazolidine-3-carboxamide | 2P205 | EC (5/2.5) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|---|
| Fenpyroximate | <i>tert</i> -butyl (<i>E</i>)- α -(1,3-dimethyl-5-phenoxy-pyrazol-4-ylmethyl-eneamino-oxy)- <i>p</i> -toluate | 2P219 | SC (5) w/w |
| Fenthion | <i>O,O</i> -dimethyl <i>O</i> -4-methylthio- <i>m</i> -tolyl phosphorothioate | 2P103 | EC (50) w/w |
| Fenvalerate | (<i>RS</i>)- α -cyano-3-phenoxybenzyl (<i>RS</i>)-2-(4-chlorophenyl)-3- \equiv methylbutyrate | 2P104 | EC (20) w/w |
| Fenvalerate/ MGK 264/ Piperonyl butoxide | (<i>RS</i>)- α -cyano-3-phenoxybenzyl (<i>RS</i>)-2-(4-chlorophenyl)-3- \equiv methylbutyrate/ <i>N</i> -(2-ethylhexyl)-8,9,10- \equiv trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P105 | VP (0.5/1/1) w/w |
| Fenvalerate/ Naled | (<i>RS</i>)- α -cyano-3-phenoxybenzyl (<i>RS</i>)-2-(4-chlorophenyl)-3- \equiv methylbutyrate/ 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate | 2P106 | EC (3/30) w/w |
| Ferrolure ⁺ | A mixture of 90% 4-methyl-5-nonanol and 10% 4-methyl-5-nonanone | 2P300 | TK (-) VP (-) |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|---|---------------------------------|--|
| Fipronil | (±)-5-amino-1-(2,6-dichloro- α,α,α -trifluoro- <i>p</i> -tolyl)-4-trifluoromethyl-sulfanylpyrazole-3-carbonitrile | 2P244 | EC (2.92) w/w GE (0.05) w/w GR (0.1) w/w P (0.05) w/w SC (10) w/w |
| Flour beetle, Khapra beetle and Tobacco beetle pheromone mixture | A mixture of 4,8-Dimethyldecanal; (<i>Z</i>)-14-methyl-8-hexadecenal; and 4,6-Dimethyl-7-hydroxynonan-3-one and cis/trans-2-Hydroxy-2,6-diethyl-3,5-dimethyltetrahydro-pyrene | 2P322 | VP (-) |
| Flumetralin | <i>N</i> -(2-chloro-6-fluorobenzyl)- <i>N</i> -ethyl- α,α,α -trifluoro-2,6-dinitro- <i>p</i> -toluidine | 2P107 | EC (25) w/w |
| Flutolanil | α,α,α -trifluoro-3'-isopropoxy- <i>o</i> -toluanilide | 2P328 | WG (70) w/w |
| Folpet | <i>N</i> -(trichloromethylthio)phthalimide | 2P108 | WP (75) w/w |
| Formothion | <i>S</i> -[formyl(methyl)carbamoylmethyl] <i>O,O</i> -dimethyl phosphorodithioate | 2P109 | EC (33) w/v |
| Fosetyl-aluminium | aluminium tris(ethyl phosphonate) | 2P110 | DS (74) w/w FS (74) w/w WG (80) w/w WP (90) w/w |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|--|---|--|
| Fosetyl-aluminium/ Mancozeb | aluminium tris(ethyl phosphonate)/ manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt | 2P111 | WP (50/30) w/w |
| Gaozhimo | 1-dodecanol : 1-hexadecanol : (dodecanoic acid + hexadecanoic acid) Ratio is 250 : 190 : 1 (w/w) | 2P200 | SC (27) w/w |
| Garlic | Natural preparations made from garlic | 2P265 | L (-) P (-) |
| Geraniol | (E)-3,7-Dimethyl-2,6-octadien-1-ol | 2P305 | EW (4) w/w |
| Gibberellic acid | (3S,3aS,4S,4aS,7S,9aR,9bR,12S) -7,12-= dihydroxy-3-methyl-6-methylene-2-= oxoperhydro-4a,7-methano-9b,3-= propeno[1,2-b]furan-4-carboxylic acid | 2P112 | TB (10) w/w |
| Glufosinate-ammonium | ammonium 4-[hydroxy(methyl)= phosphinoyl]-DL-homoalaninate | 2P113 | SL (20) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Glutaraldehyde/ Permethrin/ Quaternary ammonium chloride | 1,5-pentanedial/ 3-phenoxybenzyl(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-= 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ quaternary ammonium chloride [a mixture of 5.0% w/v alkyl dimethylbenzyl ammonium chloride, 3.75% w/v octyldecyldimethyl ammonium chloride, 1.875% w/v dioctyldimethyl ammonium chloride, 1.875% w/v didecyldimethyl ammonium chloride] | 2P251 | SL (6.25/2/12.5) w/v |
| Glyphosate | <i>N</i> -(phosphonomethyl)glycine | 2P114 | SL (50) w/v |
| Glyphosine | <i>NN</i> -di(phosphonomethyl)glycine | 2P115 | SP (85) w/w |
| Heptenophos | 7-chlorobicyclo[3.2.0]= hepta-2,6-dien-6-yl dimethyl phosphate | 2P116 | EC (30) w/w #2 |
| Hexaflumuron | 1-[3,5-dichloro-4-(1,1,2,2- tetrafluoroethoxy)phenyl]-3- (2,6-difluorobenzoyl)urea | 2P245 | RB (0.5) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale |
|---|---|-------------------------|--|
| Hexythiazox | (4 <i>RS</i> ,5 <i>RS</i>)-5-(4-chlorophenyl)- <i>N</i> -cyclohexyl-4-methyl-2-= oxo-1,3-thiazolidine-3-= carboxamide | 2P117 | EC (5) w/v |
| Hydramethylnon | 5,5-dimethylperhydropyrimidin-2-= one 4-trifluoromethyl- α -= (4-trifluoromethylstyryl)= cinnamylidenehydrazone | 2P218 | GE (2.15) w/w RB (1) w/w |
| Hydramethylnon/ S-Methoprene | 5,5-dimethylperhydropyrimidin-2-= one 4-trifluoromethyl- α -= (4-trifluoromethylstyryl)= cinnamylidenehydrazone/ isopropyl (2 <i>E</i> ,4 <i>E</i>)-(7 <i>S</i>)-= 11-methoxy-3,7,11-trimethyldodeca- 2,4-dienoate | 2P306 | RB (1/1) w/w |
| Imazaquin | 2-(4-isopropyl-4-methyl-5-oxo-= 2-imidazoliny)quinoline-3-carboxylic acid | 2P223 | AS (17.83) w/w |
| Imidacloprid | 1-(6-chloro-pyridin-3-yl-methyl)- <i>N</i> -= nitroimidazolidin-2-ylideneamine | 2P256 | ME (30) w/w SC (22.5) w/w TI (10) w/v WP (35) w/w |
| 4-indol-3-yl-butyric acid | 4-indol-3-ylbutyric acid | 2P5 | DP (1) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Indoxacarb | methyl (<i>S</i>)- <i>N</i> -[7-chloro-2,3,4a,5= tetrahydro-4a-(methoxycarbonyl)= indeno[1,2- <i>e</i>][1,3,4]oxadiazin-2= ylcarbonyl]-4'-(trifluoromethoxy)= carbanilate | 2P292 | RB (0.1) w/w WG (20) w/w |
| 3-iodo-2-propynyl butyl carbamate | 3-iodo-2-propynyl butyl carbamate | 2P210 | AL (0.5) w/w TK (40) w/w |
| Iodofenphos | <i>O</i> -2,5-dichloro-4-iodophenyl <i>O</i> , <i>O</i> -dimethyl phosphorothioate | 2P118 | EC (20) w/v GE (0.25) w/w WP (50) w/w |
| Iprodione | 3-(3,5-dichlorophenyl)- <i>N</i> -isopropyl= 2,4-dioxoimidazolidine-1-carboxamide | 2P119 | L (50) w/v WP (50) w/w |
| Iso-alcohol ethoxylate (MMF) | poly(oxy-1,2-ethanediyl), α -(C ₁₆₋₂₀ branched and linear alkyl)- ω -hydroxy | 2P283 | L (-) |
| Isoprothiolane | di-isopropyl 1,3-dithiolan= 2-ylidenemalonate | 2P120 | EC (40) w/v WP (40) w/w |
| Kadethrin | 5-benzyl-3-furylmethyl (<i>E</i>)-= (1 <i>R</i> ,3 <i>S</i>)-2,2-dimethyl-3= (2-oxothiolan-3-ylidenemethyl)= cyclopropanecarboxylate | 2P121 | TK (40) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale |
|---|--|-------------------------|--|
| Kinetin/ Zeatin | N -(2-furanylmethyl)-1 <i>H</i> - purin-6-amine/ (<i>E</i>)-2-methyl-4(1 <i>H</i> -purin-6-ylamino)- 2-buten-1-ol | 2P122 | AS (0.4) w/w #1 SL (0.4) w/w #1 |
| Larvicidal oil | various refined petroleum oils | 2P276 | AL (-) |
| Linuron | 3-(3,4-dichlorophenyl)-1- methoxy-1-methylurea | 2P123 | WP (50) w/w |
| MSMA | monosodium methanearsonate | 2P124 | EC (80) w/v SC (72) w/v SL (72) w/v |
| Malathion | diethyl(dimethoxyphosphorylthio)- succinate | 2P125 | EC (-) L (-) WP (25) w/w |
| Maleic hydrazide | 6-hydroxy-2 <i>H</i> -pyridazin-3-one | 2P126 | AS (21.7) w/v EC (93) w/w |
| Mancozeb | manganese ethylenebis- (dithiocarbamate) (polymeric) complex with zinc salt | 2P127 | DP (60) w/w DS (75) w/w L (80) w/v WP (80) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Mancozeb/ Metalaxyl | manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt/ methyl <i>N</i> -(2-methoxyacetyl)- <i>N</i> -= (2,6-xylyl)-DL-alaninate | 2P128 | WP (50/10) w/w |
| Mancozeb/ Oxadixyl | manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt/ 2-methoxy- <i>N</i> -(2-oxo-1,3-oxazolidin-3-yl)= acet-2',6'-xylylidide | 2P129 | WP (60/10) w/w |
| Mancozeb/ Thiophanate-methyl | manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt/ dimethyl 4,4'-(<i>o</i> -phenylene)bis(3-= thioallophanate) | 2P130 | WP (60/15) w/w |
| Maneb | manganese ethylenebis= (dithiocarbamate) (polymeric) | 2P131 | WP (80) w/w |
| Mathuralure | (9 <i>R</i> ,10 <i>S</i>)- <i>cis</i> -9,10-epoxy-Z3,Z6-= nonadecadiene and (9 <i>S</i> ,10 <i>R</i>)- <i>cis</i> -9,10-epoxy-Z3,Z6-= nonadecadiene in a 1:4 ratio | 2P334 | TK (-) VP (-) |
| Matrine | Matrine | 2P288 | L (1) w/w P (2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Metalaxyl-M | methyl <i>N</i> -(methoxyacetyl)- <i>N</i> -(2,6-xylyl)-D-alaninate | 2P314 | SL (24) w/v SL (22) w/w |
| Metaldehyde | <i>r</i> -2, <i>c</i> -4, <i>c</i> -6, <i>c</i> -8-tetramethyl-1,3,5,7-tetroxocane is the main component | 2P132 | GR (6.4) w/w TK (-) |
| Metham | methyldithiocarbamic acid | 2P133 | SC (56) w/v |
| S-Methoprene | isopropyl (2 <i>E</i> ,4 <i>E</i>)-(7 <i>S</i>)-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate | 2P249 | CS (5) w/w GR (1.5) w/w |
| Methoprene | isopropyl (<i>E,E</i>)-(<i>RS</i>)-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate | 2P134 | EC (80) w/w SL (80) w/w |
| Methyl anthranilate | methyl 2-aminobenzoate | 2P317 | SL (26.4) w/w |
| Methyl eugenol | 4-allyl-1,2-dimethoxybenzene | 2P229 | TK (98) w/w |
| Metofluthrin | 2,3,5,6-tetrafluoro-4-(methoxymethyl)benzyl (<i>EZ</i>)-(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-prop-1-enylcyclopropanecarboxylate | 2P324 | TC (98.8) w/w |
| Metolachlor | 2-chloro-6'-ethyl- <i>N</i> -(2-methoxy-1-methylethyl)acet- <i>o</i> -toluidide | 2P135 | EC (72) w/v |
| Metribuzin | 4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4 <i>H</i>)-one | 2P136 | GR (75) w/w WP (75) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|-----------------------------|--|
| Molinat | S-ethyl azepane-1-carbothioate | 2P137 | EC (96) w/v |
| Naled | 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate | 2P138 | EC (60) w/v GR (0.2) w/w WP (20) w/w |
| Napropamide | (RS)-N,N-diethyl-2-=(1-naphthoxy)propionamide | 2P139 | EC (50) w/v WG (50) w/w WP (50) w/w |
| Neem | Natural preparations made from Neem tree | 2P262 | EC (-) GR (-) L (-) P (-) |
| Nicotine/ Saponins | (S)-3-(1-methylpyrrolidin-2-yl)pyridine/ natural botanical extract from the fruit of <i>Gleditsia sinensis</i> Lam. | 2P259 | L (3/5) w/w #2 |
| Ningnanmycin | Ningnanmycin | 2P309 | L (-) P (-) |
| Noviflumuron | (RS)-1-[3,5-dichloro-2-fluoro-4-=(1,1,2,3,3,3-hexafluoropropoxy)phenyl]-=3-(2,6-difluorobenzoyl)urea | 2P294 | RB (0.5) w/w |
| Octenol | 1-octen-3-ol | 2P275 | VP (67.2) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-------------------------|--|
| Oxadiazon | 5- <i>tert</i> -butyl-3-(2,4- dichloro-5-isopropoxyphenyl)- 1,3,4-oxadiazol-2(3 <i>H</i>)-one | 2P141 | EC (25) w/v GR (2) w/w L (12) w/v |
| Oxadixyl | 2-methoxy- <i>N</i> -(2-oxo-1,3- oxazolidin-3-yl)acet-2',6'-xylidide | 2P142 | WP (96) w/w |
| Oxine sulfate | 8-hydroxyquinoline sulphate | 2P143 | L (50) w/v |
| Oxine-copper | bis(quinolin-8-olato)copper | 2P144 | WP (40) w/w |
| Oxymatrine | Oxymatrine | 2P289 | L (1) w/w P (2) w/w |
| Oxymatrine/ Psoralen | Oxymatrine/ 7 <i>H</i> -furo[3,2- <i>g</i>]chromen-7-one | 2P291 | L (1/1) w/w |
| Paclobutrazol | (2 <i>RS</i> ,3 <i>RS</i>)-1-(4-chlorophenyl)- 4,4-dimethyl-2-(1 <i>H</i> -1,2,4-triazol-1-yl)- pentan-3-ol | 2P145 | SC (25) w/v WP (15) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|---|
| Permethrin | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate | 2P149 | AE (2) w/w AL (1) w/w CS (25) w/w EC (50) w/v FT (36.8) w/w FU (25) w/w GR (15) w/w IF (1) w/w L (25) w/v ME (10) w/w UL (5) w/v WP (25) w/w |
| Permethrin/ d-Phenothrin | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P253 | AE (2/2) w/w |
| Permethrin/ Piperonyl butoxide | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P284 | L (32/66) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 Reg. No. | 零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale |
|---|---|-------------------------|--|
| Permethrin/ Propiconazole/ Tebuconazole | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ (±)-1-[2-(2,4-dichlorophenyl)- 4-propyl-1,3-dioxolan-2-ylmethyl]= 1 <i>H</i> -1,2,4-triazole/ (<i>RS</i>)-1- <i>p</i> -chlorophenyl-4,4-dimethyl= 3-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)= pentan-3-ol | 2P333 | ME (0.2/0.15/0.15) w/w |
| Permethrin/ Pyrethrins/ Piperonyl butoxide | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins/2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P150 | AE (0.4/0.1/0.5) w/w |
| Permethrin/ Tetramethrin/ Piperonyl butoxide | 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P151 | EC (10/25/30) w/w |
| d-Phenothrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P197 | AE (2) w/w EC (10) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| d-Phenothrin/ Piperonyl butoxide | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P286 | L (10/10) w/w |
| d-Phenothrin/ Prallethrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (<i>S</i>)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i>)- <i>cis,trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P338 | ZW (11/1.1) w/w |
| d-Phenothrin/ Tetramethrin | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P202 | EC (10/20) w/v OL (10/20) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| d-Phenothrin/ Tetramethrin/ Piperonyl butoxide | 3-phenoxybenzyl (1 <i>R</i>)- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P269 | UL (4.8/2.4/9.6) w/w |
| Phenthoate | ethyl 2-dimethoxythiophosphorylthio= 2-phenylacetate | 2P152 | EC (50) w/v WP (50) w/w |
| Phosalone | <i>S</i> -6-chloro-2,3-dihydro-2= oxo-1,3-benzoxazol-3-ylmethyl <i>O,O</i> -diethyl phosphorodithioate | 2P153 | EC (35) w/v |
| Phoxim | diethoxyphosphinothioxyimino= (phenyl)acetoneitrile | 2P154 | DP (3) w/w L (80) w/v |
| Physcion | 1,8-dihydroxy-3-methoxy-6-methyl= 9,10-anthraquinone | 2P326 | AS (0.5) w/w |
| Picloram | 4-amino-3,5,6-trichloropyridine= 2-carboxylic acid | 2P155 | L (25) w/v |
| Piperonyl butoxide | 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P156 | EC (90) w/v OL (94) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Pirimicarb | 2-dimethylamino-5,6= dimethylpyrimidin-4-yl dimethylcarbamate | 2P157 | WG (50) w/w WP (50) w/w |
| Pirimiphos-methyl | <i>O</i> -2-diethylamino-6= methylpyrimidin-4-yl <i>O,O</i> = dimethyl phosphorothioate | 2P158 | DP (2) w/w EC (90) w/v L (20) w/v UL (50) w/v |
| Polydimethylsiloxane | Poly[oxy(dimethylsilylene)] | 2P336 | L (78) w/w |
| Potassium bicarbonate | Potassium bicarbonate | 2P304 | SP (-) |
| Prallethrin | <i>(S)</i> -2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (<i>1R</i>)- <i>cis,trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P221 | TK (95) w/w |
| Pretilachlor | 2-chloro-2',6'-diethyl- <i>N</i> = (2-propoxyethyl)acetanilide | 2P159 | EC (30) w/v |
| Prochloraz manganese(II) chloride complex | Tetrakis- { <i>N</i> -propyl- <i>N</i> -[2-(2,4,6= trichlorophenoxy)ethyl]= carbamoylimidazole} manganese (II) chloride | 2P216 | WP (50) w/w |
| Prodiamine | 5-dipropylamino- α, α, α = trifluoro-4,6-dinitro- <i>o</i> -toluidine | 2P312 | WG (65) w/w |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|---|---|--|
| Profenofos | <i>O</i> -4-bromo-2-chlorophenyl <i>O</i> -ethyl <i>S</i> -propyl phosphorothioate | 2P160 | EC (72) w/v GR (5) w/w UL (25) w/v |
| Propamocarb hydrochloride | propyl-3-(dimethylamino)= propylcarbamate hydrochloride | 2P161 | SL (75) w/v |
| Propanil | 3',4'-dichloropropionanilide | 2P162 | EC (36) w/v L (35) w/v |
| Propargite | 2-(4- <i>tert</i> -butylphenoxy)= cyclohexyl prop-2-ynyl sulphite | 2P163 | DP (75) w/w EC (60) w/v WP (75) w/w |
| Propiconazole | (±)-1-[2-(2,4-dichlorophenyl)-=] 4-propyl-1,3-dioxolan-2-ylmethyl]-= 1 <i>H</i> -1,2,4-triazole | 2P206 | EC (25) w/v |
| Propineb | polymeric zinc propylenebis= (dithiocarbamate) | 2P164 | WP (70) w/w |
| Propoxur | 2-isopropoxyphenyl methylcarbamate | 2P165 | DP (30) w/w EC (30) w/v FU (30) w/w GB (30) w/w WP (30) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Prothiofos | <i>O</i> -2,4-dichlorophenyl <i>O</i> -ethyl <i>S</i> -propyl phosphorodithioate | 2P166 | DP (3) w/w EC (50) w/v FS (20) w/v GR (5) w/w WP (40) w/w |
| Pyrazophos | ethyl 2-diethoxythiophosphoryloxy-5= methylpyrazolo[1,5- <i>a</i>]= pyrimidine-6-carboxylate | 2P167 | EC (30) w/w |
| Pyrethrins | mixture of esters of pyrethrolone, cinerolone and jasmololone with chrysanthemic and pyrethric acids: extracted from <i>Chrysanthemum cinerariaefolium</i> and similar species of plants | 2P168 | L (50) w/v |
| Pyrethrins/ Piperonyl butoxide | pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P169 | AE (1.8/10) w/w AS (1/8) w/v DP (1/10) w/w L (15/65) w/w ME (3/15) w/w UL (0.5/5.0) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|--|--|-----------------------------|--|
| Pyrethrins/ Resmethrin/ Piperonyl butoxide | pyrethrins/ 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P170 | AE (8/2/58) w/v |
| Pyrethrins/ Sulfoxide | pyrethrins/ 2-(1,3-benzodioxol-5-yl)ethyl octyl sulphoxide | 2P171 | OF (1/2) w/v OL (1/2) w/v |
| Pyridine-triphenylborane/ Zinc pyriithione | Pyridine-triphenylborane/ bis(1-hydroxy-2(1 <i>H</i>)-pyridinethionato= <i>O,S</i>)-(<i>T-4</i>)zinc | 2P325 | AL (8.2/2.1) w/w |
| Pyriproxyfen | 4-phenoxyphenyl (<i>RS</i>)-2-(2-pyridyloxy) propyl ether | 2P236 | GR (0.5) w/w |
| Quaternary ammonium chlorides [A mixture of n-alkyl dimethyl benzyl ammonium chlorides and n-alkyl dimethyl ethyl benzyl ammonium chlorides] | Quaternary ammonium chlorides [A mixture of n-alkyl dimethyl benzyl ammonium chlorides and n-alkyl dimethyl ethyl benzyl ammonium chlorides] | 2P271 | AS (10/10) w/w |
| Quinalphos | <i>O,O</i> -diethyl <i>O</i> -quinoxalin-2-yl phosphorothioate | 2P172 | EC (20) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Quinclorac | 3,7-dichloro-8-quinoline carboxylic acid | 2P173 | WP (50) w/w |
| Quintozene | pentachloronitrobenzene | 2P174 | DP (20) w/w EC (24) w/v WP (75) w/w |
| Resmethrin | 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;= 1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P272 | L (0.25) w/w |
| Resmethrin/ Piperonyl butoxide | 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;= 1 <i>RS</i> ,3 <i>SR</i>)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether | 2P285 | L (20/60) w/w |
| Rhyncolure | 6-methylhept-2-en-4-ol | 2P301 | TK (-) VP (-) |
| Rotenone | (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i>)-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -= hexahydro-2-isopropenyl-8,9-= dimethoxychromeno[3,4- <i>b</i>]= furo[2,3- <i>h</i>]chromen-6-one | 2P175 | EC (50) w/v |
| Ryania alkaloids | Ryania alkaloids | 2P263 | P (6) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Sabadilla alkaloids | Sabadilla alkaloids | 2P264 | L (1) w/w P (6) w/w |
| Serricornin | 4,6-Dimethyl-7-hydroxynonan-3-one and cis/trans-2-Hydroxy-2,6-diethyl-3,5-dimethyltetrahydro-pyran | 2P311 | VP (-) |
| Sethoxydim | (±)-(ZE)-2-(1-ethoxyiminobutyl)-5-[2-(ethylthio)propyl]-3-hydroxycyclohex-2-enone | 2P176 | EC (50) w/v |
| Simazine | 6-chloro-N ² ,N ⁴ -diethyl-1,3,5-triazine-2,4-diamine | 2P177 | FW (50) w/w SC (50) w/v WP (80) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Spinosad | a mixture of 50 – 95% spinosyn A (2 <i>R</i> ,3 <i>aS</i> ,5 <i>aR</i> ,5 <i>bS</i> ,9 <i>S</i> ,13 <i>S</i> ,14 <i>R</i> ,16 <i>aS</i> ,16 <i>bR</i>)= 2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- α -L= mannopyranosyloxy)-13-(4= dimethylamino-2,3,4,6-tetradecoxy- β -D= erythropranosyloxy)-9-ethyl-2,3,3 <i>a</i> ,5 <i>a</i> ,= 5 <i>b</i> ,6,7,9,10,11,12,13,14,15,16 <i>a</i> ,16 <i>b</i> = hexadecahydro-14-methyl-1 <i>H</i> -8= oxacyclododeca[<i>b</i>]as-indacene-7,15= dione and 50 – 5% spinosyn D (2 <i>S</i> ,3 <i>aR</i> ,5 <i>aS</i> ,5 <i>bS</i> ,9 <i>S</i> ,13 <i>S</i> ,14 <i>R</i> ,16 <i>aS</i> ,16 <i>bR</i>)= 2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- α -L= mannopyranosyloxy)-13-(4= dimethylamino-2,3,4,6-tetradecoxy- β -D= erythropranosyloxy)-9-ethyl-2,3,3 <i>a</i> ,5 <i>a</i> ,= 5 <i>b</i> ,6,7,9,10,11,12,13,14,15,16 <i>a</i> ,16 <i>b</i> = hexadecahydro-4,14-dimethyl-1 <i>H</i> -8= oxacyclododeca[<i>b</i>]as-indacene-7,15= dione | 2P290 | RB (0.1) w/w |
| <i>Spodoptera litura</i> Nuclear Polyhedrosis Virus | None | 2P242 | WP (1 billion) PIB/g |
| Sulfometuron-methyl | Methyl 2-(4,6-dimethylpyrimidin-2-yl)= carbamoylsulfamoyl)benzoate | 2P279 | SC (10) w/w SP (70) w/w WG (75) w/w WP (75) w/w |
| Teflubenzuron | 1-(3,5-dichloro-2,4-difluorophenyl)= 3-(2,6-difluorobenzoyl)urea | 2P178 | SC (15) w/v |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|---|---------------------------------|--|
| Temephos | <i>O,O,O',O'</i> -tetramethyl <i>O,O'</i> -thiodi- <i>p</i> -= phenylene bis(phosphorothioate) | 2P179 | DP (2) w/w EC (50) w/v GR (5) w/w SG (1) w/w WP (50) w/w |
| Tetrachlorvinphos | (<i>Z</i>)-2-chloro-1-(2,4,5-trichlorophenyl)= vinyl dimethyl phosphate | 2P180 | EC (24) w/v WP (75) w/w |
| d-Tetramethrin | cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i>)- <i>cis-trans</i> -2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P198 | OF (40) w/v OL (40) w/v |
| Tetramethrin | cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R,S</i> ,3 <i>R,S</i> ;1 <i>R,S</i> ,3 <i>S,R</i>)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate | 2P181 | EC (25) w/v OL (1) w/v WP (10) w/w |
| Thiabendazole | 2-(thiazol-4-yl)benzimidazole | 2P182 | EC (45) w/v FS (42) w/w L (42) w/v SC (45) w/v TB (12) w/w WP (60) w/w |
| Thiamethoxam | 3-(2-chloro-1,3-thiazol-5-ylmethyl)-= 5-methyl-1,3,5-oxadiazinan-4-= ylidene(nitro)amine | 2P313 | SC (24) w/v SL (4.1) w/w WG (25) w/w |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|---------------------------------|--|
| Thidiazuron | 1-phenyl-3-(1,2,3-thiadiazol-5-yl) urea | 2P217 | WP (50) w/w |
| Thiophanate-methyl | dimethyl 4,4'-(<i>o</i> -phenylene)bis=(3-thioallophanate) | 2P183 | EC (50) w/v SP (70) w/w WP (70) w/w |
| Thiram | tetramethylthiuram disulphide | 2P184 | FS (60) w/v WP (80) w/w |
| Transfluthrin | (1 <i>R</i>)- <i>trans</i> -(2,3,5,6-tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate | 2P220 | TK (95) w/w |
| Triadimefon | 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-yl)butanone | 2P185 | DP (1) w/w EC (25) w/v PA (2) w/w WP (25) w/w |
| Triazophos | <i>O,O</i> -diethyl <i>O</i> -1-phenyl-1 <i>H</i> -1,2,4-triazol-3-yl phosphorothioate | 2P186 | EC (25) w/v #2 |
| Trichlorfon | dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate | 2P187 | SP (95) w/w WP (95) w/w |
| <i>Trichoderma harzianum</i> | None | 2P255 | WP (100 million) CFU/g |

| 活性成分通用名稱 <i>Common Name of the Active Ingredient</i> | 化學名稱 <i>Chemical Name</i> | 註冊 編號 <i>Reg. No.</i> | 零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i> |
|---|--|-----------------------------|--|
| Triclopyr | 3,5,6-trichloro-2-pyridyloxyacetic acid | 2P274 | EC (62) w/w |
| Tridemorph | 2,6-dimethyl-4-tridecylmorpholine | 2P188 | EC (80) w/v |
| Trifloxysulfuron Sodium | 1-(4,6-dimethoxypyrimidin-2-yl)-3-[3-(2,2,2-trifluoroethoxy)-2-pyridylsulfonyl] urea sodium salt | 2P308 | OD (10) w/v WG (75) w/w |
| Trifluralin | α,α,α -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl- ρ -toluidine | 2P246 | IF (18.9) w/w |
| Triforine | 1,1'-piperazine-1,4-diyl di- <i>N</i> -(2,2,2-trichloroethyl)formamide] | 2P189 | EC (25) w/v |
| Trimedlure | <i>tert</i> -butyl 4(or 5)-chloro-2-methylcyclohexanecarboxylate | 2P230 | TK (98) w/w |
| Trinexapac-ethyl | ethyl 4-(cyclopropyl- α -hydroxy-methylene)-3,5-dioxo-1-cyclohexanecarboxylate | 2P222 | EC (25) w/v |
| Validamycin A | 1L-(1,3,4/2,6)-2,3-dihydroxy-6-hydroxymethyl-4-[(1 <i>S</i> ,4 <i>R</i> ,5 <i>S</i> ,6 <i>S</i>)-4,5,6-trihydroxy-3-hydroxymethylcyclohex-2-enylamino]cyclohexyl β -D-glucopyranoside | 2P190 | L (6) w/v SP (20) w/w |

| <i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i> | <i>化學名稱</i> <i>Chemical Name</i> | <i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i> | <i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i> |
|--|--|---|--|
| Vamidothion | <i>O,O</i> -dimethyl <i>S</i> -2-(1-methylcarbamoyl=ethylthio)ethyl phosphorothioate | 2P191 | EC (20) w/v #2 |
| Vinclozolin | <i>(RS)</i> -3-(3,5-dichlorophenyl)-5-methyl=5-vinyl-1,3-oxazolidine-2,4-dione | 2P192 | SC (50) w/v WG (50) w/w WP (50) w/w |
| White oils | various refined petroleum oils | 2P193 | EC (95) w/v EC (99.1) w/w OL (80) w/v |
| Zineb | zinc ethylenebis=(dithiocarbamate) (polymeric) | 2P194 | WP (80) w/w |

註釋

NOTE

- Reg. No.: 註冊編號 Registration Number
- #1: 所有 cytokinin Total cytokinin
- #2: 此限制適用於輸入及零售 Restriction applied during both import and retail sale
- #4: 產品標籤上不可聲稱可用作植物保護用途
No claims on plant protection uses shall be stated on the product label.
- #5: 預置在藥芯匣內 Pre-filled in a cartridge
- #7: 產品標籤上需要列明”不可於室內或密閉空間使用”
The wording “Not to be used indoors or in enclosed spaces” shall be stated on the product label.
- w/v: 重量/體積 百分比 % weight by volume
- w/w: 重量/重量 百分比 % weight by weight
- CFU/g: 菌落形成單位/克 Colony Forming Units per gram
- PIB/g: 多角體/克 Polyhedral Inclusion Bodies per gram
- mg/mat: 毫克/墊片 milligram per mat
- “ – “: 零售時並無特別條件限制其濃度 No special condition imposed on retail sale with regard to concentration
- = : 略去”=”符號，連接下一行而無須留有空格 move on to the next line without a space but omitting the = sign

劑型縮寫

FORMULATION ABBREVIATION

| | | |
|-----|------------|---|
| AB | 穀粒藥餌 | Grain bait |
| AE | 氣霧劑 | Aerosol dispenser |
| AL | 無需稀釋液劑 | Liquids to be applied undiluted |
| AS | 水溶性液劑 | Aqueous solution |
| BB | 塊狀藥餌 | Block bait |
| BR | 團塊 | Briquette |
| CK | 粉筆 | Chalk |
| CS | 微膠囊懸浮劑 | Capsule suspension |
| DC | 可分散液劑 | Dispersible concentrate |
| DP | 塵粉劑 | Dustable powder |
| DS | 拌種用粉劑 | Powder for dry seed treatment |
| EC | 乳化劑 | Emulsifiable concentrate |
| EW | 水包油型乳劑 | Emulsion, oil-in-water |
| FAP | 飼料添加劑 | Feed additive premix |
| FP | 煙霧筒 | Smoke cartridge |
| FS | 種子處理用濃縮懸浮劑 | Flowable concentrate for seed treatment |
| FT | 煙霧片 | Smoke tablet |
| FU | 煙霧劑 | Smoke generator |
| FW | 煙霧丸 | Smoke pellet |
| GB | 粒狀藥餌 | Granular bait |
| GE | 凝膠狀藥餌 | Gel bait |
| GR | 粒劑 | Granule |
| IF | 浸透薄片 | Impregnated film |
| IP | 浸透紙 | Impregnated paper |
| L | 液劑 | Liquid form |
| ME | 微乳劑 | Micro-emulsion |
| MG | 微粒劑 | Microgranule |
| OD | 油懸浮劑 | Oil-based suspension concentrates |
| OF | 可流動濃縮油劑 | Oil miscible flowable concentrate |
| OL | 油劑 | Oil miscible liquid |
| P | 粉劑 | Powder |

| | | |
|-----|--------------|---|
| PA | 漿劑 | Paste |
| PE | 丸狀藥餌 | Pellet bait |
| PR | 桿型劑 | Plant rodlet |
| QB | 液體藥餌 | Liquid bait |
| RB | 藥餌(即用) | Bait (ready for use) |
| SB | 碎屑藥餌 | Scrap bait |
| SC | 濃懸浮劑 | Suspension concentrate (= Flowable concentrate) |
| SE | 懸乳劑 | Suspo-emulsion |
| SG | 水溶性粒劑 | Water soluble granules |
| SL | 濃縮可溶劑 | Soluble concentrate |
| SP | 水溶性粉劑 | Water soluble powder |
| TB | 片劑 | Tablet |
| TC | 原藥 | Technical material |
| TI | 樹木注射液劑 | Tree injection solution |
| TK | 母藥 | Technical concentrate |
| UL | 超低容量液劑 | Ultra low volume liquid |
| VP | 氣體散發劑 | Vapour releasing product |
| VPM | 氣體散發劑, 墊片 | Vapour releasing product, mat |
| WG | 水份散性粒劑 | Water dispersible granules |
| WP | 可濕性粉劑 | Wettable powder |
| ZW | 微膠囊懸浮-水包油型乳劑 | A mixed formulation of CS and EW |

2017年3月10日
10 March 2017

漁農自然護理署署長梁肇輝
LEUNG Siu-fai *Director of Agriculture, Fisheries and Conservation*