

2024 年第 8 號特別公告  
G.N. (S.) 8 of 2024

漁農自然護理署

除害劑條例 (第 133 章)

有關除害劑註冊的公告

現依據《除害劑規例》第 5(1) 條的規定公布，下列除害劑於 2024 年 1 月 1 日已獲註冊。

AGRICULTURE, FISHERIES AND  
CONSERVATION DEPARTMENT

PESTICIDES ORDINANCE (Chapter 133)

NOTIFICATION OF REGISTRATION OF PESTICIDES

Pursuant to regulation 5(1) of the Pesticides Regulations, it is hereby notified that as on 1 January 2024 the following pesticides have been registered.

第一部

PART I

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Abamectin	A mixture of > 80% avermectin B <sub>1a</sub> (5-O-demethyl avermectin A <sub>1a</sub> ) and < 20% avermectin B <sub>1b</sub> (5-O-demethyl-25-de-(1-methylpropyl)-25-(1-methylethyl) avermectin A <sub>1a</sub> )	1P169	AL (0.019) w/w RB (0.05) w/w
Accephate	O,S-dimethyl acetylphosphoramidothioate	1P140	RB (1) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Acephate/ Diflubenzuron	<i>O,S</i> -dimethyl acetylphosphoramidothioate/ 1-(4-chlorophenyl)-3-(2,6- difluorobenzoyl)urea	1P177	RB (5/0.4) w/w
d-Allethrin	<i>(RS)</i> -3-allyl-2-methyl-4- oxocyclopent-2-enyl ( <i>1R</i> )- <i>cis-trans</i> - 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P74	FU (22) w/w VP (6) w/w
d-Allethrin/ Deltamethrin/ Dichlorvos	<i>(RS)</i> -3-allyl-2-methyl-4- oxocyclopent-2-enyl ( <i>1R</i> )- <i>cis-trans</i> - 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ <i>(S)</i> - $\alpha$ -cyano-3-phenoxybenzyl <i>(1R,3R)</i> -3-(2,2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate	1P75	AE (0.2/0.05/0.7) w/v
d-Allethrin/ Empenthrin/ Thymol	<i>(RS)</i> -3-allyl-2-methyl-4- oxocyclopent-2-enyl ( <i>1R</i> )- <i>cis-trans</i> - 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ <i>(RS)</i> -1-ethynyl-2-methylpent-2-enyl <i>(1RS)</i> - <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 5-methyl-2-(1-methylethyl) phenol	1P141	IP (0.59/0.07/0.02) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
d-Allethrin/ Permethrin/ Piperonyl butoxide	(RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P91	AE (0.163/0.11/0.3) w/w
d-Allethrin/ d-Phenothrin	(RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P187	AE (0.3/0.2) w/w
d-Allethrin/ d-Phenothrin/ Tetramethrin	(RS)-3-allyl-2-methyl-4= oxocyclopent-2-enyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1R)-cis-trans= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P78	AE (0.3/0.2/0.2) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
d-Allethrin/ d-Phenothrin/ Tetramethrin/ Piperonyl butoxide	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 3-phenoxybenzyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P87	AE (0.095/0.047/0.5/1) w/w
d-Allethrin/ Piperonyl butoxide	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P76	FU (5/2) w/w FU (4/4) w/w FU (6/0.34) w/w IP (0.25/1.2) w/w VP (3.6/0.16) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
d-Allethrin/ Prallethrin/ Piperonyl butoxide	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ (S)-2-methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (1R)-cis,trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P179	FU (3.2/0.9/0.6) w/w
d-Allethrin/ Pyrethrins	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate/ pyrethrins	1P77	FU (0.3/0.02) w/w
Allethrin	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	1P2	AE (0.34) w/v FU (4) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Allethrin/ Dichlorvos/ Tetramethrin	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate	1P3	AE (0.04/0.07/0.5) w/v
Allethrin/ Permethrin	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	1P182	AL (0.1/0.3) w/v
Allicin/ Capsaicin	S-2-Propenyl-2-propene-1-sulfinothioate/ (E)-N-[(4-Hydroxy-3-methoxyphenyl)methyl]-8-methyl-6-nonenamide	1P191	AL (1/1) w/v
Amorphous silicon dioxide	Amorphous silicon dioxide	1P203	DP (100) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Amorphous silicon dioxide/ Celastus alkaloids/ Disodium octaborate tetrahydrate	Amorphous silicon dioxide/ Celastus alkaloids/ Disodium octaborate tetrahydrate	1P192	DP (43/0.05/43) w/w
Atrazine/ Dichlone/ Monuron/ Simazine	6-chloro- <i>N</i> <sup>2</sup> -ethyl- <i>N</i> <sup>4</sup> -isopropyl-1,3,5-triazine-2,4-diamine/ 2,3-dichloro-1,4-naphthoquinone/ 3-(4-chlorophenyl)-1,1-dimethylurea/ 6-chloro- <i>N</i> <sup>2</sup> , <i>N</i> <sup>4</sup> -diethyl-1,3,5-triazine-2,4-diamine	1P4	TB (0.2/0.1/0.8/0.6) w/w
Atrazine/ Dichlone/ Simazine	6-chloro- <i>N</i> <sup>2</sup> -ethyl- <i>N</i> <sup>4</sup> -isopropyl-1,3,5-triazine-2,4-diamine/ 2,3-dichloro-1,4-naphthoquinone/ 6-chloro- <i>N</i> <sup>2</sup> , <i>N</i> <sup>4</sup> -diethyl-1,3,5-triazine-2,4-diamine	1P5	TB (0.2/0.1/0.6) w/w
Azamethiphos/ Muscalure	<i>S</i> -6-chloro-2,3-dihydro-2-oxo-oxazolo[4,5- <i>b</i> ]pyridin-3-ylmethyl- <i>O,O</i> -dimethyl phosphorothioate/ ( <i>Z</i> )-tricos-9-ene	1P134	GB (1/0.1) w/w
Bifenthrin	2-methylbiphenyl-3-ylmethyl ( <i>Z</i> )-(1 <i>RS</i> ,3 <i>RS</i> )-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate	1P204	AL (0.75) w/w

零售之劑型及最高  
濃度限制活性成分通用名稱  
Common Name of the  
Active Ingredient化學名稱  
Chemical Name註冊  
編號  
Reg.  
No. Formulation and  
Maximum  
Concentration for  
Retail Sale

Bioallethrin

(1*RS*)-3-allyl-2-methyl-4=  
oxocyclopent-2-enyl(1*R*,3*R*)-2,2=  
dimethyl-3-(2-methylprop-1-enyl)=  
cyclopropanecarboxylate

1P6

AE (0.2) w/v  
FU (4.2) w/wBioallethrin/  
Bioresmethrin(1*RS*)-3-allyl-2-methyl-4=  
oxocyclopent-2-enyl(1*R*,3*R*)-2,2=  
dimethyl-3-(2-methylprop-1-enyl)=  
cyclopropanecarboxylate/  
5-benzyl-3-furylmethyl  
(1*R*,3*R*)-2,2-dimethyl-3=  
(2-methylprop-1-enyl)=  
cyclopropanecarboxylate

1P162

AE (0.225/0.042)  
w/wBioallethrin/  
Cypermethrin/  
Tetramethrin/  
Piperonyl butoxide(1*RS*)-3-allyl-2-methyl-4=  
oxocyclopent-2-enyl(1*R*,3*R*)-2,2=  
dimethyl-3-(2-methylprop-1-enyl)=  
cyclopropanecarboxylate/  
(*RS*)- $\alpha$ -cyano-3-phenoxybenzyl  
(1*RS*,3*RS*;1*RS*,3*SR*)-3=  
(2,2-dichlorovinyl)-2,2=  
dimethylcyclopropanecarboxylate/  
cyclohex-1-ene-1,2-dicarboximidomethyl  
(1*RS*,3*RS*;1*RS*,3*SR*)-2,2-dimethyl-3=  
(2-methylprop-1-enyl)=  
cyclopropanecarboxylate/  
2-(2-butoxyethoxy)ethyl  
6-propylpiperonyl ether

1P195

AE  
(0.15/0.1/0.25/0.5)  
w/w



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	零售之劑型及最高 濃度限制 註冊 編號 Reg. No.      Formulation and Maximum Concentration for Retail Sale
Bioallethrin/ Cyphenothrin/ Permethrin	(1 <i>RS</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ ( <i>RS</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>RS</i> )- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	1P180    AE (0.33/0.13/0.25) w/w
Bioallethrin/ Deltamethrin/ Permethrin/ Piperonyl butoxide	(1 <i>RS</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ ( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P125    AE (0.22/0.66/0.11/1) w/w

零售之劑型及最高  
濃度限制活性成分通用名稱  
Common Name of the  
Active Ingredient化學名稱  
Chemical Name註冊  
編號  
Reg.  
No. Formulation and  
Maximum  
Concentration for  
Retail SaleBioallethrin/  
Permethrin(1*RS*)-3-allyl-2-methyl-4=  
oxocyclopent-2-enyl(1*R*,3*R*)-2,2=  
dimethyl-3-(2-methylprop-1-enyl)=  
cyclopropanecarboxylate/  
3-phenoxybenzyl (1*RS*,3*RS*;1*RS*,3*SR*)=  
3-(2,2-dichlorovinyl)-2,2=  
dimethylcyclopropanecarboxylate

1P112 AE (0.1/0.5) w/w

Bioallethrin/  
Permethrin/  
Piperonyl butoxide(1*RS*)-3-allyl-2-methyl-4=  
oxocyclopent-2-enyl(1*R*,3*R*)-2,2=  
dimethyl-3-(2-methylprop-1-enyl)=  
cyclopropanecarboxylate/  
3-phenoxybenzyl (1*RS*,3*RS*;1*RS*,3*SR*)=  
3-(2,2-dichlorovinyl)-2,2=  
dimethylcyclopropanecarboxylate/  
2-(2-butoxyethoxy)ethyl  
6-propylpiperonyl ether1P113 AE (0.2/0.068/0.5)  
w/wBioallethrin/  
Permethrin/  
Tetramethrin(1*RS*)-3-allyl-2-methyl-4=  
oxocyclopent-2-enyl(1*R*,3*R*)-2,2=  
dimethyl-3-(2-methylprop-1-enyl)=  
cyclopropanecarboxylate/  
3-phenoxybenzyl (1*RS*,3*RS*;1*RS*,3*SR*)=  
3-(2,2-dichlorovinyl)-2,2=  
dimethylcyclopropanecarboxylate/  
cyclohex-1-ene-1,2-dicarboximidomethyl  
(1*RS*,3*RS*;1*RS*,3*SR*)-2,2-dimethyl-3=  
(2-methylprop-1-enyl)=  
cyclopropanecarboxylate1P89 AE (0.08/0.2/0.1)  
w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	編號 Reg. No.	Formulation and Maximum Concentration for Retail Sale
Bioallethrin/ Piperonyl butoxide	(1 <i>R,S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R,3R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P8	AE (2/3) w/v AE (2.057/16.83) w/w VP (3.6/0.16) w/w
Bioallethrin-S	(1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R,3R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]	1P7	AE (0.3) w/v
Bioallethrin-S/ Deltamethrin	(1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R,3R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ ( <i>S</i> )-α-cyano-3-phenoxybenzyl (1 <i>R,3R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate	1P142	AE (0.2/0.01) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Bioallethrin-S/ Permethrin/ Tetramethrin	(1S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	1P124	AE (0.105/0.263/0.544) w/w
Bioallethrin-S/ Piperonyl butoxide	(1S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P163	AE (0.54/4.32) w/w
Borax	Disodium tetraborate	1P9	PA (5) w/v
Borax/ Tetramethrin	Disodium tetraborate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	1P10	DP (5/12) w/w GR (5/12) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Boric acid	Boric acid	1P11	AE (20) w/w AL (0.2) w/v GE (21) w/w GR (0.2) w/w RB (99) w/w TB (70) w/w
Boric acid/ Fenitrothion	Boric acid/ <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate	1P157	RB (13.5/0.9) w/w
Brodifacoum	3-[3-(4'-bromobiphenyl-4-yl)-=1,2,3,4-tetrahydro-1-naphthyl]-4=hydroxycoumarin	1P12	SB (0.005) w/w
Bromadiolone	3-[3-(4'-bromobiphenyl-4-yl)-3=-hydroxy-1-phenylpropyl]-4=hydroxycoumarin	1P13	AB (0.005) w/w
Butoxycarboxim	3-methylsulphonylbutanone <i>O</i> -methylcarbamoyloxime	1P14	PR (9.8) w/w
Camphor	1,7,7-trimethylbicyclo[2.2.1]=heptan-2-one	1P15	VP (-)
Carbaryl	1-naphthyl methylcarbamate	1P16	DP (0.3) w/w
Celastus alkaloids	Celastus alkaloids	1P185	AL (0.02) w/w GE (0.1) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Cellulose	Cellulose	1P166	PE (45) w/w
Chlorfenapyr	4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile	1P201	AE (0.5) w/w
Chlorophacinone	2-[2-(4-chlorophenyl)-2-phenylacetyl]indan-1,3-dione	1P17	AB (0.005) w/w
Chloroxylenol	4-chloro-3,5-dimethylphenol	1P105	VP (2.9) w/w
Chloroxylenol/ Empenthrin	4-chloro-3,5-dimethylphenol/ (RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	1P149	IP (0.025/47.475) w/w VP (0.1/0.3) w/w
Chlorpyrifos	O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate	1P18	AL (1) w/v RB (0.6) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Chlorpyrifos/ lambda-Cyhalothrin/ Esbiothrin	<i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ α-cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)- 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the ( <i>Z</i> )-(1 <i>R</i> ,3 <i>R</i> ), <i>S</i> -ester and ( <i>Z</i> )-(1 <i>S</i> , 3 <i>S</i> ), <i>R</i> -ester/ (1 <i>S</i> )-3-allyl-2-methyl-4- oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2- dimethyl-3-(2-methylprop-1-enyl)- cyclopropanecarboxylate [≥72% <i>S</i> -cyclopentenyl isomer]	1P138	AL (0.125/0.01/0.025) w/w
Chlorpyrifos/ Deltamethrin	<i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ ( <i>S</i> )-α-cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate	1P120	AL (0.5/0.023) w/w
Chlorpyrifos/ Dichlorvos	<i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ 2,2-dichlorovinyl dimethyl phosphate	1P19	AE (1/1) w/v

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Chlorpyrifos/ Emperthrin	<i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ ( <i>RS</i> )-1-ethynyl-2-methylpent-2-enyl= ( <i>1RS</i> )- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P102	IP (2.7/0.9) w/w
Cholecalciferol	9,10-seocholesta-5,7,10(19)-trein-3 betaol; activated 7- dehydrocholesterol	1P20	AB (0.08) w/w
Citronella oil	Natural botanical extract of <i>Cymbopogon</i> spp.	1P146	BR (18) w/w VP (65) w/w
Citronella oil/ Eucalyptus oil	Mixture of natural botanical extract of <i>Cymbopogon</i> spp. and <i>Eucalyptus</i> spp.	1P198	VP (12.5/37.5) w/w
Coumatetralyl	4-hydroxy-3-(1,2,3,4-tetrahydro-1= naphthyl)coumarin	1P21	AB (0.8) w/w DP (0.75) w/w RB (0.0375) w/w
Coumatetralyl/ White oils	4-hydroxy-3-(1,2,3,4-tetrahydro-1= naphthyl)coumarin/ various refined petroleum oils	1P23	AB (0.05/0.05) w/w
Cyfluthrin	<i>(RS)</i> - $\alpha$ -cyano-4-fluoro-3- phenoxybenzyl ( <i>1RS,3RS;1RS,3SR</i> )- 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate	1P170	AE (0.04) w/w



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Cyfluthrin/ Dichlorvos/ Fenfluthrin/ Propoxur	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2,3,4,5,6-pentafluorobenzyl 3-(2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate	1P24	AE (0.03/0.5/0.04/1) w/w
Cyfluthrin/ Dichlorvos/ Propoxur	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate	1P25	AE (0.04/0.5/1) w/w
Cyfluthrin/ 2-Phenylphenol/ Propoxur	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/ 2-isopropoxyphenyl methylcarbamate	1P160	AE (0.025/0.1/0.75) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Cyfluthrin/ 2-Phenylphenol/ Propoxur/ Transfluthrin	<i>(RS)</i> - $\alpha$ -cyano-4-fluoro-3-phenoxybenzyl ( <i>1RS,3RS;1RS,3SR</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ biphenyl-2-ol/ 2-isopropoxyphenyl methylcarbamate/ <i>(1R)</i> - <i>trans</i> -(2,3,5,6-tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	1P150	AE (0.025/0.1/1/0.04) w/w
Cyfluthrin/ Propoxur	<i>(RS)</i> - $\alpha$ -cyano-4-fluoro-3-phenoxybenzyl ( <i>1RS,3RS;1RS,3SR</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate	1P156	AE (0.025/0.75) w/w
Cyfluthrin/ Propoxur/ Tetramethrin/ Piperonyl butoxide	<i>(RS)</i> - $\alpha$ -cyano-4-fluoro-3-phenoxybenzyl ( <i>1RS,3RS;1RS,3SR</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl ( <i>1RS,3RS;1RS,3SR</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P26	AE (0.04/1/0.2/1) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Cyfluthrin/ Propoxur/ Transfluthrin	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ (1R)-trans-(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate	1P122	AE (0.025/1/0.04) w/w
Cyfluthrin/ Pyrethrins	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins	1P130	AE (0.04/0.3) w/w
Cyfluthrin/ Tetramethrin/ Piperonyl butoxide	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P117	AE (0.04/0.2/1) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Cyfluthrin/ Transfluthrin	(R <i>S</i> )- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> ; <i>S</i> ; <i>S</i> );1 <i>R</i> , <i>S</i> ,3 <i>R</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1 <i>R</i> )- <i>trans</i> -(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate	1P123	AE (0.025/0.04) w/w
lambda-Cyhalothrin/ Prallethrin	$\alpha$ -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-= 2,2-dimethylcyclopropanecarboxylate A 1:1 mixture of the ( <i>Z</i> )-(1 <i>R</i> ,3 <i>R</i> ), <i>S</i> -ester and ( <i>Z</i> )-(1 <i>S</i> ,3 <i>S</i> ), <i>R</i> -ester/ ( <i>S</i> )-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i> )- <i>cis,trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P196	AL (0.1/0.1) w/w
alpha-Cypermethrin	( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and ( <i>R</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>S</i> ,3 <i>S</i> )-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	1P73	AE (0.02) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	零售之劑型及最高 濃度限制 註冊 編號 Reg. No. <i>Formulation and Maximum Concentration for Retail Sale</i>
beta-Cypermethrin/ Propoxur/ Tetramethrin/ Piperonyl butoxide	A reaction mixture comprising two enantiomeric pairs in ratio approx. 2:3: (S)- $\alpha$ -cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane= carboxylate and (R)- $\alpha$ -cyano-3-phenoxybenzyl (1S)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate with (S)- $\alpha$ -cyano-3-phenoxybenzyl (1R)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (R)- $\alpha$ -cyano-3-phenoxybenzyl (1S)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P193 AE (0.08/0.32/0.15/0.45) w/w

活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale
beta-Cypermethrin/ Tetramethrin	A reaction mixture comprising two enantiomeric pairs in ratio approx. 2:3: (S)- $\alpha$ -cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane= carboxylate and (R)- $\alpha$ -cyano-3-phenoxybenzyl (1S)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate with (S)- $\alpha$ -cyano-3-phenoxybenzyl (1R)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (R)- $\alpha$ -cyano-3-phenoxybenzyl (1S)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)-cyclopropanecarboxylate	1P155	AE (0.11/0.23) w/w
Cypermethrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	1P27	AL (1.3) w/v GB (0.1) w/w IP (0.33) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Cypermethrin/ Dichlorvos	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate	1P28	AE (0.2/0.8) w/v
Cypermethrin/ Imiprothrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1- imidazolidinyl]methyl (1R)-cis-trans- chrysanthemate	1P154	AE (0.286/0.14) w/w
Cypermethrin/ Imiprothrin/ 2-Phenylphenol	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1- imidazolidinyl]methyl (1R)-cis-trans- chrysanthemate/ biphenyl-2-ol	1P183	AE (0.1/0.1/0.15) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Cypermethrin/ Permethrin/ Tetramethrin/ Piperonyl butoxide	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-= (2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P144	AE (0.05/0.3/0.2/1) w/w
Cypermethrin/ 2-Phenylphenol/ Tetramethrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-= (2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P152	AE (0.201/0.15/0.371) w/w



活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Cypermethrin/ Prallethrin	(R <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> <i>S</i> ,3 <i>R</i> <i>S</i> ;1 <i>R</i> <i>S</i> ,3 <i>S</i> <i>R</i> )-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ ( <i>S</i> )-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i> )- <i>cis</i> , <i>trans</i> - 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P199	FU (8/4) w/w
Cypermethrin/ Propiconazole	(R <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> <i>S</i> ,3 <i>R</i> <i>S</i> ;1 <i>R</i> <i>S</i> ,3 <i>S</i> <i>R</i> )-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ ( $\pm$ )-1-[2-(2,4-dichlorophenyl)- 4-propyl-1,3-dioxolan-2- ylmethyl]-1 <i>H</i> -1,2,4-triazole	1P168	AS (0.1/0.45) w/w
Cypermethrin/ Pyrethrins	(R <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> <i>S</i> ,3 <i>R</i> <i>S</i> ;1 <i>R</i> <i>S</i> ,3 <i>S</i> <i>R</i> )-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ pyrethrins	1P114	AE (0.11/0.6) w/w AE (0.15/0.2) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Cypermethrin/ Tetramethrin/ Piperonyl butoxide	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)- cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P29	AE (0.3/0.2/1) w/v
Cypermethrin/ Transfluthrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- (2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ (1R)-trans-(2,3,5,6- tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2- dimethylcyclopropanecarboxylate	1P188	AL (0.1/0.1) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
d,d-T-Cyphenothrin/ Tetramethrin	(RS)-α-cyano-3-phenoxybenzyl (1R)-cis,trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate [>97% trans-isomer]/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P176	AE (0.17/0.12) w/w
Cyphenothrin	(RS)-α-cyano-3-phenoxybenzyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P85	FU (8) w/w
Cyphenothrin/ Imiprothrin	(RS)-α-cyano-3-phenoxybenzyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1= imidazolidiny]methyl (1R)-cis-trans= chrysanthemate	1P135	AE (0.33/0.2) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Cyphenothrin/ d-Tetramethrin	(R <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> <i>S</i> )- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i> )- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P93	AE (0.3/0.3) w/w
Deltamethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate	1P30	AE (0.06) w/w AL (0.03) w/w CK (4) w/w
Deltamethrin/ Esbiothrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [ $\geq$ 72% S-cyclopentenyl isomer]	1P94	AE (0.02/0.2) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Deltamethrin/ Esbiothrin/ Proprocur	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [ $\geq$ 72% <i>S</i> -cyclopentenyl isomer]/ 2-isopropoxyphenyl methylcarbamate	1P139	AE (0.02/0.15/1) w/w
Deltamethrin/ Kadethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 5-benzyl-3-furylmethyl ( <i>E</i> )-(1 <i>R</i> ,3 <i>S</i> )= 2,2-dimethyl-3-(2-oxothiolan- 3-ylidenemethyl) cyclopropanecarboxylate	1P31	AE (0.02/0.06) w/v
Deltamethrin/ Octachlorodipropyl ether/ Permethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether/ 3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> ;1 <i>R</i> ,3 <i>S</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	1P32	DP (0.1/0.2/0.1) w/w GR (0.1/0.2/0.1) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Deltamethrin/ Permethrin/ Tetramethrin/ Piperonyl butoxide	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P84	AE (0.05/0.1/0.25/1) w/w
Deltamethrin/ Tetramethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P127	AE (0.015/0.23) w/w
1,4-Dichlorobenzene	1,4-dichlorobenzene	1P1	VP (-)
1,4-Dichlorobenzene/ 2-Phenylphenol	1,4-dichlorobenzene/ biphenyl-2-ol	1P90	VP (72.6/0.2) w/w
1,4-Dichlorobenzene/ Thymol	1,4-dichlorobenzene/ 5-methyl-2-(1-methylethyl) phenol	1P92	VP (99.9/0.05) w/w
Dichlorvos	2,2-dichlorovinyl dimethyl phosphate	1P35	AE (1) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Dichlorvos/ Fenitrothion/ Permethrin/ Tetramethrin/ Piperonyl butoxide	2,2-dichlorovinyl dimethyl phosphate/ <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P36	AE (0.5/0.8/0.04/ 0.08/0.4) w/v
Dichlorvos/ Fenitrothion/ Tetramethrin	2,2-dichlorovinyl dimethyl phosphate/ <i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P37	AE (1/1/0.2) w/v
Dichlorvos/ Permethrin	2,2-dichlorovinyl dimethyl phosphate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate	1P38	AE (0.8/0.2) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Dichlorvos/ Permethrin/ Propoxur	2,2-dichlorovinyl dimethyl phosphate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)- 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate	1P39	AE (0.5/0.1/1) w/v
Dichlorvos/ Permethrin/ Tetramethrin/ Piperonyl butoxide	2,2-dichlorovinyl dimethyl phosphate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)- 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)- cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P82	AE (1/0.25/0.02/0.1) w/w
Dichlorvos/ Propoxur	2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate	1P40	AE (1/2) w/v
Dichlorvos/ Tetramethrin/ Piperonyl butoxide	2,2-dichlorovinyl dimethyl phosphate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)- cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P41	AE (1/0.08/0.4) w/v



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Diethyltoluamide/ Esbiothrin	<i>N,N</i> -diethyl- <i>m</i> -toluamide/ (1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥72% <i>S</i> -cyclopentenyl isomer]	1P133	FU (2.41/2.52) w/w
Difethialone	3-[(1 <i>R</i> <i>S</i> ,3 <i>R</i> <i>S</i> ;1 <i>R</i> <i>S</i> ,3 <i>S</i> <i>R</i> )-3-(4'= bromobiphenyl-4-yl)-1,2,3,4- tetrahydro-1-naphthyl]-4-hydroxy- 1-benzothiin-2-one	1P131	PE (0.0025) w/w
Diiodomethyl 4-tolyl sulfone	Diiodomethyl- <i>p</i> -tolyl sulfone	1P121	AE (0.015) w/w
Diiodomethyl 4-tolyl sulfone/ Isobornyl thiocyanacetate/ Permethrin/ beta-Thujaplicin	Diiodomethyl- <i>p</i> -tolyl sulfone/ 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl thiocyanatoacetate/ 3-phenoxybenzyl(1 <i>R</i> <i>S</i> ,3 <i>R</i> <i>S</i> ;1 <i>R</i> <i>S</i> ,3 <i>S</i> <i>R</i> )-3- (2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate/ 2-hydroxy-4-isopropyl-2,4,6- cycloheptatrien-1-one	1P104	IP (0.86/0.62/0.10/0.03) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Dimefluthrin	2,3,5,6-tetrafluoro-4- (methoxymethyl)benzyl= (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl- 3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P186	FU (0.03) w/w VP (0.31) w/w
Dimethoate	<i>O,O</i> -dimethyl <i>S</i> -methylcarbamoylmethyl phosphorodithioate	1P42	AE (0.4) w/v
Dinotefuran	( <i>RS</i> )-1-methyl-2-nitro-3- (tetrahydro-3-furylmethyl)guanidine	1P202	GE (0.5) w/w
Diphacinone	2-(diphenylacetyl)indan-1,3-dione	1P43	AB (0.1) w/w
Disodium octaborate tetrahydrate	Disodium octaborate tetrahydrate	1P205	AL (10) w/v
Disulfoton	<i>O,O</i> -diethyl <i>S</i> -2-ethylthioethyl phosphorodithioate	1P44	PR (1) w/w
Emamectin benzoate	A mixture of ≥90% emamectin B <sub>1a</sub> benzoate ( (4" <i>R</i> )-5- <i>O</i> -demethyl-4"- deoxy-4"-(methylamino)avermectin A <sub>1a</sub> benzoate ) and ≤10% emamectin B <sub>1b</sub> benzoate ( (4" <i>R</i> )-5- <i>O</i> -demethyl- 25-de(1-methylpropyl)-4"-deoxy-4"- (methylamino)-25-(1-methylethyl)= avermectin A <sub>1a</sub> benzoate )	1P190	GE (0.1) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Empenthrin	(R <i>S</i> )-1-ethynyl-2-methylpent-2-enyl (1 <i>R</i> <i>S</i> )- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P101	IP (20.7) w/w
Empenthrin/ Freside S	(R <i>S</i> )-1-ethynyl-2-methylpent-2-enyl (1 <i>R</i> <i>S</i> )- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 4-isopropyl-3-methylphenol	1P110	VP (30.97/1.55) w/w
Empenthrin/ Freside S/ d-Phenothrin	(R <i>S</i> )-1-ethynyl-2-methylpent-2-enyl (1 <i>R</i> <i>S</i> )- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 4-isopropyl-3-methylphenol/ 3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> - 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P109	VP (0.11/0.14/0.19) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Empenthrin/ Octachlorodipropyl ether/ 2-Phenylphenol/ d-Tetramethrin	(RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether/ biphenyl-2-ol/ cyclohex-1-ene-1,2-dicarboximidomethyl (1R)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P107	IP (0.18/0.9/0.09/0.18) w/w
Empenthrin/ 2-Phenylphenol	(RS)-1-ethynyl-2-methylpent-2-enyl (1RS)-cis-trans-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ biphenyl-2-ol	1P106	VP (50/8) w/w
Esbiothrin	(1S)-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1R,3R)-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥72% S-cyclopentenyl isomer]	1P45	FU (5) w/w VP (3) w/w
Etofenprox	2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether	1P161	AE (1.25) w/w AL (2.5) w/w FU (8) w/w
Fenitrothion	O,O-dimethyl O-4-nitro-m-tolyl phosphorothioate	1P108	RB (5) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Fenitrothion/ Permethrin	<i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	1P46	AE (1.3/1.4) w/v
Fenitrothion/ Permethrin/ Tetramethrin	<i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P47	AE (0.8/0.3/0.3) w/v
Fenitrothion/ Permethrin/ Tetramethrin/ Piperonyl butoxide	<i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P126	AE (1/0.047/0.091/ 0.462) w/w

零售之劑型及最高 濃度限制	註冊 編號	Formulation and Maximum Concentration for Retail Sale
活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	Reg. No.
Fenoxycarb/ Permethrin/ Pyrethrins/ MGK 264/ Piperonyl butoxide	ethyl 2-(4-phenoxyphenoxy)ethyl= carbamate/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2=- dimethylcyclopropanecarboxylate/ pyrethrins/ <i>N</i> -(2-ethylhexyl)-8,9,10=- trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P118 AE (1/0.5/0.05/0.4/ 0.1) w/w AL (0.06/0.2/0.05/ 0.4/0.1) w/w
Fenvalerate/ Pyrethrins/ MGK 264/ Piperonyl butoxide	( <i>RS</i> )- $\alpha$ -cyano-3-phenoxybenzyl ( <i>RS</i> )-2-(4-chlorophenyl)-= 3-methylbutyrate/pyrethrins/ <i>N</i> -(2-ethylhexyl)-8,9,10=- trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P136 AE (0.4/0.05/0.166/0.1) w/w
Fipronil	( $\pm$ )-5-amino-1-(2,6-dichloro- $\alpha$ , $\alpha$ , $\alpha$ - trifluoro- <i>p</i> -tolyl)-4-trifluoromethyl=- sulfinylpyrazole-3-carbonitrile	1P145 RB (0.05) w/w
Flocoumafen	4-hydroxy-3-[1,2,3,4-tetrahydro-3-[4= (4-trifluoromethylbenzyloxy)phenyl]-1=- naphthyl]coumarin (mixture of <i>cis</i> - and <i>trans</i> -isomers)	1P48 AB (0.005) w/w BB (0.005) w/w TB (0.005) w/w
Freside S	4-isopropyl-3-methylphenol	1P119 VP (0.1) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
d-trans-Furamethrin	5-(2-propynyl)-2-furylmethyl(1 <i>R</i> )- <i>trans</i> -2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	1P159	FU (10) w/w VP (1.68) w/w
Geraniol	(E)-3,7-dimethyl-2,6-octadien-1-ol	1P181	VP (30) w/w
Hydramethylnon	5,5-dimethylperhydropyrimidin-2-one 4-trifluoromethyl- $\alpha$ - (4-trifluoromethylstyryl)- cinnamylidenehydrazone	1P49	GB (0.9) w/w RB (2.0) w/w
S-Hydroprene	ethyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-3,7,11-trimethyl- dodeca-2,4-dienoate	1P153	VP (90.6) w/w
Imidacloprid	1-(6-chloro-pyridin-3-yl- methyl)- <i>N</i> -nitroimidazolidin- 2-ylideneamine	1P158	GE (2.15) w/w RB (2) w/w
Indoxacarb	methyl ( <i>S</i> )- <i>N</i> -[7-chloro-2,3,4a,5- tetrahydro-4a-(methoxycarbonyl)- indeno[1,2- <i>e</i> ][1,3,4]oxadiazin-2- ylcarbonyl]-4'-(trifluoromethoxy)- carbanilate	1P184	RB (1) w/w
Isobornyl thiocyanacetate/ Permethrin	1,7,7-trimethylbicyclo[2.2.1]= hept-2-yl thiocyanatoacetate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )- 3-(2,2-dichlorovinyl)-2,2-dimethyl- cyclopropanecarboxylate	1P98	IP (1.08/0.16) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
d-Limonene	<i>(R)</i> -4-isopropenyl-1-methylcyclohexene	1P167	L (5.8) w/w
Linalool	3,7-dimethyl-1,6-octandien-3-ol	1P178	VP (96) w/w
Malathion/ Pyrethrins/ Rotenone	diethyl (dimethoxyphosphorylthio)= succinate/ pyrethrins/ (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i> )-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -= hexahydro-2-isopropenyl-8,9-= dimethoxychromeno[3,4- <i>b</i> ]= furo[2,3- <i>h</i> ]chromen-6-one	1P50	AE (0.3/0.02/0.1) w/v
Menthol	<i>(1R,2S,5R)</i> -(-)-Menthol	1P164	VP (4.3) w/w
S-Methoprene/ Permethrin	isopropyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-11-methoxy-= 3,7,11-trimethyldodeca-2,4-dienoate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate	1P147	AE (0.1/0.64) w/w
S-Methoprene/ Pyrethrins/ MGK 264/ Piperonyl butoxide	isopropyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-11-methoxy-= 3,7,11-trimethyldodeca-2,4-dienoate/ pyrethrins/ <i>N</i> -(2-ethylhexyl)-8,9,10-= trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P171	AE (0.1/0.5/1.7/1.0) w/w



活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
S-Methoprene/ Pyrethrins/ Tetramethrin/ MGK 264/ Piperonyl butoxide	isopropyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-11-methoxy= 3,7,11-trimethyldodeca-2,4-dienoate/ pyrethrins/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ <i>N</i> -(2-ethylhexyl)-8,9,10= trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P172	AE (0.1/0.2/0.1/1/1) w/w
Methoprene/ Permethrin	isopropyl ( <i>E</i> , <i>E</i> )-( <i>RS</i> )-11= methoxy-3,7,11-trimethyldodeca= 2,4-dienoate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate	1P128	AE (0.15/0.5) w/w
Methothrin/ Permethrin	( <i>E</i> , <i>Z</i> ) 2,2-dimethyl 3-isobutenyl cyclopropanecarboxylate p-methoxy methyl benzylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2-dimethyl= cyclopropanecarboxylate	1P95	CK (0.1/0.1) w/w
Methyl neodecanamide	methyl neodecanamide	1P116	AL (2) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Methyl nonyl ketone	undecan-2-one	1P194	AL (5) w/w VP (21) w/w
Metofluthrin	2,3,5,6-tetrafluoro-4-(methoxymethyl)= benzyl (EZ)-(1RS,3RS;1RS,3SR)-2,2-dimethyl= 3-prop-1-enylcyclopropanecarboxylate	1P200	AE (0.76) w/w #7 VPM (15) mg/mat #7
Metoxadiazone/ d-Phenothrin	5-methoxy-3-(2-methoxyphenyl)= 1,3,4-oxadiazol-2(3H)-one/ 3-phenoxybenzyl (1R)-cis-trans-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P132	FU (8/14) w/w
Naphthalene	naphthalene	1P53	VP (-)
Nootkatone	(4R,4aS,6R)-4,4a-dimethyl-6-(prop-1- en-2-yl)-4,4a,5,6,7,8= hexahydronaphthalen-2(3H)-one	1P207	AL (2) w/w
Octenol	1-octen-3-ol	1P175	VP (67.2) w/w #5
Permethrin	3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	1P55	AL (0.3) w/v DP (0.5) w/w FU (12.6) w/w MG (0.9) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Permethrin/ 2-Phenylphenol/ Pyrethrins/ Piperonyl butoxide	3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ biphenyl-2-ol/pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P165	AE (0.2/0.15/0.2/0.5) w/w
Permethrin/ Propoxur/ Tetramethrin	3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P86	AE (0.207/0.96/0.207) w/w
Permethrin/ Pyrethrins	3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins	1P54	AE (0.04/0.1) w/v
Permethrin/ Pyrethrins/ Piperonyl butoxide	3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P137	AE (0.2/0.2/0.5) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Permethrin/ d-Tetramethrin	3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1R)-cis-trans-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P97	AE (0.84/0.84) w/v
Permethrin/ Tetramethrin	3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P56	AE (1/0.3) w/v
Permethrin/ Tetramethrin/ Octachlorodipropyl ether	3-phenoxybenzyl (1RS,3RS;1RS,3SR)-= 3-(2,2-dichlorovinyl)-2,2-= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether	1P174	AE (0.35/0.2/0.6) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Permethrin/ Transfluthrin	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ (1 <i>R</i> )- <i>trans</i> -(2,3,5,6= tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2= dimethylcyclopropanecarboxylate	1P206	AL (1.1/0.55) w/v
Petroleum oils	various refined petroleum oils	1P57	RB (62) w/w
d-Phenothrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P148	P (0.4) w/w
d-Phenothrin/ Phenyl salicylate	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ phenyl 2-hydroxybenzoate	1P151	AE (0.4/6.7) w/w
d-Phenothrin/ Prallethrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ ( <i>S</i> )-2-methyl-4-oxo-3-(2= propynyl)cyclopent-2-enyl (1 <i>R</i> )= <i>cis,trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P115	AE (0.05/0.13) w/w AE (0.125/0.1) w/w AL (0.11/0.01) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
d-Phenothrin/ Prallethrin/ d-Tetramethrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ (S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i> )- <i>cis,trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i> )- <i>cis-trans</i> -2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P197	AE (0.2/0.1/0.2) w/w
d-Phenothrin/ Tetramethrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P96	AE (0.075/0.3) w/w
d-Phenothrin/ Tetramethrin/ Piperonyl butoxide	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> -= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P79	AE (0.04/0.2/1) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
2-Phenylphenol	biphenyl-2-ol	1P81	GR (0.2) w/w
Phoxim	<i>O,O</i> -diethyl $\alpha$ - cyanobenzylideneamino= oxyphosphonothionate	1P58	DP (3) w/w RB (0.0875) w/w
Pirimiphos-methyl/ Resmethrin/ Tetramethrin/ Piperonyl butoxide	<i>O</i> -2-diethylamino-6= methylpyrimidine-4-yl, <i>O,O</i> = dimethyl phosphorothioate/ 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ; 1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P59	AE (0.5/0.2/0.1/0.6) w/v
Prallethrin	( <i>S</i> )-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i> )- <i>cis,trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	1P103	FU (2.13) w/w VP (1.33) w/v VP (2) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Prallethrin/ Piperonyl butoxide	(S)-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1R)-cis,trans-= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P99	FU (1.41/2.94) w/w
Propoxur	2-isopropoxyphenyl methylcarbamate	1P60	AL (5) w/v GB (1) w/w IP (1) w/v RB (1.5) w/w VP (1) w/v
Propoxur/ Pyrethrins	2-isopropoxyphenyl methylcarbamate/ pyrethrins	1P61	FU (2/0.3) w/w
Propoxur/ Pyrethrins/ Piperonyl butoxide	2-isopropoxyphenyl methylcarbamate/ pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P62	AE (1/0.4/1.1) w/v



活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Propoxur/ Pyrethrins/ Tetramethrin/ Piperonyl butoxide	2-isopropoxyphenyl methylcarbamate/ pyrethrins/ cyclohex-1-ene-1,2-= dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ; 1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P88	AE (1.1/0.5/0.16/1) w/w
Propoxur/ Tetramethrin	2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P83	AE (1/0.3) w/w
Pyrazophos	ethyl 2-diethoxythiophosphoryloxy-5-= methylpyrazolo[1,5-a]= pyrimidine-6-carboxylate	1P63	AE (0.1) w/v
Pyrethrins	mixture of esters of pyrethrolone, cinerolone and jasmololone with chrysanthemic and pyrethric acids: extracted from <i>Chrysanthemum</i> <i>cinerariaefolium</i> and similar species of plants	1P64	AE (0.4) w/v

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Pyrethrins/ MGK 264/ Piperonyl butoxide	pyrethrins/ N-(2-ethylhexyl)-8,9,10= trinorbom-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P65	AE (0.1/0.2/0.8) w/v AE (0.975/3.21/1.95) w/w AL (3/10/6) w/w
Pyrethrins/ Piperonyl butoxide	pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P66	AE (0.3/1.3) w/v AE (1/5) w/w AL (0.02/0.2) w/v
Pyrethrins/ Resmethrin/ Tetramethrin	pyrethrins/ 5-benzyl-3-furylmethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P67	AE (0.02/0.3/0.3) w/v

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Pyrethrins/ Tetramethrin/ MGK 264/ Piperonyl butoxide	pyrethrins/ cyclohex-1-ene-1,2= dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ; 1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ <i>N</i> -(2-ethylhexyl)-8,9,10-trinorborn= 5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P68	AE (0.2/0.07/1/1) w/v
Pyrethrins/ Tetramethrin/ Piperonyl butoxide	pyrethrins/ cyclohex-1-ene-1,2= dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ; 1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	1P69	AE (0.2/0.09/1.1) w/v
d-Resmethrin/ d-Tetramethrin	5-benzyl-3-furylmethyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i> )- <i>cis-trans</i> -2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P80	AE (0.3/0.62) w/v

活性成分通用名稱	化學名稱	註冊 編號	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	Reg. No.	Formulation and Maximum Concentration for Retail Sale
Resmethrin/ Tetramethrin	5-benzyl-3-furylmethyl (1RS,3RS;= 1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate	1P70	AE (0.3/0.3) w/v
Simazine	6-chloro- <i>N</i> <sup>2</sup> , <i>N</i> <sup>4</sup> -diethyl- 1,3,5-triazine-2,4-diamine	1P71	SL (3.5) w/v TB (3.5) w/w
Thiamethoxam	3-(2-chloro-1,3-thiazol-5-ylmethyl)- 5-methyl-1,3,5-oxadiazinan-4- ylidene(nitro)amine	1P189	GE (0.1) w/w
Transfluthrin	(1 <i>R</i> )- <i>trans</i> -(2,3,5,6- tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2- dimethylcyclopropanecarboxylate	1P129	AE (3.9) w/w AL (1.7) w/v FU (8.3) w/w VP (95) w/w
Warfarin	4-hydroxy-3-(3-oxo-1-phenylbutyl)- coumarin	1P72	AB (0.1) w/w

第二部  
PART II

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Abamectin	A mixture of > 80% avermectin B <sub>1a</sub> (5- <i>O</i> -demethyl avermectin A <sub>1a</sub> ) and < 20% avermectin B <sub>1b</sub> (5- <i>O</i> -demethyl-25-de-(1-methylpropyl)-25-(1-methylethyl) avermectin A <sub>1a</sub> )	2P226	CS (1.9) w/w #2 EC (1.8) w/v #2 RB (0.05) w/w #2 SC (2) w/v #2
S-abscisic acid	(2 <i>Z</i> ,4 <i>E</i> )-5-[(1 <i>S</i> )-1-hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3-methylpenta-2,4-dienoic acid	2P310	L (-) P (-)
Acephate	<i>O,S</i> -dimethyl acetylphosphoramidothioate	2P6	GR (16) w/w SP (75) w/w WP (75) w/w
Acetamidiprid	( <i>E</i> )- <i>N</i> <sup>1</sup> -[(6-chloro-3-pyridyl)methyl]= <i>N</i> <sup>2</sup> -cyano- <i>N</i> <sup>1</sup> -methylacetamidine	2P273	EC (3) w/w
Acetamidiprid/ Emamectin benzoate	( <i>E</i> )- <i>N</i> <sup>1</sup> -[(6-chloro-3-pyridyl)methyl]= <i>N</i> <sup>2</sup> -cyano- <i>N</i> <sup>1</sup> -methylacetamidine/ A mixture of ≥90% emamectin B <sub>1a</sub> benzoate ( (4" <i>R</i> )-5- <i>O</i> -demethyl-4"-deoxy-4"-(methylamino) avermectin A <sub>1a</sub> benzoate ) and ≤10% emamectin B <sub>1b</sub> benzoate ( (4" <i>R</i> )-5- <i>O</i> -demethyl-25-de(1-methylpropyl)-4"-deoxy-4"-(methylamino)-25-(1-methylethyl) avermectin A <sub>1a</sub> benzoate )	2P340	SG (24/5) w/w

活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale
Acetamidrid/ Pyriproxyfen	<i>(E)</i> - <i>N</i> <sup>1</sup> -[(6-chloro-3-pyridyl)methyl]= <i>N</i> <sup>2</sup> -cyano- <i>N</i> <sup>1</sup> -methylacetamidine/ 4-phenoxyphenyl ( <i>RS</i> )-2-(2-pyridyloxy) propyl ether	2P341	SL (10.0/12.5) w/v
d-Allethrin	<i>(RS)</i> -3-allyl-2-methyl-4= oxocyclopent-2-enyl ( <i>1R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P196	EC (40) w/v FU (20) w/w
Allicin/ Capsaicin	<i>S</i> -2-Propenyl-2-propene-1-sulfinothioate/ <i>(E)</i> - <i>N</i> -[(4-Hydroxy-3-methoxyphenyl)= methyl]-8-methyl-6-nonenamide	2P316	SL (1/1) w/v
Amitraz	<i>N</i> -methylbis(2,4-xylilyliminomethyl)amine	2P9	EC (40) w/v
Amorphous silicon dioxide	Amorphous silicon dioxide	2P237	DP (100) w/w
Amorphous silicon dioxide/ Deltamethrin/ Piperonyl butoxide	Amorphous silicon dioxide/ <i>(S)</i> - $\alpha$ -cyano-3-phenoxybenzyl ( <i>1R,3R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P320	DP (90/0.1/0.4) w/w
Anilazine	2,4-dichloro-6-(2-chloroanilino)= 1,3,5-triazine	2P203	WP (50) w/w

活性成分通用名稱	化學名稱	註冊 編號	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	Reg. No.	Formulation and Maximum Concentration for Retail Sale
Atrazine	6-chloro- <i>N</i> <sup>2</sup> -ethyl- <i>N</i> <sup>4</sup> -isopropyl- 1,3,5-triazine-2,4-diamine	2P10	SC (50) w/v WP (80) w/w
Azadirachtin	dimethyl (3 <i>S</i> ,3 <i>aR</i> ,4 <i>S</i> ,5 <i>S</i> ,5 <i>aR</i> ,5 <i>a</i> <sup>1</sup> <i>R</i> ,7 <i>aS</i> ,8 <i>R</i> ,10 <i>S</i> ,= 10 <i>aS</i> )-8-acetoxy-3,3 <i>a</i> ,4,5,5 <i>a</i> ,5 <i>a</i> <sup>1</sup> ,7 <i>a</i> ,8,9,= 10-decahydro-3,5-dihydroxy-4- {(1 <i>S</i> ,3 <i>S</i> ,7 <i>S</i> ,8 <i>R</i> ,9 <i>S</i> ,11 <i>R</i> )-7-hydroxy-9- methyl-2,4,10-trioxatetracyclo= [6.3.1.0 <sup>3,7</sup> .0 <sup>9,11</sup> ]dodec-5-en-11-yl}-4- methyl-10[( <i>E</i> )-2-methylbut-2-enoyloxy]-= 1 <i>H</i> ,7 <i>H</i> -naphtho[1,8 <i>a</i> ,8- <i>bc</i> :4,4 <i>a-c</i> ]difuran- 3,7 <i>a</i> -dicarboxylate	2P261	EC (6) w/w WP (6) w/w
Azadirachtin/ Etofenprox	dimethyl (3 <i>S</i> ,3 <i>aR</i> ,4 <i>S</i> ,5 <i>S</i> ,5 <i>aR</i> ,5 <i>a</i> <sup>1</sup> <i>R</i> ,7 <i>aS</i> ,8 <i>R</i> ,10 <i>S</i> ,= 10 <i>aS</i> )-8-acetoxy-3,3 <i>a</i> ,4,5,5 <i>a</i> ,5 <i>a</i> <sup>1</sup> ,7 <i>a</i> ,8,9,= 10-decahydro-3,5-dihydroxy-4- {(1 <i>S</i> ,3 <i>S</i> ,7 <i>S</i> ,8 <i>R</i> ,9 <i>S</i> ,11 <i>R</i> )-7-hydroxy-9- methyl-2,4,10-trioxatetracyclo= [6.3.1.0 <sup>3,7</sup> .0 <sup>9,11</sup> ]dodec-5-en-11-yl}-4- methyl-10[( <i>E</i> )-2-methylbut-2-enoyloxy]-= 1 <i>H</i> ,7 <i>H</i> -naphtho[1,8 <i>a</i> ,8- <i>bc</i> :4,4 <i>a-c</i> ]difuran- 3,7 <i>a</i> -dicarboxylate/ 2-(4-ethoxyphenyl)-2-methylpropyl 3- phenoxybenzyl ether	2P257	EC (1/20) w/w EW (5/8) w/v
Azocyclotin	tri(cyclohexy)-1 <i>H</i> -1,2,4-triazol-1-yltin	2P11	WP (25) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Azoxystrobin	methyl (E)-2-{2-[6-(2-cyanophenoxy)=pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate	2P287	DC (9.5) w/v SC (25) w/w WG (50) w/w
Azoxystrobin/ Difenoconazole	methyl (E)-2-{2-[6-(2-cyanophenoxy)=pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate/ 3-chloro-4-[(2RS,4RS;2RS,4SR)-4- methyl-2-(1H-1,2,4-triazol-1-ylmethyl)- 1,3-dioxolan-2-yl]phenyl 4-chlorophenyl ether	2P339	SC (20/12.5) w/v
Azoxystrobin/ Flutriafol	methyl (E)-2-{2-[6-(2-cyanophenoxy)=pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate/ (RS)-2,4'-difluoro- $\alpha$ -(1H-1,2,4- triazol-1-ylmethyl)benzhydrol alcohol	2P344	SC (20/12.5) w/v
Azoxystrobin/ Imidacloprid	methyl (E)-2-{2-[6-(2-cyanophenoxy)=pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate/ 1-(6-chloro-pyridin-3-yl-methyl)-N= nitroimidazolidin-2-ylideneamine	2P343	GS (2/2) w/w
Azoxystrobin/ Tebuconazole	methyl (E)-2-{2-[6-(2-cyanophenoxy)=pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate/ (RS)-1- <i>p</i> -chlorophenyl-4,4-dimethyl- 3-(1H-1,2,4-triazol-1-ylmethyl)- pentan-3-ol	2P351	SC (12/20) w/v



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Azoxystrobin/ Thiamethoxam	methyl (E)-2-{2-[6-(2-cyanophenoxy)= pyrimidin-4-yloxy]phenyl}-3- methoxyacrylate/ 3-(2-chloro-1,3-thiazol-5-ylmethyl)- 5-methyl-1,3,5-oxadiazinan-4- ylidene(nitro)amine	2P355	GR (0.31/0.22) w/w
<i>Bacillus sphaericus</i>	None	2P282	GR (-) P (-)
<i>Bacillus subtilis</i>	None	2P296	WP (-)
<i>Bacillus thuringiensis</i>	None	2P12	BR (-) EC (-) GR (-) OF (-) P (-) SC (-) WP (-)
<i>Beauveria bassiana</i>	None	2P239	SC (7.16) w/w
<i>Beauveria bassiana/ Pyriproxyfen</i>	None/ 4-phenoxyphenyl (RS)-2-(2-pyridyloxy) propyl ether	2P342	P (10/75) w/w
Benazolin ethyl	Ethyl 4-chloro-2-oxobenzothiazolin- 3-ylacetate	2P13	EC (10) w/v

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Bendiocarb	2,2-dimethyl-1,3-benzodioxol-4-yl methylcarbamate	2P14	WP (80) w/w
Benfluralin	<i>N</i> -butyl- <i>N</i> -ethyl- $\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro- <i>p</i> -toluidine	2P15	EC (20) w/v GR (2.5) w/w
Benodanil	2-iodobenzanilide	2P16	WP (50) w/w
Benomyl	methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate	2P17	WP (50) w/w
Bentazone	3-isopropyl-1 <i>H</i> -2,1,3-benzothiadiazin-4(3 <i>H</i> )-one 2,2-dioxide	2P18	SL (50) w/v
Benzalkonium chloride/ Copper-triethanolamine complex	alkyl dimethylbenzylammonium chloride/ Copper-triethanolamine complex	2P215	SL (20/30.5) w/v
Benzovindiflupyr/ Difenoconazole	<i>N</i> -[(1 <i>RS</i> ,4 <i>SR</i> )-9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxamide/ 3-chloro-4-[(2 <i>RS</i> ,4 <i>RS</i> ;2 <i>RS</i> ,4 <i>SR</i> )-4-methyl-2-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)-1,3-dioxolan-2-yl]phenyl 4-chlorophenyl ether	2P356	SL (2.24/7.48) w/w
Benzoylprop-ethyl	ethyl ( $\pm$ )-2-[ <i>N</i> -(3,4-dichlorophenyl)benzamido]propionate	2P19	EC (20) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Bifenthrin	2-methylbiphenyl-3-ylmethyl (Z)-(1 <i>RS</i> ,3 <i>RS</i> )-3-(2-chloro-3,3,3- trifluoroprop-1-enyl)-2,2= dimethylcyclopropanecarboxylate	2P240	EC (25.1) w/w SC (8.5) w/w
Bifenthrin/ Imidacloprid	2-methylbiphenyl-3-ylmethyl (Z)-(1 <i>RS</i> ,3 <i>RS</i> )-3-(2-chloro-3,3,3- trifluoroprop-1-enyl)-2,2= dimethylcyclopropanecarboxylate/ 1-(6-chloro-pyridin-3-yl-methyl)- <i>N</i> - nitroimidazolidin-2-ylideneamine	2P332	SC (4.5/5.5) w/v
Bifenthrin/ Imiprothrin/ Piperonyl butoxide	2-methylbiphenyl-3-ylmethyl (Z)-(1 <i>RS</i> ,3 <i>RS</i> )-3-(2-chloro-3,3,3- trifluoroprop-1-enyl)-2,2= dimethylcyclopropanecarboxylate/ [2,5-dioxo-3-(2-propynyl)-1- imidazolidinyl]methyl (1 <i>R</i> )- <i>cis-trans</i> = chrysanthemate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P335	SE (10/1/12) w/v
Bioallethrin	(1 <i>RS</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P21	TK (93) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Bioallethrin/ Permethrin	(1 <i>RS</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P26	L (9/43) w/v
Bioallethrin/ Permethrin/ Piperonyl butoxide	(1 <i>RS</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P27	L (20/4/40) w/v UL (0.5/0.1/1) w/v
Bioallethrin/ Permethrin/ Tetramethrin	(1 <i>RS</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-= (2-methylprop-1-enyl)= cyclopropanecarboxylate	2P28	OL (4/4/6) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Bioallethrin/ Piperonyl butoxide	(1 <i>R,S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R,3R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P25	EC (9/67) w/w OL (9/67) w/w
Bioallethrin-S	(1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R,3R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]	2P22	TK (93) w/w
Bioallethrin-S/ Deltamethrin	(1 <i>S</i> )-3-allyl-2-methyl-4= oxocyclopent-2-enyl(1 <i>R,3R</i> )-2,2= dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate [≥90% S-cyclopentenyl isomer]/ ( <i>S</i> )-α-cyano-3-phenoxybenzyl (1 <i>R,3R</i> )-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate	2P247	SE (2.0/2.5) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Bioallethrin-S/ Deltamethrin/ Piperonyl butoxide	(1 <i>S</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥90% <i>S</i> -cyclopentenyl isomer]/ ( <i>S</i> )-α-cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P23	TK (2/45/45) w/w
Bioallethrin-S/ Permethrin/ Piperonyl butoxide	(1 <i>S</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥90% <i>S</i> -cyclopentenyl isomer]/ 3-phenoxybenzyl (1 <i>R</i> <i>S</i> ,3 <i>R</i> <i>S</i> ;1 <i>R</i> <i>S</i> ,3 <i>S</i> <i>R</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P24	AS (0.2/4.9/4.9) w/v EC (1/17/17) w/v EC (0.8/18.6/16.8) w/w SL (0.2/11/11) w/v
Bioresmethrin	5-benzyl-3-furylmethyl (1 <i>R</i> ,3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	2P29	EC (20) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Bioresmethrin/ Piperonyl butoxide	5-benzyl-3-furylmethyl (1 <i>R</i> ,3 <i>R</i> )-= 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P30	OL (12/11) w/w
Bistrifluron	1-[2-chloro-3,5-bis(trifluoromethyl)= phenyl]-3-(2,6-difluorobenzoyl)urea	2P329	RB (1) w/w
Bitertanol	<i>all-rac</i> -1-(biphenyl-4-yloxy)-= 3,3-dimethyl-1-(1 <i>H</i> -1,2,4= triazol-1-yl)butan-2-ol [ratio of racemates (1 <i>RS</i> ,2 <i>RS</i> ) & (1 <i>RS</i> ,2 <i>SR</i> ) is c. 20:80]	2P31	EC (50) w/v WP (50) w/w
Brassinolide	(22 <i>S</i> ,23 <i>S</i> )-2 $\alpha$ ,3 $\alpha$ ,22,23-tetrahydroxy-6,7= seco-5 $\alpha$ -ergostano-6,7-lactone [3 <i>epi</i> -BR]/ (22 <i>R</i> ,23 <i>R</i> )-2 $\alpha$ ,3 $\alpha$ ,22,23-tetrahydroxy-6,7= seco-5 $\alpha$ -ergostano-6,7-lactone [24 <i>epi</i> -BR]	2P238	EC (0.01) w/v SP (0.1) w/w
Brodifacoum	3-[3-(4'-bromobiphenyl-4-yl)-= 1,2,3,4-tetrahydro-1-naphthyl]-4= hydroxycoumarin	2P295	BB (0.005) w/w #2 RB (0.005) w/w #2
Brodifacoum/ Permethrin	3-[3-(4'-bromobiphenyl-4-yl)-= 1,2,3,4-tetrahydro-1-naphthyl]-4= hydroxycoumarin/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P234	BB (0.005/0.001) w/w #2

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Bromadiolone	3-[3-(4'-bromobiphenyl-4-yl)-3- hydroxy-1-phenylpropyl]-4- hydroxycoumarin	2P225	BB (0.005) w/w #2
Bromophos	<i>O</i> -4-bromo-2,5-dichlorophenyl <i>O,O</i> -dimethyl phosphorothioate	2P32	EC (40) w/v WP (40) w/w
Bromopropylate	isopropyl 4,4'-dibromobenzilate	2P33	EC (50) w/v
Buprofezin	2- <i>tert</i> -butylimino-3-isopropyl-5- phenyl-1,3,5-thiadiazinan-4-one	2P34	WP (25) w/w
Butachlor	<i>N</i> -butoxymethyl-2-chloro- 2',6'-diethylacetanilide	2P35	EC (85) w/v GR (6) w/w
Captan	<i>N</i> -(trichloromethylthio)cyclohex- 4-ene-1,2-dicarboximide	2P37	WP (85) w/w
Carbaryl	1-naphthyl methylcarbamate	2P38	DP (80) w/w EC (80) w/v GR (10) w/w RB (5) w/w WP (85) w/w
Carbaryl/ Quintozene	1-naphthyl methylcarbamate/ pentachloronitrobenzene	2P40	GR (0.71/2.14) w/w



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Carbaryl/ Rotenone	1-naphthyl methylcarbamate/ (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i> )-1,2,6,6 <i>a</i> ,12,12 <i>a</i> - hexahydro-2-isopropenyl-8,9- dimethoxychromeno[3,4- <i>b</i> ]= furo[2,3- <i>h</i> ]chromen-6-one	2P41	DP (5/20) w/w SP (5/20) w/w WP (5/20) w/w
Carbendazim	methyl benzimidazol-2-ylcarbamate	2P42	EC (50) w/v FP (50) w/w FS (50) w/v SC (50) w/v WP (75) w/w
Cartap	<i>S,S'</i> -(2-dimethylaminotrimethylene) bis(thiocarbamate)	2P44	DP (80) w/w GR (80) w/w SP (80) w/w
Celastrus alkaloids	Celastrus alkaloids	2P307	EC (0.5) w/w
Chlorantraniliprole	3-bromo-4'-chloro-1-(3-chloro-2- pyridyl)-2'-methyl-6'-(methyl= carbamoyl)pyrazole-5-carboxanilide	2P327	SC (20) w/v TC (95.3) w/w
Chlorantraniliprole/ Thiamethoxam	3-bromo-4'-chloro-1-(3-chloro-2- pyridyl)-2'-methyl-6'-(methyl= carbamoyl)pyrazole-5-carboxanilide/ 3-(2-chloro-1,3-thiazol-5-ylmethyl)- 5-methyl-1,3,5-oxadiazinan-4- ylidene(nitro)amine	2P330	SC (10/20) w/v

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Chlorfenapyr	4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile	2P315	SC (22) w/w #2,#4 SC (24) w/v #2,#4
Chlorfluazuron	1-[3,5-dichloro-4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenyl]-3-(2,6-difluorobenzoyl)urea	2P281	P (0.1) w/w
Chloridazon	5-amino-4-chloro-2-phenylpyridazin-3(2H)-one	2P45	WP (65) w/w
Chlorothalonil	tetrachloroisophthalonitrile	2P47	SC (80) w/v WP (80) w/w
Chlorpyrifos	O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate	2P48	CS (20.8) w/v DP (2.5) w/w EC (40) w/v EC (44.9) w/w GR (40) w/w WP (40) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Chlorpyrifos/ lambda-Cyhalothrin/ Esbiothrin	<i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ $\alpha$ -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)- 2,2-dimethylcyclopropanecarboxylate A 1:1 mixture of the ( <i>Z</i> )-(1 <i>R</i> ,3 <i>R</i> ), <i>S</i> -ester and ( <i>Z</i> )-(1 <i>S</i> , 3 <i>S</i> ), <i>R</i> -ester/ (1 <i>S</i> )-3-allyl-2-methyl-4- oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2- dimethyl-3-(2-methylprop-1-enyl)- cyclopropanecarboxylate [ $\geq 72\%$ <i>S</i> -cyclopentenyl isomer]	2P235	L (12.5/1/2.5) w/w
Chlorpyrifos/ Dichlorvos	<i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2- pyridyl phosphorothioate/ 2,2-dichlorovinyl dimethylphosphate	2P50	OF (1/1) w/v #2 OL (1/1) w/v #2
Chlorpyrifos-methyl	<i>O,O</i> -dimethyl <i>O</i> -3,5,6- trichloro-2-pyridyl phosphorothioate	2P49	EC (50) w/v
Chlorthal-dimethyl	dimethyl tetrachloroterephthalate	2P51	GR (5) w/w WP (75) w/w
Cholecalciferol	9,10-seocholesta-5,7,10(19)-trein-3 betaol; activated 7- dehydrocholesterol	2P354	RB (0.075) w/w #2
Citronellal/ Peppermint oil	3,7-dimethyloct-6-en-1-al/ natural botanical extract of <i>Mentha</i> <i>piperita</i> L.	2P346	VP (0.42/0.53) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Citronella oil/ Peppermint oil/ Putrescent whole egg solids/ Rosemary oil	Natural botanical extract of <i>Cymbopogon</i> spp./ natural botanical extract of <i>Mentha piperita</i> L./ putrescent whole egg solids/ natural botanical extract of <i>Rosmarinus</i> spp.	2P359	SL (3/3/1.5/3) w/w
Clofentezine	3,6-bis(2-chlorophenyl)-1,2,= 4,5-tetrazine	2P52	SC (50) w/v
Cnidiadin	Cnidiadin	2P298	EC (0.4) w/w
Consan Triple Action 20	n-alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides/ n-alkyl (50% C <sub>12</sub> , 30% C <sub>14</sub> , 17% C <sub>16</sub> , 3% C <sub>18</sub> ) dimethyl ethyl benzyl ammonium chlorides/ n-alkyl (50% C <sub>12</sub> , 30% C <sub>14</sub> , 17% C <sub>16</sub> , 3% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	2P232	AS (9/9/2) w/w
Copper (I) oxide	Copper (I) oxide	2P204	AL (65) w/w
Copper (I) oxide/ Copper pyrithione	Copper (I) oxide/ bis(1-hydroxy-2(1H)-= pyridinethionato- <i>O,S</i> )-( <i>T-4</i> )copper	2P270	AL (52/4.5) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Copper (I) oxide/ Copper pyrithione/ Zineb	Copper (I) oxide/ bis(1-hydroxy-2(1 <i>H</i> )- pyridinethionato- <i>O,S</i> )-( <i>T-4</i> )copper/ zinc ethylenebis (dithiocarbamate) (polymeric)	2P319	AL (40/2.1/5) w/w
Copper (I) oxide/ 4,5-dichloro-2-n-octyl= 3(2 <i>H</i> )-isothiazolone	Copper (I) oxide/ 4,5-dichloro-2-n-octyl-3(2 <i>H</i> )-isothiazolone	2P252	AL (40/2) w/w
Copper (I) oxide/ Dichlofluuanid	Copper (I) oxide/ <i>N</i> -dichlorofluoromethylthio- <i>N'</i> , <i>N'</i> - dimethyl- <i>N</i> -phenylsulfamide	2P267	AL (45/3) w/w
Copper (I) oxide/ Diuron	Copper (I) oxide/ 3-(3,4-dichlorophenyl)-1,1-dimethylurea	2P208	AL (50/5) w/w
Copper (I) oxide/ Irgarol 1051	Copper (I) oxide/ 2- <i>tert</i> -butylamino-4-cyclopropylamino= 6-methylthio-1,3,5-triazine	2P207	AL (50/5) w/w
Copper (I) oxide/ Zinc pyrithione	Copper (I) oxide/ bis(1-hydroxy-2(1 <i>H</i> )- pyridinethionato- <i>O,S</i> )-( <i>T-4</i> )zinc	2P243	AL (48.20/4.29) w/w
Copper (I) oxide/ Zineb	Copper (I) oxide/ zinc ethylenebis (dithiocarbamate) (polymeric)	2P209	AL (65/15) w/w

活性成分通用名稱	化學名稱	註冊 編號	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	Reg. No.	Formulation and Maximum Concentration for Retail Sale
Copper (I) thiocyanate/ Copper pyrithione	Copper (I) thiocyanate/ bis(1-hydroxy-2(1 <i>H</i> )- pyridinethionato- <i>O,S</i> )-( <i>T-4</i> )copper	2P303	AL (25/4) w/w
Copper (I) thiocyanate/ Dichlofluanid	Copper (I) thiocyanate/ <i>N</i> -dichlorofluoromethylthio- <i>N',N'</i> - dimethyl- <i>N</i> -phenylsulfamide	2P268	AL (20/4) w/w
Copper (I) thiocyanate/ Diuron	Copper (I) thiocyanate/ 3-(3,4-dichlorophenyl)-1,1-dimethylurea	2P212	AL (30/5) w/w
Copper (I) thiocyanate/ Irgarol 1051	Copper (I) thiocyanate/ 2- <i>tert</i> -butylamino-4-cyclopropylamino-6- methylthio-1,3,5-triazine	2P213	AL (25/5) w/w
Copper (I) thiocyanate/ Zinc pyrithione	Copper (I) thiocyanate/ bis(1-hydroxy-2(1 <i>H</i> )- pyridinethionato- <i>O,S</i> )-( <i>T-4</i> )zinc	2P277	AL (21/5) w/w
Copper (II) hydroxide	Copper (II) hydroxide	2P53	SC (80) w/w WP (80) w/w
Copper oxychloride	dicopper chloride trihydroxide	2P54	SC (50) w/v SP (98) w/w WP (88) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Copper oxychloride/ Maneb/ Zineb	dicopper chloride trihydroxide/ manganese ethylenebis= (dithiocarbamate) (polymeric)/ zinc ethylenebis= (dithiocarbamate) (polymeric)	2P55	WP (53/10/10) w/w
Copper pyrrithione	bis(1-hydroxy-2(1H)-= pyridinethionato-O,S)-(T-4)copper	2P353	AL (8.53) w/w
Copper-triethanolamine complex	Copper-triethanolamine complex	2P56	SC (40) w/v SL (30.5) w/v
Cue-lure	4-(p-hydroxyphenyl)-2-butanone acetate	2P227	TK (98) w/w
Cyantraniliprole	3-bromo-1-(3-chloro-2-pyridyl)-= 4'-cyano-2'-methyl-6'=- (methylcarbamoyl)pyrazole-5=- carboxanilide	2P337	RB (0.5) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
beta-Cyfluthrin	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl(1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate (A mixture of four diastereoisomeric pairs of enantiomers in the following ratios: <2% diastereoisomer I: (R)- $\alpha$ -cyano-4-fluoro-3-phenoxybenzyl= (1R)-cis-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate + (S)- $\alpha$ , (1S)-cis-; 30%-40% diastereoisomer II: (S)- $\alpha$ , (1R)-cis- + (R)- $\alpha$ , (1S)-cis-; <3% diastereoisomer III: (R)- $\alpha$ , (1R)-trans- + (S)- $\alpha$ , (1S)-trans-; 53%-67% diastereoisomer IV: (S)- $\alpha$ , (1R)-trans- + (R)- $\alpha$ , (1S)-trans-)	2P293	SC (12.5) w/v #2
Cyfluthrin	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P57	EC (5) w/v #2 GR (5) w/w #2 SL (5) w/v #2 UL (5) w/v #2



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Cyfluthrin/ Dichlorvos/ Fenfluthrin/ Propoxur	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2,3,4,5,6-pentafluorobenzyl 3- (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate	2P58	EC (1/1/1) w/w #2
Cyfluthrin/ Dichlorvos/ Propoxur	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate	2P59	EC (1/1/1) w/w #2
Cyfluthrin/ Propoxur/ Tetramethrin/ Piperonyl butoxide	(RS)- $\alpha$ -cyano-4-fluoro-3= phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-isopropoxyphenyl methylcarbamate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P60	EC (1/1/1) w/w #2

活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale
lambda-Cyhalothrin	$\alpha$ -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)- 2,2-dimethylcyclopropanecarboxylate A 1:1 mixture of the (Z)-(1R,3R), S-ester and (Z)-(1S,3S),R-ester	2P199	CS (2.5) w/v EC (2.5) w/v EW (2.5) w/v EW (2.5) w/v WP (10) w/w
lambda-Cyhalothrin/ Prallethrin	$\alpha$ -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)- 2,2-dimethylcyclopropanecarboxylate A 1:1 mixture of the (Z)-(1R,3R), S-ester and (Z)-(1S,3S),R-ester/ (S)-2-methyl-4-oxo-3-(2-propynyl)- cyclopent-2-enyl (1R)-cis,trans=- 2,2-dimethyl-3-(2-methylprop-1-enyl)- cyclopropanecarboxylate	2P321	CS (9/1) w/w
lambda-Cyhalothrin/ Thiamethoxam	$\alpha$ -cyano-3-phenoxybenzyl 3-(2-chloro-3,3,3-trifluoroprop-1-enyl)- 2,2-dimethylcyclopropanecarboxylate. A 1:1 mixture of the (Z)-(1R,3R), S-ester and (Z)-(1S,3S),R-ester/ 3-(2-chloro-1,3-thiazol-5-ylmethyl)- 5-methyl-1,3,5-oxadiazinan-4= ylidene(nitro)amine	2P345	ZC (3.5/11.6) w/w
Cyhalothrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (Z)-(1RS,3RS)-(2-chloro- 3,3,3-trifluoropropenyl)-2,2= dimethylcyclopropanecarboxylate	2P61	EC (5) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
alpha-Cypermethrin	( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and ( <i>R</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>S</i> ,3 <i>S</i> )-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P195	EC (10) w/v SC (25) w/v UL (2) w/v WP (5) w/w
alpha-Cypermethrin/ Flufenoxuron	( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and ( <i>R</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>S</i> ,3 <i>S</i> )-3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 1-[4-(2-chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluoro- <i>p</i> -= tolyloxy)-2-fluorophenyl]-3-(2,6- difluorobenzoyl)urea	2P331	SC (2.94/2.94) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
beta-Cypermethrin	A reaction mixture comprising two enantiomeric pairs in ratio approx. 2:3: (S)- $\alpha$ -cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane= carboxylate and (R)- $\alpha$ -cyano-3= phenoxybenzyl (1S)-cis-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate with (S)- $\alpha$ -cyano-3= phenoxybenzyl (1R)-trans-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate and (R)- $\alpha$ -cyano-3= phenoxybenzyl (1S)-trans-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P278	EW (4.5) w/w SC (4.5) w/w
Cypermethrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P62	EC (30) w/v UL (30) w/v
Cypermethrin/ Phosmet	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3= (2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ O,O-dimethyl S-phthalimidomethyl phosphorodithioate	2P214	WP (11/35) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Cypermethrin/ Tetramethrin/ Piperonyl butoxide	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3- =(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3- =(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P63	EC (15/8/40) w/v
d,d-T-Cyphenothrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1R)- <i>cis,trans</i> -2,2-dimethyl-3- =(2-methylprop-1-enyl)= cyclopropanecarboxylate [>97% <i>trans</i> -isomer]	2P250	EC (5) w/v
Cyphenothrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS)- <i>cis,trans</i> -2,2-dimethyl-3- =(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P64	CS (10) w/w EC (15) w/v
Cyphenothrin/ d-Tetramethrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS)- <i>cis,trans</i> -2,2-dimethyl-3- =(2-methylprop-1-enyl)= cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1R)- <i>cis,trans</i> -2,2-dimethyl-3- =(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P201	EC (12/4) w/w OL (40/40) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Cyromazine	<i>N</i> -cyclopropyl-1,3,5-triazine= 2,4,6-triamine	2P241	FAP (1) w/w SP (50) w/w
2,4-D	(2,4-dichlorophenoxy)acetic acid	2P2	EC (50) w/w GR (50) w/w SL (50) w/w
2,4-D/ Dicamba	(2,4-dichlorophenoxy)acetic acid/ 3,6-dichloro- <i>o</i> -anisic acid	2P3	GR (25/7.5) w/w SP (25/7.5) w/w WP (25/7.5) w/w
2,4-D/ Dicamba/ Dichlorprop	(2,4-dichlorophenoxy)acetic acid/ 3,6-dichloro- <i>o</i> -anisic acid/ ( <i>RS</i> )-2-(2,4-dichlorophenoxy)propionic acid	2P233	EC (32.45/5.38/31.8) w/w
2,4-D/ Mecoprop	(2,4-dichlorophenoxy)acetic acid/ ( <i>RS</i> )-2-(4-chloro- <i>o</i> -tolylloxy)= propionic acid	2P4	EC (25/50) w/v SL (25/50) w/v
DBM pheromone	<i>Z</i> -11-hexadecenal/ <i>Z</i> -11-hexadecenyl acetate/ <i>Z</i> -11-hexadecenol	2P228	VP (3/7/0.1) w/w
4,5-dichloro-2- <i>n</i> -octyl= 3(2 <i>H</i> )-isothiazolone	4,5-dichloro-2- <i>n</i> -octyl-3(2 <i>H</i> )-isothiazolone	2P211	TK (33) w/w
4,5-dichloro-2- <i>n</i> -octyl= 3(2 <i>H</i> )-isothiazolone/ Zinc pyrrithione	4,5-dichloro-2- <i>n</i> -octyl-3(2 <i>H</i> )-isothiazolone/ bis(1-hydroxy-2(1 <i>H</i> )- pyridinethionato- <i>O,S</i> )-( <i>T-4</i> )zinc	2P323	AL (3.8/3.2) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
DSMA	disodium methylarsonate	2P65	SC (52.6) w/v SP (-) WP (-)
Dalapon	2,2-dichloropropionic acid: magnesium and/or sodium salts	2P66	SP (85) w/w WP (85) w/w
Dazomet	3,5-dimethyl-1,3,5-thiadiazinane-2- thione	2P67	DP (100) GR (100) TB (100)
Deltamethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate	2P68	DP (0.05) w/w EC (10) w/v IF (0.2) w/w SC (25) w/v WP (2.5) w/w
Deltamethrin/ Esbiothrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate/ (1S)-3-allyl-2-methyl-4- oxocyclopent-2-enyl(1R,3R)-2,2- dimethyl-3-(2-methylprop-1-enyl)- cyclopropanecarboxylate [ $\geq 72\%$ S-cyclopentenyl isomer]	2P69	OL (0.3/3.5) w/v

活性成分通用名稱	化學名稱	註冊 編號	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	Reg. No.	Formulation and Maximum Concentration for Retail Sale
Deltamethrin/ Octachlorodipropyl ether/ Permethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ bis(2,3,3,3-tetrachloropropyl)ether/ 3-phenoxybenzyl (1RS,3RS;1RS,3SR)= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P70	DP (0.1/0.2/0.1) w/w
Deltamethrin/ Piperonyl butoxide	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P248	EC (2.5/25) w/v
Desmedipham/ Phenmedipham	ethyl 3'-phenylcarbamoxyloxycarbanilate/ methyl 3-(3-methylcarbaniloxy)= carbanilate	2P71	EC (10/10) w/v
Dicamba	3,6-dichloro- <i>o</i> -anisic acid	2P73	L (48) w/v SC (60) w/v WG (70) w/w
Dichlofluanid	<i>N</i> -dichlorofluoromethylthio- <i>N'</i> , <i>N'</i> = dimethyl- <i>N</i> -phenylsulfamide	2P260	TK (90) w/w
Dichlorophen/ 1-Naphthylacetic acid	4,4'-dichloro-2,2'-methylenediphenol/ 2-(1-naphthyl)acetic acid	2P74	L (1/1) w/v



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
1,3-Dichloropropene	1,3-dichloropropene	2P1	EC (50) w/v FU (50) w/w GR (50) w/w TB (50) w/w
Dichlorvos	2,2-dichlorovinyl dimethyl phosphate	2P75	AE (15.5) w/w #2 EC (20) w/v #2 OF (1) w/v #2 OL (20) w/v #2 SC (1) w/v #2 VP (20) w/w #2
Dichlorvos/ Propxur	2,2-dichlorovinyl dimethyl phosphate/ 2-isopropoxyphenyl methylcarbamate	2P76	OF (1/1) w/w #2 OL (1/1) w/w #2
Dichlorvos/ Pyrethrins/ Piperonyl butoxide	2,2-dichlorovinyl dimethyl phosphate/ pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P77	AE (1/0.5/2) w/v #2 OF (1/0.5/2) w/v #2 OL (1/0.5/2) w/v #2
Dichlorvos/ Rotenone	2,2-dichlorovinyl dimethyl phosphate/ (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i> )-1,2,6,6 <i>a</i> ,12,12 <i>a</i> - hexahydro-2-isopropenyl-8,9= dimethoxychromeno[3,4- <i>b</i> ]= furo[2,3- <i>h</i> ]chromen-6-one	2P78	EC (1/20) w/v #2
Dichlorvos/ Tetrachlorvinphos	2,2-dichlorovinyl dimethyl phosphate/ ( <i>Z</i> )-2-chloro-1-(2,4,5-trichlorophenyl)= vinyl dimethyl phosphate	2P79	EC (10/24.5) w/w #2
Dicloran	2,6-dichloro-4-nitroaniline	2P80	WP (75) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Difenoconazole/ Isoprothiolane/ Myclobutanil	3-chloro-4-[(2 <i>RS</i> ,4 <i>RS</i> ;2 <i>RS</i> ,4 <i>SR</i> )-4- methyl-2-(1 <i>H</i> -1,2,4-triazol-1- ylmethyl)-1,3-dioxolan-2-yl]phenyl 4-chlorophenyl ether/ di-isopropyl 1,3-dithiolan- 2-ylidenemalonate/ ( <i>RS</i> )-2-(4-chlorophenyl)-2-(1 <i>H</i> -1,2,4- triazol-1-ylmethyl)hexanenitrile	2P357	EC (12/40/3) w/v
Difethialone	3-[(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-3- (4'-bromobiphenyl-4-yl)-1,2,3,4- tetrahydro-1-naphthyl]-4-hydroxy- 1-benzothiain-2-one	2P231	BB (0.0025) w/w #2 RB (0.0025) w/w #2
Dimefluthrin	2,3,5,6-tetrafluoro-4- (methoxymethyl)benzyl- (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl- 3-(2-methylprop-1-enyl)- cyclopropanecarboxylate	2P302	OL (5) w/w TC (95) w/w
Dimethametryn/ Piperophos	<i>N</i> <sup>2</sup> -(1,2-dimethylpropyl)- <i>N</i> <sup>4</sup> -ethyl-6-methylthio-1,3,5- triazine-2,4-diamine/ <i>S</i> -2-methylpiperidinocarbonylmethyl <i>O,O</i> -dipropyl phosphorodithioate	2P83	EC (10/40) w/w
Dimethoate	<i>O,O</i> -dimethyl <i>S</i> -methylcarbamoylmethyl phosphorodithioate	2P84	EC (40) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Dimethoate/ Phosalone	<i>O,O</i> -dimethyl <i>S</i> -methylcarbamoylmethyl phosphorodithioate/ <i>S</i> -6-chloro-2,3-dihydro-2-oxo-1,3- benzoxazol-3-ylmethyl <i>O,O</i> -diethyl phosphorodithioate	2P85	EC (20/17.5) w/w
Dinocap	mixture of 2(or 4)-(1-methylheptyl)- 4,6(or 2,6)-dinitrophenylcrotonate	2P86	EC (50) w/w WP (25) w/w
Dinotefuran	<i>(RS)</i> -1-methyl-2-nitro-3- (tetrahydro-3-furylmethyl)- guanidine	2P347	SG (40) w/w
Dioxabenzofos	2-methoxy-4 <i>H</i> -1,3,2, $\lambda^5$ - benzodioxaphosphinine 2-sulphide	2P87	EC (25) w/v GR (25) w/w WP (25) w/w
Dioxacarb	2-(1,3-dioxolan-2-yl)phenyl methylcarbamate	2P88	EC (20) w/v SC (20) w/v WP (20) w/w
Diphacinone	2-(diphenylacetyl)indan-1,3-dione	2P224	BB (0.005) w/w #2
Diphenamid	<i>N,N</i> -dimethyldiphenylacetamide	2P89	WP (50) w/w
Disodium octaborate tetrahydrate	Disodium octaborate tetrahydrate	2P297	GE (6) w/w L (40) w/v QB (1) w/w SP (-)

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Disodium octaborate tetrahydrate/ Sodium fluoride	Disodium octaborate tetrahydrate/ Sodium fluoride	2P266	PR (58.2/24.3) w/w #2 TB (58.2/24.3) w/w #2
Disparlure	(7 <i>R</i> ,8 <i>S</i> )-7,8-epoxy-2-methyloctadecane	2P299	TK (-) VP (-)
Diuron	3-(3,4-dichlorophenyl)-1,1-dimethylurea	2P90	SC (80) w/v WP (80) w/w
Dodemorph	4-cyclododecyl-2,6-dimethylmorpholine: acetate or benzoate salts	2P91	EC (40) w/v
Emamectin benzoate	A mixture of ≥90% emamectin B <sub>1a</sub> benzoate ( (4" <i>R</i> )-5- <i>O</i> -demethyl-4"-=deoxy-4"-(methylamino)avermectin A <sub>1a</sub> benzoate ) and ≤10% emamectin B <sub>1b</sub> benzoate ( (4" <i>R</i> )-5- <i>O</i> -demethyl=25-de(1-methylpropyl)-4"-deoxy-4"-=(methylamino)-25-(1-methylethyl)=avermectin A <sub>1a</sub> benzoate )	2P318	AL (9.7) w/w SL (2) w/w
Esbiothrin	(1 <i>S</i> )-3-allyl-2-methyl-4=-oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2=dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate [≥72% <i>S</i> -cyclopentenyl isomer]	2P95	EC (18) w/v

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Esbiothrin/ Permethrin/ Piperonyl butoxide	(1 <i>S</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1 <i>R</i> ,3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [≥72% <i>S</i> -cyclopentenyl isomer]/ 3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P280	EC (0.5/10/10) w/w
Esfenvalerate	( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl ( <i>S</i> )-2-(4-chlorophenyl)-3-methylbutyrate ≥ 83% in an isomeric mixture of ( <i>RS</i> )- $\alpha$ -cyano-3-phenoxybenzyl ( <i>RS</i> )-2-(4-chlorophenyl)-3-methylbutyrate	2P96	EC (5) w/v SC (5) w/v
Etofenprox	2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether	2P254	EW (20) w/w
Etridiazole	ethyl 3-trichloromethyl-1,2,4-thiadiazol-5-yl ether	2P98	EC (25) w/v GR (1.3) w/w WP (36) w/w
Etrimfos	<i>O</i> -6-ethoxy-2-ethylpyrimidin-4-yl <i>O,O</i> -dimethylphosphorothioate	2P99	EC (50) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Fenclorphos	<i>O,O</i> -dimethyl <i>O</i> -2,4,5-trichlorophenyl phosphorothioate	2P100	EC (20) w/v
Fenitrothion	<i>O,O</i> -dimethyl <i>O</i> -4- nitro- <i>m</i> -tolyl phosphorothioate	2P101	EC (55) w/v
Fenpropathrin/ Hexythiazox	<i>(RS)</i> - $\alpha$ -cyano-3-phenoxybenzyl 2,2,3,3- tetramethylcyclopropanecarboxylate/ <i>(4RS,5RS)</i> -5-(4-chlorophenyl)- <i>N</i> -cyclohexyl-4-methyl-2-oxo- 1,3-thiazolidine-3-carboxamide	2P205	EC (5/2.5) w/v
Fenproximate	<i>tert</i> -butyl ( <i>E</i> )- $\alpha$ -(1,3-dimethyl- 5-phenoxy-pyrazol-4-ylmethyl- eneamino-oxy)- <i>p</i> -toluate	2P219	SC (5) w/w
Fenvalerate	<i>(RS)</i> - $\alpha$ -cyano-3-phenoxybenzyl <i>(RS)</i> -2-(4-chlorophenyl)-3- methylbutyrate	2P104	EC (20) w/w
Fenvalerate/ MGK 264/ Piperonyl butoxide	<i>(RS)</i> - $\alpha$ -cyano-3-phenoxybenzyl <i>(RS)</i> -2-(4-chlorophenyl)-3- methylbutyrate/ <i>N</i> -(2-ethylhexyl)-8,9,10- trinorborn-5-ene-2,3-dicarboximide/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P105	VP (0.5/1/1) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Fenvalerate/ Naled	(R <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (R <i>S</i> )-2-(4-chlorophenyl)-3- methylbutyrate/ 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	2P106	EC (3/30) w/w
Ferrolure <sup>+</sup>	A mixture of 90% 4-methyl-5-nonanol and 10% 4-methyl-5-nonanone	2P300	TK (-) VP (-)
Fipronil	(±)-5-amino-1-(2,6-dichloro- $\alpha$ , $\alpha$ - trifluoro- <i>p</i> -tolyl)-4-trifluoromethyl- sulfinylpyrazole-3-carbonitrile	2P244	EC (2.92) w/w GE (0.05) w/w GR (0.1) w/w P (0.05) w/w SC (10) w/w
Flour beetle, Khapra beetle and Tobacco beetle pheromone mixture	A mixture of 4,8-Dimethyldecalal; ( <i>Z</i> )-14-methyl-8-hexadecenal; and 4,6-Dimethyl-7-hydroxynonan-3-one and cis/trans-2-Hydroxy-2,6-diethyl-3,5- dimethyltetrahydro-pyrane	2P322	VP (-)
Fludioxonil	4-(2,2-difluoro-1,3-benzodioxol- 4-yl)-1 <i>H</i> -pyrrole-3-carbonitrile	2P350	SC (12.5) w/w
Flumetralin	<i>N</i> -(2-chloro-6-fluorobenzyl)- <i>N</i> - ethyl- $\alpha$ , $\alpha$ , $\alpha$ -trifluoro-2, 6-dinitro- <i>p</i> -toluidine	2P107	EC (25) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Flutolanil	$\alpha,\alpha,\alpha$ -trifluoro-3'-isopropoxy- <i>o</i> -toluanilide	2P328	WG (70) w/w
Folpet	<i>N</i> -(trichloromethylthio)phthalimide	2P108	WP (75) w/w
Formothion	<i>S</i> -[formyl(methyl)carbamoylmethyl] <i>O,O</i> -dimethyl phosphorodithioate	2P109	EC (33) w/v
Fosetyl-aluminium	aluminium tris(ethyl phosphonate)	2P110	DS (74) w/w FS (74) w/w WG (80) w/w WP (90) w/w
Fosetyl-aluminium/ Mancozeb	aluminium tris(ethyl phosphonate)/ manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt	2P111	WP (50/30) w/w
Gaozhimo	1-dodecanol : 1-hexadecanol : (dodecanoic acid + hexadecanoic acid) Ratio is 250 : 190 : 1 (w/w)	2P200	SC (27) w/w
Garlic	Natural preparations made from garlic	2P265	L (-) P (-)
Geraniol	(E)-3,7-Dimethyl-2,6-octadien-1-ol	2P305	EW (4) w/w



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Gibberellic acid	(3 <i>S</i> ,3 <i>aS</i> ,4 <i>S</i> ,4 <i>aS</i> ,7 <i>S</i> ,9 <i>aR</i> ,9 <i>bR</i> ,12 <i>S</i> )-7,12= dihydroxy-3-methyl-6-methylene-2= oxoperhydro-4 <i>a</i> ,7-methano-9 <i>b</i> ,3= propeno[1,2- <i>b</i> ]furan-4-carboxylic acid	2P112	TB (10) w/w
Glufosinate-ammonium	ammonium 4-[hydroxy(methyl)= phosphinoyl]-DL-homoalaninate	2P113	SL (20) w/v
Glutaraldehyde/ Permethrin/ Quaternary ammonium chloride	1,5-pentanedial/ 3-phenoxybenzyl(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ quaternary ammonium chloride [a mixture of 5.0% w/v alkyl dimethylbenzyl ammonium chloride, 3.75% w/v octyldecyldimethyl ammonium chloride, 1.875% w/v dioctyldimethyl ammonium chloride, 1.875% w/v didecyldimethyl ammonium chloride]	2P251	SL (6.25/2/12.5) w/v
Glyphosate	<i>N</i> -(phosphonomethyl)glycine	2P114	SL (50) w/v
Glyphosine	<i>NN</i> -di(phosphonomethyl)glycine	2P115	SP (85) w/v
Heneicosane	heneicosane	2P352	SP (1) w/v

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Heptenophos	7-chlorobicyclo[3.2.0]hepta-2,6-dien-6-yl dimethyl phosphate	2P116	EC (30) w/w #2
Hexaflumuron	1-[3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea	2P245	RB (0.5) w/w
Hexythiazox	(4 <i>RS</i> ,5 <i>RS</i> )-5-(4-chlorophenyl)- <i>N</i> -cyclohexyl-4-methyl-2-oxo-1,3-thiazolidine-3-carboxamide	2P117	EC (5) w/v
Hydramethylnon	5,5-dimethylperhydropyrimidin-2-one 4-trifluoromethyl- $\alpha$ -(4-trifluoromethylstyryl)-cinnamylidenehydrazone	2P218	GE (2.15) w/w RB (1) w/w
Hydramethylnon/ S-Methoprene	5,5-dimethylperhydropyrimidin-2-one 4-trifluoromethyl- $\alpha$ -(4-trifluoromethylstyryl)-cinnamylidenehydrazone/ isopropyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate	2P306	RB (1/1) w/w
Imazaquin	2-(4-isopropyl-4-methyl-5-oxo-2-imidazoliny)quinoline-3-carboxylic acid	2P223	AS (17.83) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Imidacloprid	1-(6-chloro-pyridin-3-yl-methyl)-N= nitroimidazolidin-2-ylideneamine	2P256	ME (30) w/w SC (22.5) w/w TI (10) w/v WP (35) w/w
4-indol-3-yl-butyric acid	4-indol-3-ylbutyric acid	2P5	DP (1) w/w
Indoxacarb	methyl (S)-N-[7-chloro-2,3,4a,5=tetrahydro-4a-(methoxycarbonyl)=indeno[1,2-e][1,3,4]oxadiazin-2=ylcarbonyl]-4'-(trifluoromethoxy)=carbanilate	2P292	RB (0.1) w/w WG (20) w/w
3-iodo-2-propynyl butyl carbamate	3-iodo-2-propynyl butyl carbamate	2P210	AL (0.5) w/w TK (40) w/w
Iodofenphos	O-2,5-dichloro-4-iodophenyl O,O-dimethyl phosphorothioate	2P118	EC (20) w/v GE (0.25) w/w WP (50) w/w
Iprodione	3-(3,5-dichlorophenyl)-N-isopropyl=2,4-dioxoimidazolidine-1-carboxamide	2P119	L (50) w/v WP (50) w/w
Iso-alcohol ethoxylate (MMF)	poly(oxy-1,2-ethanediyl), $\alpha$ -(C <sub>16-20</sub> branched and linear alkyl)- $\omega$ -hydroxy	2P283	L (-)
Isoprothiolane	di-isopropyl 1,3-dithiolan=2-ylidenemalonate	2P120	EC (40) w/v WP (40) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg. No.	Formulation and Maximum Concentration for Retail Sale
Kadethrin	5-benzyl-3-furylmethyl ( <i>E</i> )-= (1 <i>R</i> ,3 <i>S</i> )-2,2-dimethyl-3-= (2-oxothiolan-3-ylidenemethyl)= cyclopropanecarboxylate	2P121	TK (40) w/w
Kinetin/ Zeatin	<i>N</i> -(2-furanylmethyl)-1 <i>H</i> -= purin-6-amine/ ( <i>E</i> )-2-methyl-4(1 <i>H</i> -purin-6-ylamino)-= 2-buten-1-ol	2P122	AS (0.4) w/w #1 SL (0.4) w/w #1
Larvicidal oil	various refined petroleum oils	2P276	AL (-)
Linuron	3-(3,4-dichlorophenyl)-1-= methoxy-1-methylurea	2P123	WP (50) w/w
MSMA	monosodium methanearsonate	2P124	EC (80) w/v SC (72) w/v SL (72) w/v
Malathion	diethyl(dimethoxyphosphorylthio)-= succinate	2P125	EC (-) L (-) WP (25) w/w
Maleic hydrazide	6-hydroxy-2 <i>H</i> -pyridazin-3-one	2P126	AS (21.7) w/v EC (93) w/w
Mancozeb	manganese ethylenebis- (dithiocarbamate) (polymeric) complex with zinc salt	2P127	DP (60) w/w DS (75) w/w L (80) w/v WP (80) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Mancozeb/ Metalaxyl	manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt/ methyl <i>N</i> -(2-methoxyacetyl)- <i>N</i> -= (2,6-xylyl)-DL-alaninate	2P128	WP (50/10) w/w
Mancozeb/ Oxadixyl	manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt/ 2-methoxy- <i>N</i> -(2-oxo-1,3-oxazolidin-3-yl)= acet-2',6'-xylylidide	2P129	WP (60/10) w/w
Mancozeb/ Thiophanate-methyl	manganese ethylenebis= (dithiocarbamate) (polymeric) complex with zinc salt/ dimethyl 4,4'-( <i>o</i> -phenylene)bis(3-= thioallophanate)	2P130	WP (60/15) w/w
Maneb	manganese ethylenebis= (dithiocarbamate) (polymeric)	2P131	WP (80) w/w
Mathuralure	(9 <i>R</i> ,10 <i>S</i> )- <i>cis</i> -9,10-epoxy-Z3,Z6-= nonadecadiene and (9 <i>S</i> ,10 <i>R</i> )- <i>cis</i> -9,10-epoxy-Z3,Z6-= nonadecadiene in a 1:4 ratio	2P334	TK (-) VP (-)
Matrine	Matrine	2P288	L (1) w/w P (2) w/w

活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale
Metalaxyl-M	methyl <i>N</i> -(methoxyacetyl)- <i>N</i> =(2,6-xylyl)-D-alaninate	2P314	SL (24) w/v SL (22) w/w
Metaldehyde	<i>r</i> -2, <i>c</i> -4, <i>c</i> -6, <i>c</i> -8-tetramethyl-1,3,5,7-tetroxocane is the main component	2P132	GR (6.4) w/w TK (100) w/w
Metham	methyldithiocarbamic acid	2P133	SC (56) w/v
S-Methoprene	isopropyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-=11-methoxy-3,7,11-trimethyldodeca-2,4-dienoate	2P249	CS (5) w/w GR (1.5) w/w
Methoprene	isopropyl ( <i>E</i> , <i>E</i> )-( <i>RS</i> )-11- methoxy-3,7,11-trimethyldodeca-2,4-dienoate	2P134	EC (80) w/w SL (80) w/w
Methyl anthranilate	methyl 2-aminobenzoate	2P317	SL (26.4) w/w
Methyl eugenol	4-allyl-1,2-dimethoxybenzene	2P229	TK (98) w/w
Metofluthrin	2,3,5,6-tetrafluoro-4-(methoxymethyl)=benzyl ( <i>EZ</i> )-(1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-prop-1-enylcyclopropanecarboxylate	2P324	TC (98.8) w/w
Metolachlor	2-chloro-6'-ethyl- <i>N</i> =(2-methoxy-1-methylethyl)acet- <i>o</i> -toluidide	2P135	EC (72) w/v
Metribuzin	4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4 <i>H</i> )-one	2P136	GR (75) w/w WP (75) w/w

活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale
Molinat	<i>S</i> -ethyl azepane-1-carbothioate	2P137	EC (96) w/v
Naled	1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	2P138	EC (60) w/v GR (0.2) w/w WP (20) w/w
Napropamide	<i>(RS)</i> - <i>N,N</i> -diethyl-2- (1-naphthylloxy)propionamide	2P139	EC (50) w/v WG (50) w/w WP (50) w/w
Neem	Natural preparations made from Neem tree	2P262	EC (-) GR (-) L (-) P (-)
Nicotine/ Saponins	<i>(S)</i> -3-(1-methylpyrrolidin-2-yl)pyridine/ natural botanical extract from the fruit of <i>Gleditsia sinensis</i> Lam.	2P259	L (3/5) w/w #2
Ningnanmycin	Ningnanmycin	2P309	L (-) P (-)
Nootkatone	<i>(4R,4aS,6R)</i> -4,4a-dimethyl-6-(prop-1- en-2-yl)-4,4a,5,6,7,8- hexahydronaphthalen-2(3 <i>H</i> )-one	2P358	TC (99.4) w/w
Noviflumuron	<i>(RS)</i> -1-[3,5-dichloro-2-fluoro-4- (1,1,2,3,3,3-hexafluoropropoxy)phenyl]- 3-(2,6-difluorobenzoyl)urea	2P294	RB (0.5) w/w
Octenol	1-octen-3-ol	2P275	VP (67.2) w/w

活性成分通用名稱	化學名稱	註冊 編號	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	Reg. No.	Formulation and Maximum Concentration for Retail Sale
Oxadiazon	5- <i>tert</i> -butyl-3-(2,4- <i>dichloro</i> -5-isopropoxyphenyl)- 1,3,4-oxadiazol-2(3 <i>H</i> )-one	2P141	EC (25) w/v GR (2) w/w L (12) w/v
Oxadixyl	2-methoxy- <i>N</i> -(2-oxo-1,3- <i>oxazolidin</i> -3-yl)acet-2',6'-xylylide	2P142	WP (96) w/w
Oxine sulfate	8-hydroxyquinoline sulphate	2P143	L (50) w/v
Oxine-copper	bis(quinolin-8-olato)copper	2P144	WP (40) w/w
Oxymatrine	Oxymatrine	2P289	L (1) w/w P (2) w/w
Oxymatrine/ Psoralen	Oxymatrine/ 7 <i>H</i> -furo[3,2- <i>g</i> ]chromen-7-one	2P291	L (1/1) w/w
Paclobotrazol	(2 <i>RS</i> ,3 <i>RS</i> )-1-(4-chlorophenyl)- 4,4-dimethyl-2-(1 <i>H</i> -1,2,4-triazol-1-yl)- pentan-3-ol	2P145	SC (25) w/v WP (15) w/w



活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Permethrin	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate	2P149	AE (2) w/w AL (1) w/w CS (25) w/w EC (50) w/v FT (36.8) w/w FU (25) w/w GR (15) w/w IF (1) w/w L (25) w/v ME (10) w/w UL (5) w/v WP (25) w/w
Permethrin/ d-Phenothrin	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P253	AE (2/2) w/w
Permethrin/ Piperonyl butoxide	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P284	L (32/66) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Permethrin/ Propiconazole/ Tebuconazole	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ (±)-1-[2-(2,4-dichlorophenyl)- 4-propyl-1,3-dioxolan-2-ylmethyl]= 1 <i>H</i> -1,2,4-triazole/ ( <i>RS</i> )-1- <i>p</i> -chlorophenyl-4,4-dimethyl= 3-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)= pentan-3-ol	2P333	ME (0.2/0.15/0.15) w/w
Permethrin/ Pyrethrins/ Piperonyl butoxide	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ pyrethrins/2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P150	AE (0.4/0.1/0.5) w/w
Permethrin/ Pyriproxyfen/ Tetramethrin	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ 4-phenoxyphenyl ( <i>RS</i> )-2-(2-pyridyloxy) propyl ether/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate	2P349	MR (29.79/42.56/2.98) mg/piece

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Permethrin/ Tetramethrin/ Piperonyl butoxide	3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )= 3-(2,2-dichlorovinyl)-2,2= dimethylcyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3= (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P151	EC (10/25/30) w/w
d-Phenothrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P197	AE (2) w/w EC (10) w/v
d-Phenothrin/ Piperonyl butoxide	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P286	L (10/10) w/w
d-Phenothrin/ Prallethrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate/ ( <i>S</i> )-2-methyl-4-oxo-3-(2-propynyl)= cyclopent-2-enyl (1 <i>R</i> )- <i>cis,trans</i> = 2,2-dimethyl-3-(2-methylprop-1-enyl)= cyclopropanecarboxylate	2P338	ZW (11/1.1) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
d-Phenothrin/ Tetramethrin	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> -=2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate	2P202	EC (10/20) w/v OL (10/20) w/v
d-Phenothrin/ Tetramethrin/ Piperonyl butoxide	3-phenoxybenzyl (1 <i>R</i> )- <i>cis-trans</i> -=2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P269	UL (4.8/2.4/9.6) w/w
Phenthoate	ethyl 2-dimethoxythiophosphorylthio= 2-phenylacetate	2P152	EC (50) w/v WP (50) w/w
Phosalone	<i>S</i> -6-chloro-2,3-dihydro-2-= oxo-1,3-benzoxazol-3-ylmethyl <i>O,O</i> -diethyl phosphorodithioate	2P153	EC (35) w/v
Phoxim	diethoxyphosphinothioylxyimino= (phenyl)acetoneitrile	2P154	DP (3) w/w L (80) w/v
Physcion	1,8-dihydroxy-3-methoxy-6-methyl= 9,10-anthraquinone	2P326	AS (0.5) w/w

活性成分通用名稱 Common Name of the Active Ingredient	化學名稱 Chemical Name	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 Formulation and Maximum Concentration for Retail Sale
Picloram	4-amino-3,5,6-trichloropyridine-2-carboxylic acid	2P155	L (25) w/v
Piperonyl butoxide	2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P156	EC (90) w/v OL (94) w/v
Pirimicarb	2-dimethylamino-5,6-dimethylpyrimidin-4-yl dimethylcarbamate	2P157	WG (50) w/w WP (50) w/w
Pirimiphos-methyl	O-2-diethylamino-6-methylpyrimidin-4-yl O,O-dimethyl phosphorothioate	2P158	DP (2) w/w EC (90) w/v L (20) w/v UL (50) w/v
Polydimethylsiloxane	Poly[oxy(dimethylsilylene)]	2P336	L (78) w/w
Potassium bicarbonate	Potassium bicarbonate	2P304	SP (-)
Prallethrin	(S)-2-methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (1R)-cis,trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	2P221	TK (95) w/w
Pretilachlor	2-chloro-2',6'-diethyl-N-(2-propoxyethyl)acetanilide	2P159	EC (30) w/v

活性成分通用名稱	化學名稱	註冊 編號	零售之劑型及最高 濃度限制
Common Name of the Active Ingredient	Chemical Name	Reg. No.	Formulation and Maximum Concentration for Retail Sale
Prochloraz manganese(II) chloride complex	Tetrakis-{ <i>N</i> -propyl- <i>N</i> -[2-(2,4,6- trichlorophenoxy)ethyl]= carbamoylimidazole} manganese (II) chloride	2P216	WP (50) w/w
Prodiamine	5-dipropylamino- $\alpha, \alpha, \alpha$ - trifluoro-4,6-dinitro- <i>o</i> -toluidine	2P312	WG (65) w/w
Profenofos	<i>O</i> -4-bromo-2-chlorophenyl <i>O</i> -ethyl <i>S</i> -propyl phosphorothioate	2P160	EC (72) w/v GR (5) w/w UL (25) w/v
Propamocarb hydrochloride	propyl-3-(dimethylamino)= propylcarbamate hydrochloride	2P161	SL (75) w/v
Propanil	3',4'-dichloropropionanilide	2P162	EC (36) w/v L (35) w/v
Propargite	2-(4- <i>tert</i> -butylphenoxy)= cyclohexyl prop-2-ynyl sulphite	2P163	DP (75) w/w EC (60) w/v WP (75) w/w
Propiconazole	(±)-1-[2-(2,4-dichlorophenyl)= 4-propyl-1,3-dioxolan-2-ylmethyl]= 1 <i>H</i> -1,2,4-triazole	2P206	EC (25) w/v
Propineb	polymeric zinc propylenebis= (dithiocarbamate)	2P164	WP (70) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Propoxur	2-isopropoxyphenyl methylcarbamate	2P165	DP (30) w/w EC (30) w/v FU (30) w/w GB (30) w/w WP (30) w/w
Prothiofos	<i>O</i> -2,4-dichlorophenyl <i>O</i> -ethyl <i>S</i> -propyl phosphorodithioate	2P166	DP (3) w/w EC (50) w/v FS (20) w/v GR (5) w/w WP (40) w/w
Pyrazophos	ethyl 2-diethoxythiophosphoryloxy-5= methylpyrazolo[1,5- <i>a</i> ]= pyrimidine-6-carboxylate	2P167	EC (30) w/w
Pyrethrins	mixture of esters of pyrethrolone, cinerolone and jasmolone with chrysanthemic and pyrethric acids: extracted from <i>Chrysanthemum                      cinerariaefolium</i> and similar species of plants	2P168	L (50) w/v
Pyrethrins/ Piperonyl butoxide	pyrethrins/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P169	AE (1.8/10) w/w AS (1/8) w/v DP (1/10) w/w L (15/65) w/w ME (3/15) w/w UL (0.5/5.0) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Pyrethrins/ Resmethrin/ Piperonyl butoxide	pyrethrins/ 5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3- (2-methylprop-1-enyl)= cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P170	AE (8/2/58) w/v
Pyrethrins/ Sulfoxide	pyrethrins/ 2-(1,3-benzodioxol-5-yl)ethyl octyl sulphoxide	2P171	OF (1/2) w/v OL (1/2) w/v
Pyridine-triphenylborane/ Zinc pyrithione	Pyridine-triphenylborane/ bis(1-hydroxy-2(1 <i>H</i> )-pyridinethionato= <i>O,S</i> )-( <i>T-A</i> )zinc	2P325	AL (8.2/2.1) w/w
Pyriproxyfen	4-phenoxyphenyl ( <i>RS</i> )-2-(2-pyridyloxy) propyl ether	2P236	GR (0.5) w/w
Pyriproxyfen/ Piperonyl butoxide	4-phenoxyphenyl ( <i>RS</i> )-2-(2-pyridyloxy) propyl ether/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P348	MR (0.8351/0.0025) mg/piece



活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Quaternary ammonium chlorides [A mixture of n-alkyl dimethyl benzyl ammonium chlorides and n-alkyl dimethyl ethyl benzyl ammonium chlorides]	Quaternary ammonium chlorides [A mixture of n-alkyl dimethyl benzyl ammonium chlorides and n-alkyl dimethyl ethyl benzyl ammonium chlorides]	2P271	AS (10/10) w/w
Quinalphos	<i>O,O</i> -diethyl <i>O</i> -quinoxalin-2-yl phosphorothioate	2P172	EC (20) w/v
Quinlorac	3,7-dichloro-8-quinoline carboxylic acid	2P173	WP (50) w/w
Quintozene	pentachloronitrobenzene	2P174	DP (20) w/w EC (24) w/v WP (75) w/w
Resmethrin	5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;=1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-=(2-methylprop-1-enyl)=cyclopropanecarboxylate	2P272	L (0.25) w/w
Resmethrin/ Piperonyl butoxide	5-benzyl-3-furylmethyl (1 <i>RS</i> ,3 <i>RS</i> ;=1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-=(2-methylprop-1-enyl)=cyclopropanecarboxylate/ 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	2P285	L (20/60) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Rhyncolure	6-methylhept-2-en-4-ol	2P301	TK (-) VP (-)
Rotenone	(2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i> )-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -=hexahydro-2-isopropenyl-8,9-=dimethoxychromeno[3,4- <i>b</i> ]=furo[2,3- <i>h</i> ]chromen-6-one	2P175	EC (50) w/v
Ryania alkaloids	Ryania alkaloids	2P263	P (6) w/w
Sabadilla alkaloids	Sabadilla alkaloids	2P264	L (1) w/w P (6) w/w
Serricomin	4,6-Dimethyl-7-hydroxynonan-3-one and cis/trans-2-Hydroxy-2,6-diethyl-3,5-dimethyltetrahydro-pyrane	2P311	VP (-)
Sethoxydim	(±)-(ZE)-2-(1-ethoxyiminobutyl)-5-[2-(ethylthio)propyl]-3-hydroxycyclohex-2-enone	2P176	EC (50) w/v
Simazine	6-chloro- <i>N</i> <sup>2</sup> , <i>N</i> <sup>4</sup> -diethyl-1,3,5-triazine-2,4-diamine	2P177	FW (50) w/w SC (50) w/v WP (80) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and                      Maximum                      Concentration for                      Retail Sale</i>
Spinosad	a mixture of 50 - 95% spinosyn A (2 <i>R</i> ,3 <i>aS</i> ,5 <i>aR</i> ,5 <i>bS</i> ,9 <i>S</i> ,13 <i>S</i> ,14 <i>R</i> ,16 <i>aS</i> ,16 <i>bR</i> )- 2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- $\alpha$ -L- mannopyranosyloxy)-13-(4- dimethylamino-2,3,4,6-tetra-deoxy- $\beta$ -D- erythropranosyloxy)-9-ethyl-2,3,3 <i>a</i> ,5 <i>a</i> , 5 <i>b</i> ,6,7,9,10,11,12,13,14,15,16 <i>a</i> ,16 <i>b</i> - hexadecahydro-14-methyl-1 <i>H</i> -8- oxacyclododeca[ <i>b</i> ]as-indacene-7,15- dione and 50 - 5% spinosyn D (2 <i>S</i> ,3 <i>aR</i> ,5 <i>aS</i> ,5 <i>bS</i> ,9 <i>S</i> ,13 <i>S</i> ,14 <i>R</i> ,16 <i>aS</i> ,16 <i>bR</i> )- 2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- $\alpha$ -L- mannopyranosyloxy)-13-(4- dimethylamino-2,3,4,6-tetra-deoxy- $\beta$ -D- erythropranosyloxy)-9-ethyl-2,3,3 <i>a</i> ,5 <i>a</i> , 5 <i>b</i> ,6,7,9,10,11,12,13,14,15,16 <i>a</i> ,16 <i>b</i> - hexadecahydro-4,14-dimethyl-1 <i>H</i> -8- oxacyclododeca[ <i>b</i> ]as-indacene-7,15- dione	2P290	RB (0.1) w/w
<i>Spodoptera litura</i> Nuclear Polyhedrosis Virus	None	2P242	WP (1 billion) PIB/g
Sulfometuron-methyl	Methyl 2-(4,6-dimethylpyrimidin-2-yl)- carbamoylsulfamoylbenzoate	2P279	SC (10) w/w SP (70) w/w WG (75) w/w WP (75) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 <i>Reg. No.</i>	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Teflubenzuron	1-(3,5-dichloro-2,4-difluorophenyl)- 3-(2,6-difluorobenzoyl)urea	2P178	SC (15) w/v
Temephos	<i>O,O,O',O'</i> -tetramethyl <i>O,O'</i> -thiodi- <i>p</i> - phenylene bis(phosphorothioate)	2P179	DP (2) w/w EC (50) w/v GR (5) w/w SG (1) w/w WP (50) w/w
Tetrachlorvinphos	( <i>Z</i> )-2-chloro-1-(2,4,5-trichlorophenyl)- vinyl dimethyl phosphate	2P180	EC (24) w/v WP (75) w/w
d-Tetramethrin	cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>R</i> )- <i>cis-trans</i> -2,2-dimethyl-3- (2-methylprop-1-enyl)- cyclopropanecarboxylate	2P198	OF (40) w/v OL (40) w/v
Tetramethrin	cyclohex-1-ene-1,2-dicarboximidomethyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3- (2-methylprop-1-enyl)- cyclopropanecarboxylate	2P181	EC (25) w/v OL (1) w/v WP (10) w/w
Thiabendazole	2-(thiazol-4-yl)benzimidazole	2P182	EC (45) w/v FS (42) w/v L (42) w/v SC (45) w/v TB (12) w/w WP (60) w/w

活性成分通用名稱	化學名稱	註冊	零售之劑型及最高
Common Name of the Active Ingredient	Chemical Name	編號	濃度限制
		Reg.	Formulation and
		No.	Maximum
			Concentration for
			Retail Sale
Thiamethoxam	3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	2P313	SC (24) w/v SL (4.1) w/w WG (25) w/w
Thidiazuron	1-phenyl-3-(1,2,3-thiadiazol-5-yl) urea	2P217	WP (50) w/w
Thiophanate-methyl	dimethyl 4,4'-( <i>o</i> -phenylene)bis(3-thioallophanate)	2P183	EC (50) w/v SP (70) w/w WP (70) w/w
Thiram	tetramethylthiuram disulphide	2P184	FS (60) w/v WP (80) w/w
Transfluthrin	(1 <i>R</i> )- <i>trans</i> -(2,3,5,6-tetrafluorophenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	2P220	TK (95) w/w
Triadimefon	1-(4-chlorophenoxy)-3,3-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-yl)butanone	2P185	DP (1) w/w EC (25) w/v PA (2) w/w WP (25) w/w
Triazophos	<i>O,O</i> -diethyl <i>O</i> -1-phenyl-1 <i>H</i> -1,2,4-triazol-3-yl phosphorothioate	2P186	EC (25) w/v #2
<i>Trichoderma harzianum</i>	None	2P255	WP (300 million) CFU/g
Triclopyr	3,5,6-trichloro-2-pyridyloxyacetic acid	2P274	EC (62) w/w

活性成分通用名稱 <i>Common Name of the Active Ingredient</i>	化學名稱 <i>Chemical Name</i>	註冊 編號 Reg. No.	零售之劑型及最高 濃度限制 <i>Formulation and Maximum Concentration for Retail Sale</i>
Tridemorph	2,6-dimethyl-4-tridecylmorpholine	2P188	EC (80) w/v
Trifloxysulfuron sodium	1-(4,6-dimethoxypyrimidin-2-yl)- 3-[3-(2,2,2-trifluoroethoxy)-2- pyridylsulfonyl] urea sodium salt	2P308	OD (10) w/v WG (75) w/w
Trifluralin	$\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl- $\rho$ -toluidine	2P246	IF (18.9) w/w
Triforine	1,1'-piperazine-1,4-diyl-di- [ <i>N</i> -(2,2,2-trichloroethyl)formamide]	2P189	EC (25) w/v
Trimedlure	<i>tert</i> -butyl 4(or 5)-chloro-2- methylcyclohexanecarboxylate	2P230	TK (98) w/w
Trinexapac-ethyl	ethyl 4-(cyclopropyl- $\alpha$ -hydroxy- methylene)-3,5-dioxo-1- cyclohexanecarboxylate	2P222	EC (25) w/v
Validamycin A	1L-(1,3,4/2,6)-2,3- dihydroxy-6-hydroxymethyl-4- [(1 <i>S</i> ,4 <i>R</i> ,5 <i>S</i> ,6 <i>S</i> )-4,5,6- trihydroxy-3-hydroxymethylcyclohex- 2-enylamino]cyclohexyl $\beta$ -D-glucopyranoside	2P190	L (6) w/v SP (20) w/w
Vamidothion	<i>O,O</i> -dimethyl <i>S</i> -2-(1-methylcarbamoyl- ethylthio)ethyl phosphorothioate	2P191	EC (20) w/v #2

<i>活性成分通用名稱</i> <i>Common Name of the Active Ingredient</i>	<i>化學名稱</i> <i>Chemical Name</i>	<i>註冊</i> <i>編號</i> <i>Reg.</i> <i>No.</i>	<i>零售之劑型及最高</i> <i>濃度限制</i> <i>Formulation and</i> <i>Maximum</i> <i>Concentration for</i> <i>Retail Sale</i>
Vinclozolin	<i>(RS)</i> -3-(3,5-dichlorophenyl)-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione	2P192	SC (50) w/v WG (50) w/w WP (50) w/w
White oils	various refined petroleum oils	2P193	EC (95) w/v EC (99.1) w/w OL (80) w/v
Zineb	zinc ethylenebis-(dithiocarbamate) (polymeric)	2P194	WP (80) w/w

註釋

NOTE

Reg. No.:	註冊編號 Registration Number
#1:	所有 cytokinin Total cytokinin
#2:	此限制適用於輸入及零售 Restriction applied during both import and retail sale
#4:	產品標籤上不可聲稱可用作植物保護用途 No claims on plant protection uses shall be stated on the product label.
#5:	預置在藥芯匣內 Pre-filled in a cartridge
#7:	產品標籤上需要列明"不可於室內或密閉空間使用" The wording "Not to be used indoors or in enclosed spaces" shall be stated on the product label.
w/v:	重量/體積 百分比 % weight by volume
w/w:	重量/重量 百分比 % weight by weight
CFU/g:	菌落形成單位/克 Colony Forming Units per gram
PIB/g:	多角體/克 Polyhedral Inclusion Bodies per gram
mg/mat:	毫克/墊片 milligram per mat
mg/piece:	毫克/件 milligram per piece
" - ":	零售時並無特別條件限制其濃度 No special condition imposed on retail sale with regard to concentration
" = ":	略去" = "符號，連接下一行而無須留有空格 move on to the next line without a space but omitting the " = " sign



劑型縮寫

FORMULATION ABBREVIATION

AB	穀粒藥餌	Grain bait
AE	氣霧劑	Aerosol dispenser
AL	無需稀釋液劑	Liquids to be applied undiluted
AS	水溶性液劑	Aqueous solution
BB	塊狀藥餌	Block bait
BR	團塊	Briquette
CK	粉筆	Chalk
CS	微膠囊懸浮劑	Capsule suspension
DC	可分散液劑	Dispersible concentrate
DP	塵粉劑	Dustable powder
DS	拌種用粉劑	Powder for dry seed treatment
EC	乳油	Emulsifiable concentrate
EW	水包油型乳劑	Emulsion, oil-in-water
FAP	飼料添加劑	Feed additive premix
FP	煙霧筒	Smoke cartridge
FS	種子處理用濃縮懸浮劑	Flowable concentrate for seed treatment
FT	煙霧片	Smoke tablet
FU	煙霧劑	Smoke generator
FW	煙霧丸	Smoke pellet
GB	粒狀藥餌	Granular bait
GE	凝膠狀藥餌	Gel bait
GR	粒劑	Granule
GS	脂劑	Grease
IF	浸透薄片	Impregnated film
IP	浸透紙	Impregnated paper
L	液劑	Liquid form
ME	微乳劑	Micro-emulsion
MG	微粒劑	Microgranule
MR	基質釋放劑	Matrix release
OD	油懸浮劑	Oil-based suspension concentrates
OF	可流動濃縮油劑	Oil miscible flowable concentrate

OL	油劑	Oil miscible liquid
P	粉劑	Powder
PA	漿劑	Paste
PE	丸狀藥餌	Pellet bait
PR	植物桿型劑	Plant rodlet
QB	液體藥餌	Liquid bait
RB	藥餌(即用)	Bait (ready for use)
SB	碎屑藥餌	Scrap bait
SC	濃懸浮劑	Suspension concentrate (= Flowable concentrate)
SE	懸乳劑	Suspo-emulsion
SG	水溶性粒劑	Water soluble granules
SL	濃縮可溶劑	Soluble concentrate
SP	水溶性粉劑	Water soluble powder
TB	片劑	Tablet
TC	原藥	Technical material
TI	樹木注射液劑	Tree injection solution
TK	母藥	Technical concentrate
UL	超低容量液劑	Ultra low volume liquid
VP	氣體散發劑	Vapour releasing product
VPM	氣體散發劑, 墊片	Vapour releasing product, mat
WG	水分散性粒劑	Water dispersible granules
WP	可濕性粉劑	Wettable powder
ZC	微膠囊懸浮-濃懸浮劑	A mixed formulation of CS and SC
ZW	微膠囊懸浮-水包油型乳劑	A mixed formulation of CS and EW

2024年4月19日  
19 April 2024

漁農自然護理署署長梁肇輝  
LEUNG Siu-fai *Director of Agriculture, Fisheries and Conservation*