ROAD TRAFFIC (PUBLIC SERVICE VEHICLES) REGULATIONS (Chapter 374D)

PACKAGES OF PUBLIC LIGHT BUS (SCHEDULED) ROUTES IN THE NEW TERRITORIES

In accordance with regulation 4(2) of the Road Traffic (Public Service Vehicles) Regulations (Chapter 374D), applications are hereby invited for the issue of passenger service licences for the operation of the following packages of public light bus (scheduled) routes in the New Territories (Please see the particulars below).

Applications must be made by way of the appropriate application form ('Application for Passenger Service Licence(s) in Respect of the Packages of Public Light Bus (Scheduled) Routes Gazetted in July 2017') obtainable, free of charge, on request from the following offices as from 28 July 2017:—

- (a) Transport Department New Territories Regional Office, 7th Floor, Mongkok Government Offices, 30 Luen Wan Street, Kowloon; and
- (b) Transport Department Hong Kong Licensing Office, 3rd Floor, United Centre, 95 Queensway, Hong Kong.

Completed application forms must be submitted in a plain white envelope sealed and marked on the outside of the envelope with 'Application for Passenger Service Licence(s) in Respect of the Packages of Public Light Bus (Scheduled) Routes Gazetted in July 2017' and placed in the Transport Department Tender Box situated at the reception counter of the Transport Department Headquarters on the 41st Floor of Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong before 12.00 noon on 1 September 2017 (Friday). Applications made by other means or submitted late will not be considered.

Government reserves the right to modify the routes and details of operation contained in this notice and does not bind itself to accept any such application received.

28 July 2017

LEE Sui-chun, Macella Commissioner for Transport (Acting)

DETAILS OF THE PACKAGES OF PUBLIC LIGHT BUS (SCHEDULED) ROUTE(S) GAZETTED IN JULY 2017

Package No.	New Territories Public Light Bus (Scheduled) Route(s)	Journey Distance (km)	Maximum Full Fare (\$)	Minimum Vehicle Requirement	Basic Frequency (Minutes)
1	Park YOHO Transport Terminus to Kam Sheung Road Station Public Transport Interchange: via Park YOHO access road, Castle Peak Road—Tam Mi, Au Tau Interchange, Kam Tin Road, Kam Ho Road, Tung Wui Road and Kam Sheung Road Station Public Transport Interchange.	3.8	7.8	3	10–15
	Kam Sheung Road Station Public Transport Interchange to Park YOHO Transport Terminus: via Kam Sheung Road Station Public Transport Interchange, Tung Wui Road, Kam Ho Road, Kam Tin Road, Au Tau Interchange, Castle Peak Road—Tam Mi and Park YOHO access road.				
	All public light buses to be deployed for the provision of the scheduled service in respect of the above route must have passenger seat belts and high back passenger seats complying with the specifications stipulated in the Road Traffic Ordinance (Chapter 374) installed before introduction of the route.				
2(a)	Tseung Kwan O Station to Ocean Wings (Circular): via Tong Tak Street, Tong Chun Street, Po Yap Road, Chi Shin Street, Tong Chun Street, cul-de-sac near Ocean Wings and Tong Chun Street.	2.6 (Round trip)	5.3	4	4–10
	All public light buses to be deployed for the provision of the scheduled service in respect of the above route must have passenger seat belts and high back passenger seats complying with the specifications stipulated in the Road Traffic Ordinance (Chapter 374) installed before introduction of the route.				

Package No.	New Territories Public Light Bus (Scheduled) Route(s)	Journey Distance (km)	Maximum Full Fare (\$)	Minimum Vehicle Requirement	Basic Frequency (Minutes)
2(b)	Tiu Keng Leng Station to Alto Residences (Circular): via King Ling Road, Choi Ming Street, cul-de-sac near Choi Wing House, Choi Ming Street, King Ling Road, Chui Ling Road, Po Yap Road, Tong Yin Street and King Ling Road.	2.6 (Round trip)	5.3	2	5–10
	All public light buses to be deployed for the provision of the scheduled service in respect of the above route must have passenger seat belts and high back passenger seats complying with the specifications stipulated in the Road Traffic Ordinance (Chapter 374) installed before introduction of the route.				
3	Hong Kong—Zhuhai—Macao Bridge Hong Kong Port Hong Kong Public Transport Interchange—Tung Chung North (Circular): via Shun Wui Road, Chek Lap Kok Road, East Coast Road, Scenic Road, Catering Road East, Scenic Road, Chek Lap Kok South Road, Tung Chung Waterfront Road, Wai Tung Road, Man Tung Road, Ying Tung Road, Ying Hei Road, Tung Chung Waterfront Road, Chek Lap Kok South Road, Scenic Road, Catering Road East, Scenic Road, East Coast Road, Airport Road, Airport South Interchange, Cheong Lin Road, Sky City Road, Airport Expo Boulevard, Sky City Road East, Sky City Road East, Sky City Interchange, Chek Lap Kok Road and Shun Fai Road.	21.8 (Round trip)	11.3 (Single trip)	4	10

New Territories
Package Public Light Bus
No. (Scheduled) Route(s)

Journey Distance (km) Maximum Full Fare (\$) Minimum Vehicle Requirement Basic Frequency (Minutes)

All public light buses to be deployed for the provision of the scheduled service in respect of the above route must have passenger seat belts and high back passenger seats complying with the specifications stipulated in the Road Traffic Ordinance (Chapter 374) installed before introduction of the route.

In addition, each public light bus in this package must provide a luggage rack to carry personal hand baggage safely. The interior length, width and height of the luggage rack must be at least 750 millimetres, 500 millimetres and 650 millimetres respectively. The luggage rack should be located behind the driver's seat and would occupy the space of two passenger seats. Hence, in order to provide the luggage rack as required above and to comply with the maximum overall dimensions and weight of the vehicle class of 'Light Bus' under Regulations 6 and 7 of the Road Traffic (Construction and Maintenance of Vehicles) Regulations (Chapter 374A) (Footnote 1), the public light buses deployed in this Package will not likely be able to provide a maximum seating capacity of 19 allowable under Chapter 374A. Public light buses with the luggage rack must obtain type approval from the Transport Department before service commencement.

(Footnote 1: For light bus, the maximum overall length is 7.0 metres, the maximum overall width is 2.3 metres, the maximum overall height is 3.0 metres and the maximum overall weight is 5.5 tonnes.)