

二氧化碳滅火器
CARBON DIOXIDE TYPE EXTINGUISHERS

A. Werner GMBH & Company, 5414 Vallendar, West Germany.

Model: CF-1002 Size: 2 kilogram

Model: CF-2006 Size: 6 kilogram

A.B.M. Victoria, Viale Lombardia 310, Brugherio, Italia.

Model: K2/B Size: 2 kilogram Fire Rating: 21B

Model: K5/EN Size: 5 kilogram Fire Rating: 89B

Model: K5P/B Size: 5 kilogram Fire Rating: 89B

ANAF S.p.A., Via del Commercio, 4, I-27020 Torre d' Isola (Pavia), Italia.

Model: CS2-A Size: 2 kilogram Fire Rating: 21B

Model: CS5-A Size: 5 kilogram Fire Rating: 89B

Abtex Ltd., Blackbrook Valley Park, Peartree Lane, Dudley, DY2 0XO United Kingdom.

Model: 920 Stored Pressure Type Size: 2 kilogram

Allied Safety Co., Ltd., Units 5-8 Highfield Industrial Estate, Bradley Road, Folkestone, Kent, CT19 6DD, United Kingdom.

Model: CA5 HH Size: 5 kilogram Fire Rating: 55B

Model: LC2 Size: 2 kilogram Fire Rating: 34B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Amerex Fire International Limited, Unit 54, Springvale Industrial Estate, Cwmbran, Gwent, NP44 5BB, United Kingdom.

Model: 950 Size: 5 kilogram Fire Rating: 55B

Model: 920 (utilising the Carl Esser Swivel Horn) Size: 2 kilogram Fire Rating: 34B

Model: Gloria 920-80116 Size: 2 kilogram Fire Rating: 34B

Model: Gloria 920-80117 Size: 2 kilogram Fire Rating: 34B

Model: Gloria 950-80118 Size: 5 kilogram Fire Rating: 55B

Angus Fire Armour Ltd., Thame Park Road, Thame, Oxfordshire, OX9 3RQ, England.

Model: CA2SH Size: 2 kilogram

Model: CA3SH Size: 3 kilogram

Model: CA5HH Size: 5 kilogram

Model: CA6HH Size: 6 kilogram

Model: CS2SH Size: 2 kilogram

Model: CS3SH Size: 3 kilogram

Model: CS5HH Size: 5 kilogram

Model: CS6HH Size: 6 kilogram

Ansul Co., The Marinette, Wis. 54143.

Model: CD-10 Size: 4.55 kilogram Fire Rating: 5-B:C, Marine Type, USCG Type B:C, Size I

Associated Enterprises (S) Pte. Ltd., Block 28, #01-173, Sin Ming Drive, Singapore 575702.

Model: C-2CSEC Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: C-5CSEC Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Model: PRO-2-CD Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: PRO-5-CD Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Badger-Powhatan, Div. of A-T-O, Inc., Ranson, W. Va. 25438.

Model: B10V Size: 4.6 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I

Model: B15V Size: 6.8 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I

Model: B20V Size: 9.1 kilogram Fire Rating: 10-B:C

Model: B5V Size: 2.3 kilogram Fire Rating: 5-B:C, Marine Type, USCG, Type B:C Size I

Bedford & Company, 2/F., 14 Arran Street, Mongkok, Kowloon, Hong Kong.

Model: Bedford BC2 Size: 2 kilogram Fire Rating: 34B

Model: Bedford BC5 Size: 5 kilogram Fire Rating: 34B

Model: BK5 Size: 5 kilogram Fire Rating: 55B

Buckeye Fire Equipment Company, 102 Industrial Drive, Kings Mountain, NC 28086.

Model: 5 CD Part No. 45100 Size: 2.27 kilogram Fire Rating: 5B:C

Model: 10 CD Part No. 45600 Size: 4.55 kilogram Fire Rating: 10B:C

Model: 15 CD Part No. 46100 Size: 6.82 kilogram Fire Rating: 10B:C

Model: 20 CD Part No. 46600 Size: 9.09 kilogram Fire Rating: 10B:C

Chubb Fire Limited, Maerdy Road, Ferndale, Rhondda, Mid Glamorgan, Wales 43CF 4AD, U.K.

Model: EC2 Size: 2 kilogram Fire Rating: 34B

Model: EC5 Size: 5 kilogram Fire Rating: 55B

Model: EC20 Size: 2 kilogram Fire Rating: 34B

Model: EC20C Size: 2 kilogram Fire Rating: 34B

Model: EC50 Size: 5 kilogram Fire Rating: 70B

Model: EC50C Size: 5 kilogram Fire Rating: 70B

Model: FPC2SC Size: 2 kilogram Fire Rating: 34B

Model: FPC5C Size: 5 kilogram Fire Rating: 70B

Model: OPC2C Size: 2 kilogram Fire Rating: 34B

Model: OPC5C Size: 5 kilogram Fire Rating: 70B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

- Model: C5 Size: 5 kilogram Fire Rating: 55B
- Model: LC2 Size: 2 kilogram Fire Rating: 34B
- Model: SC2 Size: 2 kilogram Fire Rating: 34B
- Model: SC5 Size: 5 kilogram Fire Rating: 55B
- Model: TSC 5HH Size: 5 kilogram Fire Rating: 55B

Eversafe Extinguisher SDN. BHD., No. 2, Jalan 202, Seksyen 51, 46050, Petaling Jaya, Wilayah Persekutuan, Malaysia.

- Model: ECO 10HH Size: 4.54 kilogram Fire Rating: 21B
- Model: ECO 15HH Size: 6.82 kilogram Fire Rating: 34B
- Model: ECO-2 Size: 1.13 kilogram Fire Rating: 13B
- Model: ECO-5 Size: 2.27 kilogram Fire Rating: 13B
- Model: NCO 10HH Size: 4.54 kilogram Fire Rating: 21B
- Model: NCO 11HH Size: 5 kilogram Fire Rating: 21B
- Model: NCO5 Size: 2.27 kilogram Fire Rating: 13B

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Daharul Ehsan, Malaysia.

- Model: EEC-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B
- Model: EEC-2A1 e2 Size: 2 kilogram Fire Rating: 34B
- Model: EEC-2e2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B
- Model: EEC-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B
- Model: EEC-5A1 e1 Size: 5 kilogram Fire Rating: 55B
- Model: EEC-5e1 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Federal Iron Works Sdn. Bhd., 14 Jalan Tandang, Petaling Jaya, Selangor, Malaysia.

- Model: 'Concord' Size: 1.1 kilogram
- Model: 'Concord' Size: 2.2 kilogram
- Model: 'Concord' Size: 4.5 kilogram

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.

- Model: KS 2 J Size: 2 kilogram Fire Rating: 34B
- Model: KS 5 J Size: 5 kilogram Fire Rating: 89B

Feuerschutz Jockel GmbH & Co. KG, 42897 Remscheid-Lennep, Germany.

- Jockel Model: K 5 AJ Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Fire Fighting Enterprises (Aust.) Ltd., 6, Hope St., Ermington, N.S.W. 2115 Australia.

- Model: 'Quell' 108906 Size: 2.27 kilogram Fire Rating: 2B:(E)
- Model: 'Quell' 108908 Size: 5 kilogram Fire Rating: 5B:(E)
- Model: 'Quell' 109482 Size: 2.27 kilogram Fire Rating: 2B
- Model: 'Quell' 112195 Size: 5 kilogram Fire Rating: 5B

Flag Fire Equipment Ltd., Hwy. No. 2 & Patillo Road, R.R. #1, Tecumseh, Ontario, N8N 2L9, Canada.

- Model: CO2-050-H Size: 2.27 kilogram
- Model: CO2-10-H Size: 4.54 kilogram
- Model: CO2-15-H Size: 6.82 kilogram
- Model: CO2-20-H Size: 9.07 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 4724 Wadersloh

- Model: KS2SB Size: 2 kilogram Fire Rating: 34B
- Model: KS2SBS Size: 2 kilogram Fire Rating: 34B
- Model: KS5S Size: 5 kilogram Fire Rating: 89B
- Model: KS5SE Size: 5 kilogram Fire Rating: 89B
- Model: KS6S Size: 6 kilogram

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: KS6SE Size: 6 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 64 Victoria Road, Burgess Hill, West Sussex, RH15 9LU

Model: C2GH Size: 2 kilogram Fire Rating: 55B

Hong Kong Industrial Product Co., Unit 4, 9/F., Siu Wai Industrial Centre, 29-33 Wing Hong Street, Cheung Sha Wan, Kowloon.

Model: CDE-2 Size: 2 kilogram Fire Rating: 34B:C

Model: CDE-5 Size: 5 kilogram Fire Rating: 70B:C

Model: CPR-2 Size: 2 kilogram Fire Rating: 34B

Model: CPR-5 Size: 5 kilogram Fire Rating: 70B

KIDDE Polska Sp. Z.o.o., Kolejowa 24, 39-100 Ropczyce, POLEN

Model: KS 2 ST Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5 ST Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Model: KS 2 SBS Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5 SE Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Kidde Thorn Fire Protection Ltd., Hollins Road, Oldham, Lancashire, OL8 3DX.

Model: 50060 (TG98) Size: 5 kilogram Fire Rating: 55B

Model: 50068 (TG111) Size: 2 kilogram Fire Rating: 34B

Model: 50076 (TG112) Size: 5 kilogram Fire Rating: 55B

Model: 50435 (TG102) (slim) Size: 2 kilogram Fire Rating: 34B

Model: 50786 (TG97) (squat) Size: 2 kilogram Fire Rating: 34B

Lead Profit International Industrial Limited, A7, 9/F, Merit Industrial Centre, 94 Tokwawan Road, Kowloon, Hong Kong

Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Lichfield Fire and Safety Equipment Company Limited (LIFECO), Unit 43s Siddons Factory Estate, Howard Street, Hilltop, West Bromwich, B70 OSU, United Kingdom.

Model: LC2 Size: 2 kilogram Fire Rating: 21B

Model: LC2S Size: 2 kilogram Fire Rating: 34B

Model: LC2SZ Size: 2 kilogram Fire Rating: 55B

Model: LC5 Size: 5 kilogram Fire Rating: 55B

Lingjack Engineering Works Pte. Ltd., No. 1 Woodlands Terrance, #03-01, Lingjack Industrial Building, Singapore 738471.

Model: C-2CSEC Type Size: 2 kilogram Fire Rating: 34B

Model: C-5CSEC Type Size: 5 kilogram Fire Rating: 55B

M.B.s.r.l., Via don Milani, 16-18 20025 Legnano, Italy

Model: CM5TOP Size: 5 kilogram Fire Rating: 113B

Minimax GmbH Federl Republic of Germany, MinimaxstraBe 1, 72547 Bad Urach, Germany.

Model: CD2 Size: 2 kilogram Fire Rating: 34B

Model: CD5c Size: 5 kilogram Fire Rating: 89B

Moyné Engineering Limited, Moynéhall, Cavan, Country Cavan, Ireland.

Model: MC-2A Size: 2 kilogram Fire Rating: 34B

Model: MC-5A Size: 5 kilogram Fire Rating: 70B

Ningbo Meilin Machinery Co. Ltd., No. 1 Workhouse, Export Processing Zone, Ningbo 315806, China.

Model: MCA02 Size: 2 kilogram Fire Rating: 34B

Model: MCA05 Size: 5 kilogram Fire Rating: 55B

Model: MCS02 Size: 2 kilogram Fire Rating: 34B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: MCS05 Size: 5 kilogram Fire Rating: 55B

Nu-Swift International Limited, Elland, West Yorkshire, HX5 9DS, England, United Kingdom.

Model: 1501 Size: 1.1 kilogram

Model: 1502 Size: 2 kilogram

Phoenix Engineering Company, 32, Canford Bottom, Wimborne, Dorset, BH21 2HD, England.

Model: C2G Size: 2 kilogram Fire Rating: 34B

Model: C5G Size: 5 kilogram Fire Rating: 70B

Pii S.r.l., Via Sitya Yomo 11, I-20080 Pasturago di Vernate, Milano, Italy.

Model: CO202004 Size: 2 kilogram Fire Rating: 34B

Model: CO202014 Size: 2 kilogram Fire Rating: 34B

Model: CO202015 (with Super Horn) Size: 2 kilogram Fire Rating: 55B

Model: CO202016 (with Standard Horn) Size: 2 kilogram Fire Rating: 34B

Model: CO205006 Size: 5 kilogram Fire Rating: 89B

Model: CO205007 Size: 5 kilogram Fire Rating: 89B

Quell Fire & Safety Equipment, 6 Hope Street, Ermington, NSW 2115, Australia.

Model: 112195 Size: 5 kilogram Fire Rating: 5B:(E)

Model: 112193 (Fixed Horn) Size: 2 kilogram Fire Rating: 2B:(E)

Model: 112219 (Swivel Horn) Size: 2 kilogram Fire Rating: 2B:(E)

SAE S.r.l., Corso Kennedy, 30, I-10070 Robassomero (TO), Italy.

Model: KS 2A Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5A Stored Pressure Type Size: 5 kilogram Fire Rating: 70B

Saf-fire Products Limited, 22 Hazelford Way, Newstead, Nottinghamshire, NG15 0DQ, U.K.

Model: CD2 Size: 2 kilogram Fire Rating: 34B

Model: CD5 Size: 5 kilogram Fire Rating: 55B

Saudi Factory for Fire Equipment Company (SFFECO), Riyadh 11515, Kingdom of Saudi Arabia.

Model: CD2G Size: 2 kilogram Fire Rating: 21B

Model: CD2S Size: 2 kilogram Fire Rating: 34B

Model: CD2SZ Size: 2 kilogram Fire Rating: 55B

Model: CD5G Size: 5 kilogram Fire Rating: 55B

Sicli s.a., rue du Merlo 1, 1180 Bruxelles, Belgium.

Model: CO2/2M1 Size: 2 kilogram Fire Rating: 34B

Model: CO2/5M5 Size: 5 kilogram Fire Rating: 89B

Soda-Club Ltd., Mishor Adumim Plant, Ugda Street 50, P.O. Box 77, Mishor Adumim Industrial Zone, Jerusalem 98510, Israel.

Model: T-117/55 Size: 2 kilogram Fire Rating: 55B

Steel Recon Industries Sdn. Bhd., No. 7, Lorong SS13/3D, Off Jalan SS13/3, Subang Jaya Industrial Area, 47500 Subang Jaya, Selangor Darul Ehsan, Malaysia.

Model: FEX 139 Stored Pressure Type Size: 2.2 kilogram Fire Rating: 21B

Model: FEX 140 Stored Pressure Type Size: 4.5 kilogram Fire Rating: 34B

Steel Recon Industries Sdn. Bhd., No. 8, Jalan Subang 7, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor Darul Ehsan, Malaysia.

Model: FEX 180 Size: 2 kilogram Fire Rating: 34B

Model: FEX 181 Size: 5 kilogram Fire Rating: 55B

Model: FEX 182 Size: 2 kilogram Fire Rating: 34B

Model: FEX 183 Size: 5 kilogram Fire Rating: 55B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Strike First Corporation, 777 Tapscott Road, Scarborough, Ontario M1X 1A2, Canada.

Model: WBDL-10CO2 Size: 4.54 kilogram Fire Rating: 10B:C

Model: WBDL-15CO2 Size: 6.8 kilogram Fire Rating: 10B:C

Model: WBDL-5CO2 Size: 2.27 kilogram Fire Rating: 5B:C

The Pyrene Co. Ltd., Firepower House, Westmead Industrial Estate, Westlea, Swindon, Wilts SN5 7YJ, U.K.

Model: 'Firepower' TSC2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: 'Firepower' TSC5 Stored Pressure Type Size: 5 kilogram Fire Rating: 34B

Thorn Security Ltd., Unit 8, Uplands Trading Estate, Blackhorse Lane, Walthamstow, London E17 4QJ, England.

Model: TG 90 Size: 1.13 kilogram

Model: TG 97 Size: 2 kilogram

Model: TG 98 Size: 5 kilogram

Model: TG 111 Size: 2 kilogram

Model: TG 112 Size: 5 kilogram

Model: TG 113 Size: 6.8 kilogram

Model: TG 115 Size: 3.2 kilogram

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China

'Tianbo' Model: TMCD5 Size: 5 kilogram Fire Rating: 70B

'Tianbo' Model: TMCD5A Size: 5 kilogram Fire Rating: 70B

'Tianbo' Model: TMCD2 Size: 2 kilogram Fire Rating: 34B

'Tianbo' Model: TMCD2A Size: 2 kilogram Fire Rating: 34B

Trade Fire Limited, Unit 9, Maritime Industrial Estate, Horizon Way, Charlton, London, U.K., SE7 7AY.

Model: TC 2KM Size: 2 kilogram Fire Rating: 34B

Model: TC 2SKM Size: 2 kilogram Fire Rating: 34B

Model: TC 5HH Size: 5 kilogram Fire Rating: 34B

Model: TC 5SKM Size: 5 kilogram Fire Rating: 34B

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, England.

Model: BC 2A Size: 2 kilogram Fire Rating: 13B

Model: BC 2S Size: 2 kilogram Fire Rating: 13B

Model: BC 3A Size: 3 kilogram Fire Rating: 21B

Model: BC 3S Size: 3 kilogram Fire Rating: 21B

Model: BC 5A Size: 5 kilogram Fire Rating: 34B

Model: BC 5S Size: 5 kilogram Fire Rating: 34B

Model: BC 6A Size: 6 kilogram Fire Rating: 34B

Model: BC 6S Size: 6 kilogram Fire Rating: 34B

UK Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: 'Britannia' BC2A Size: 2 kilogram Fire Rating: 34B

Model: 'Britannia' BC5A Size: 5 kilogram Fire Rating: 70B (aluminum body with hose and horn)

UBE Engineering Sdn. Bhd., No. 27 & 29, Jalan Utama 2/7, Maju Jaya Industrial Park, Taman Perindustrian Puchong Utama, (Section 2) Batu 14, Jalan Puchong, 47100 Puchong, Selangor.

Model: UFCO Size: 2.2 kilogram Fire Rating: 13B

Model: UFCO Size: 4.5 kilogram Fire Rating: 21B

Vickers Fire Appliance Co., 7/F, Kam Chung Factory Building, 30-38 Lam Tin Street, Kwai Chung, New Territories, Hong Kong.

Model: VCD-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: VCD-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 70B

Walter Kidde Portable Equipment Inc., 1394, South Third Street, Mebane, North Carolina 27302, U.S.A.

Size: 2.27 kilogram Fire Rating: 5-B:C

Size: 4.55 kilogram Fire Rating: 10-B:C

Size: 6.82 kilogram Fire Rating: 10-B:C

Size: 9.09 kilogram Fire Rating: 10-B:C

Winson Products Ltd., Shop A2, 354 Reclamation Street, Yaumatei, Kowloon, Hong Kong.

Model: FEX-CO2-2kg Size: 2 kilogram Fire Rating: 21B

Model: FEX-CO2-5kg Size: 5 kilogram Fire Rating: 55B

Yuhuan Fujie Fire Fighting Equipment Co. Ltd., Yuhuan Automobile – Motorcycle Industrial Zone, Zhejiang Province, China

Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Zhejiang Winner Fire Fighting Equipment Co. Ltd., Quinglong Road, Jiaxing, Xinhuang Town, 314008, China

Model: WN215/ML2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

上海海申消防器材廠，中國上海市浦東新區滬南路2170號

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：4B

余姚市歐倫泰防火設備有限公司，中國浙江省余姚市黃家埠五車堰

型號：MTZ2 充裝量：2 千克 滅火系數：2B

型號：MTZ5 充裝量：5 千克 滅火系數：4B

嘉興消防器材廠，中國浙江省嘉興市新篁鎮

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MT7 充裝量：7 千克 滅火系數：5B

天津市塘沽聯營消防器材廠，中國天津市塘沽區河南里7號

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

天津消防器材總廠，中國天津市西青區楊柳青營建路55號

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

型號：MT7 充裝量：7 千克 滅火系數：4B

廣州市消防器材廠，中國廣州市赤崗西路328號

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蜆涌工業村

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MTC/2 充裝量：2 千克 滅火系數：21B

型號：MTC/3 充裝量：3 千克 滅火系數：21B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

型號：MTC/5 充裝量：5 千克 滅火系數：34B

廣東平安消防實業有限公司，中國廣東省佛山市南海區平州工業園

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

惠景消防工程公司，中國浙江上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

浙江威能消防器材股份有限公司，中國浙江省嘉興市南湖區鳳橋鎮新篁青龍路

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工工業專業區富民大道

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

浙江金盾消防器材有限公司，中國浙江省上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

玉環富捷消防設備有限公司，中國浙江省玉環縣汽摩工業園區

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

型號：MT/7 充裝量：7 千克 滅火系數：55B

袋鼠滅火器材(中國)有限公司，中國廣東省惠州市小金口鎮柏崗村(廣汕公路東北)

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B