

二氧化碳滅火器

CARBON DIOXIDE TYPE EXTINGUISHERS

- A. Werner GMBH & Company, 5414 Vallendar, West Germany.
 - Model: CF-1002 Size: 2 kilogram
 - Model: CF-2006 Size: 6 kilogram

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

- A.B.M. Victoria, Viale Lombardia 310, Brugherio, Italia.
Model: K2/B Size: 2 kilogram Fire Rating: 21B
Model: K5/EN Size: 5 kilogram Fire Rating: 89B
Model: K5P/B Size: 5 kilogram Fire Rating: 89B
- ANAF S.p.A., Via del Commercio, 4, I-27020 Torre d' Isola (Pavia), Italia.
Model: CS2-A Size: 2 kilogram Fire Rating: 21B
Model: CS5-A Size: 5 kilogram Fire Rating: 89B
- Abtex Ltd., Blackbrook Valley Park, Peartree Lane, Dudley, DY2 0XO United Kingdom.
Model: 920 Stored Pressure Type Size: 2 kilogram
- Allied Safety Co., Ltd., Units 5-8 Highfield Industrial Estate, Bradley Road, Folkestone, Kent, CT19 6DD, United Kingdom.
Model: CA5 HH Size: 5 kilogram Fire Rating: 55B
Model: LC2 Size: 2 kilogram Fire Rating: 34B
- Amerex Fire International Limited, Unit 54, Springvale Industrial Estate, Cwmbran, Gwent, NP44 5BB, United Kingdom.
Model: 950 Size: 5 kilogram Fire Rating: 55B
Model: 920 (utilising the Carl Esser Swivel Horn) Size: 2 kilogram Fire Rating: 34B
Model: Gloria 920-80116 Size: 2 kilogram Fire Rating: 34B
Model: Gloria 920-80117 Size: 2 kilogram Fire Rating: 34B
Model: Gloria 950-80118 Size: 5 kilogram Fire Rating: 55B
- Angus Fire Armour Ltd., Thame Park Road, Thame, Oxfordshire, OX9 3RQ, England.
Model: CA2SH Size: 2 kilogram
Model: CA3SH Size: 3 kilogram
Model: CA5HH Size: 5 kilogram
Model: CA6HH Size: 6 kilogram
Model: CS2SH Size: 2 kilogram
Model: CS3SH Size: 3 kilogram
Model: CS5HH Size: 5 kilogram
Model: CS6HH Size: 6 kilogram
- Ansul Co., The Marinette, Wis. 54143.
Model: CD-10 Size: 4.55 kilogram Fire Rating: 5-B:C, Marine Type, USCG Type B:C, Size I
- Asiatic Fire System Pte Ltd, 65 Joo Koon Circle, Singapore 629078
Model: KC-2EN Stored Pressure Type Size: 2 kilogram Fire Rating: 21B
Model: KC-5EN Stored Pressure Type Size: 5 kilogram Fire Rating: 55B
- Associated Enterprises (S) Pte. Ltd., Block 28, #01-173, Sin Ming Drive, Singapore 575702.
Model: C-2CSEC Stored Pressure Type Size: 2 kilogram Fire Rating: 21B
Model: C-5CSEC Stored Pressure Type Size: 5 kilogram Fire Rating: 55B
Model: PRO-2-CD Stored Pressure Type Size: 2 kilogram Fire Rating: 21B
Model: PRO-5-CD Stored Pressure Type Size: 5 kilogram Fire Rating: 55B
- Badger-Powhatan, Div. of A-T-O, Inc., Ranson, W. Va. 25438.
Model: B10V Size: 4.6 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I
Model: B15V Size: 6.8 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I
Model: B20V Size: 9.1 kilogram Fire Rating: 10-B:C
Model: B5V Size: 2.3 kilogram Fire Rating: 5-B:C, Marine Type, USCG, Type B:C Size I

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Bedford & Company, 2/F., 14 Arran Street, Mongkok, Kowloon, Hong Kong.

Model: Bedford BC2 Size: 2 kilogram Fire Rating: 34B

Model: Bedford BC5 Size: 5 kilogram Fire Rating: 34B

Model: BK5 Size: 5 kilogram Fire Rating: 55B

Buckeye Fire Equipment Company, 102 Industrial Drive, Kings Mountain, NC 28086.

Model: 5 CD Part No. 45100 Size: 2.27 kilogram Fire Rating: 5B:C

Model: 10 CD Part No. 45600 Size: 4.55 kilogram Fire Rating: 10B:C

Model: 15 CD Part No. 46100 Size: 6.82 kilogram Fire Rating: 10B:C

Model: 20 CD Part No. 46600 Size: 9.09 kilogram Fire Rating: 10B:C

Chubb Fire Limited, Maerdy Road, Ferndale, Rhondda, Mid Glamorgan, Wales 43CF 4AD, U.K.

Model: EC2 Size: 2 kilogram Fire Rating: 34B

Model: EC5 Size: 5 kilogram Fire Rating: 55B

Model: EC20 Size: 2 kilogram Fire Rating: 34B

Model: EC20C Size: 2 kilogram Fire Rating: 34B

Model: EC50 Size: 5 kilogram Fire Rating: 70B

Model: EC50C Size: 5 kilogram Fire Rating: 70B

Model: FPC2SC Size: 2 kilogram Fire Rating: 34B

Model: FPC5C Size: 5 kilogram Fire Rating: 70B

Model: OPC2C Size: 2 kilogram Fire Rating: 34B

Model: OPC5C Size: 5 kilogram Fire Rating: 70B

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

Model: C5 Size: 5 kilogram Fire Rating: 55B

Model: LC2 Size: 2 kilogram Fire Rating: 34B

Model: SC2 Size: 2 kilogram Fire Rating: 34B

Model: SC5 Size: 5 kilogram Fire Rating: 55B

Model: TSC 5HH Size: 5 kilogram Fire Rating: 55B

Eversafe Extinguisher SDN. BHD., No. 2, Jalan 202, Seksyen 51, 46050, Petaling Jaya, Wilayah Persekutuan, Malaysia.

Model: ECO 10HH Size: 4.54 kilogram Fire Rating: 21B

Model: ECO 15HH Size: 6.82 kilogram Fire Rating: 34B

Model: ECO-2 Size: 1.13 kilogram Fire Rating: 13B

Model: ECO-5 Size: 2.27 kilogram Fire Rating: 13B

Model: NCO 10HH Size: 4.54 kilogram Fire Rating: 21B

Model: NCO 11HH Size: 5 kilogram Fire Rating: 21B

Model: NCO5 Size: 2.27 kilogram Fire Rating: 13B

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Dahrul Ehsan, Malaysia.

Model: EEC-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: EEC-2A1 e2 Size: 2 kilogram Fire Rating: 34B

Model: EEC-2e2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: EEC-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Model: EEC-5A1 e1 Size: 5 kilogram Fire Rating: 55B

Model: EEC-5e1 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Federal Iron Works Sdn. Bhd., 14 Jalan Tandang, Petaling Jaya, Selangor, Malaysia.

Model: 'Concord' Size: 1.1 kilogram

Model: 'Concord' Size: 2.2 kilogram

Model: 'Concord' Size: 4.5 kilogram

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.

Model: KS 2 J Size: 2 kilogram Fire Rating: 34B

Model: KS 5 J Size: 5 kilogram Fire Rating: 89B

Feuerschutz Jockel GmbH & Co. KG, 42897 Remscheid-Lennep, Germany.

Jockel Model: K 5 AJ Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Fire Fighting Enterprises (Aust.) Ltd., 6, Hope St., Ermington, N.S.W. 2115 Australia.

Model: 'Quell' 108906 Size: 2.27 kilogram Fire Rating: 2B:(E)

Model: 'Quell' 108908 Size: 5 kilogram Fire Rating: 5B:(E)

Model: 'Quell' 109482 Size: 2.27 kilogram Fire Rating: 2B

Model: 'Quell' 112195 Size: 5 kilogram Fire Rating: 5B

Flag Fire Equipment Ltd., Hwy. No. 2 & Patillo Road, R.R. #1, Tecumseh, Ontario, N8N 2L9, Canada.

Model: CO2-050-H Size: 2.27 kilogram

Model: CO2-10-H Size: 4.54 kilogram

Model: CO2-15-H Size: 6.82 kilogram

Model: CO2-20-H Size: 9.07 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 4724 Wadersloh

Model: KS2SB Size: 2 kilogram Fire Rating: 34B

Model: KS2SBS Size: 2 kilogram Fire Rating: 34B

Model: KS5S Size: 5 kilogram Fire Rating: 89B

Model: KS5SE Size: 5 kilogram Fire Rating: 89B

Model: KS6S Size: 6 kilogram

Model: KS6SE Size: 6 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 64 Victoria Road, Burgess Hill, West Sussex, RH15 9LU

Model: C2GH Size: 2 kilogram Fire Rating: 55B

Hong Kong Industrial Product Co., Unit 4, 9/F., Siu Wai Industrial Centre, 29-33 Wing Hong Street, Cheung Sha Wan, Kowloon.

Model: CDE-2 Size: 2 kilogram Fire Rating: 34B:C

Model: CDE-5 Size: 5 kilogram Fire Rating: 70B:C

Model: CPR-2 Size: 2 kilogram Fire Rating: 34B

Model: CPR-5 Size: 5 kilogram Fire Rating: 70B

KIDDE Polska Sp. Z.o.o., Kolejowa 24, 39-100 Ropczyce, POLEN

Model: KS 2 ST Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5 ST Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Model: KS 2 SBS Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5 SE Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Kidde Thorn Fire Protection Ltd., Hollins Road, Oldham, Lancashire, OL8 3DX.

Model: 50060 (TG98) Size: 5 kilogram Fire Rating: 55B

Model: 50068 (TG111) Size: 2 kilogram Fire Rating: 34B

Model: 50076 (TG112) Size: 5 kilogram Fire Rating: 55B

Model: 50435 (TG102) (slim) Size: 2 kilogram Fire Rating: 34B

Model: 50786 (TG97) (squat) Size: 2 kilogram Fire Rating: 34B

Lead Profit International Industrial Limited, A7, 9/F, Merit Industrial Centre, 94 Tokwawan Road, Kowloon, Hong Kong

Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Lichfield Fire and Safety Equipment Company Limited (LIFECO), Unit 43s Siddons Factory Estate, Howard Street, Hilltop, West Bromwich, B70 OSU, United Kingdom.

- Model: LC2 Size: 2 kilogram Fire Rating: 21B
- Model: LC2S Size: 2 kilogram Fire Rating: 34B
- Model: LC2SZ Size: 2 kilogram Fire Rating: 55B
- Model: LC5 Size: 5 kilogram Fire Rating: 55B

Lingjack Engineering Works Pte. Ltd., No. 1 Woodlands Terrance, #03-01, Lingjack Industrial Building, Singapore 738471.

- Model: C-2CSEC Type Size: 2 kilogram Fire Rating: 34B
- Model: C-5CSEC Type Size: 5 kilogram Fire Rating: 55B

M.B.s.r.l., Via don Milani, 16-18 20025 Legnano, Italy
Model: CM5TOP Size: 5 kilogram Fire Rating: 113B

Minimax GmbH Federl Republic of Germany, MinimaxstraBe 1, 72547 Bad Urach, Germany.

- Model: CD2 Size: 2 kilogram Fire Rating: 34B
- Model: CD5c Size: 5 kilogram Fire Rating: 89B

Moyne Engineering Limited, Moynehall, Cavan, Country Cavan, Ireland.

- Model: MC-2A Size: 2 kilogram Fire Rating: 34B
- Model: MC-5A Size: 5 kilogram Fire Rating: 70B

Ningbo Meilin Machinery Co. Ltd., No. 1 Workhouse, Export Processing Zone, Ningbo 315806, China.

- Model: MCA02 Size: 2 kilogram Fire Rating: 34B
- Model: MCA05 Size: 5 kilogram Fire Rating: 55B
- Model: MCS02 Size: 2 kilogram Fire Rating: 34B
- Model: MCS05 Size: 5 kilogram Fire Rating: 55B

Ningbo ZhengXin Fire Fighting Equipment Co., Ltd., Room 15B2, 1199 Hua Shan Rd, Waigaoqiao, 200137 Shanghai, China

- Model: CO5LB Size: 5 pound Fire Rating: 2B:C
- Model: CO10LB Size: 10 pound Fire Rating: 10B:C
- Model: CO15LB Size: 15 pound Fire Rating: 10B:C
- Model: CO20LB Size: 20 pound Fire Rating: 10B:C

Nu-Swift International Limited, Elland, West Yorkshire, HX5 9DS, England, United Kingdom.

- Model: 1501 Size: 1.1 kilogram
- Model: 1502 Size: 2 kilogram

Phoenix Engineering Company, 32, Canford Bottom, Wimborne, Dorset, BH21 2HD, England.

- Model: C2G Size: 2 kilogram Fire Rating: 34B
- Model: C5G Size: 5 kilogram Fire Rating: 70B

Pii S.r.l., Via Sitya Yomo 11, I-20080 Pasturago di Vernate, Milano, Italy.

- Model: CO202004 Size: 2 kilogram Fire Rating: 34B
- Model: CO202014 Size: 2 kilogram Fire Rating: 34B
- Model: CO202015 (with Super Horn) Size: 2 kilogram Fire Rating: 55B
- Model: CO202016 (with Standard Horn) Size: 2 kilogram Fire Rating: 34B
- Model: CO205006 Size: 5 kilogram Fire Rating: 89B
- Model: CO205007 Size: 5 kilogram Fire Rating: 89B

Quell Fire & Safety Equipment, 6 Hope Street, Ermington, NSW 2115, Australia.

- Model: 112195 Size: 5 kilogram Fire Rating: 5B:(E)
- Model: 112193 (Fixed Horn) Size: 2 kilogram Fire Rating: 2B:(E)
- Model: 112219 (Swivel Horn) Size: 2 kilogram Fire Rating: 2B:(E)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

- SAE S.r.l., Corso Kennedy, 30, I-10070 Robassomero (TO), Italy.
Model: KS 2A Stored Pressure Type Size: 2 kilogram Fire Rating: 34B
Model: KS 5A Stored Pressure Type Size: 5 kilogram Fire Rating: 70B
- Saf-fire Products Limited, 22 Hazelford Way, Newstead, Nottinghamshire, NG15 0DQ, U.K.
Model: CD2 Size: 2 kilogram Fire Rating: 34B
Model: CD5 Size: 5 kilogram Fire Rating: 55B
- Saudi Factory for Fire Equipment Company (SFFECO), Riyadh 11515, Kingdom of Saudi Arabia.
Model: CD2G Size: 2 kilogram Fire Rating: 21B
Model: CD2S Size: 2 kilogram Fire Rating: 34B
Model: CD2SZ Size: 2 kilogram Fire Rating: 55B
Model: CD5G Size: 5 kilogram Fire Rating: 55B
- Sicli s.a., rue du Merlo 1, 1180 Bruxelles, Belgium.
Model: CO2/2M1 Size: 2 kilogram Fire Rating: 34B
Model: CO2/5M5 Size: 5 kilogram Fire Rating: 89B
- Soda-Club Ltd., Mishor Adumim Plant, Ugda Street 50, P.O. Box 77, Mishor Adumim Industrial Zone, Jerusalem 98510, Israel.
Model: T-117/55 Size: 2 kilogram Fire Rating: 55B
- Steel Recon Industries Sdn. Bhd., No. 7, Lorong SS13/3D, Off Jalan SS13/3, Subang Jaya Industrial Area, 47500 Subang Jaya, Selangor Darul Ehsan, Malaysia.
Model: FEX 139 Stored Pressure Type Size: 2.2 kilogram Fire Rating: 21B
Model: FEX 140 Stored Pressure Type Size: 4.5 kilogram Fire Rating: 34B
- Steel Recon Industries Sdn. Bhd., No. 8, Jalan Subang 7, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor Darul Ehsan, Malaysia.
Model: FEX 180 Size: 2 kilogram Fire Rating: 34B
Model: FEX 181 Size: 5 kilogram Fire Rating: 55B
Model: FEX 182 Size: 2 kilogram Fire Rating: 34B
Model: FEX 183 Size: 5 kilogram Fire Rating: 55B
- Strike First Corporation, 777 Tapscott Road, Scarborough, Ontario M1X 1A2, Canada.
Model: WBDL-10CO2 Size: 4.54 kilogram Fire Rating: 10B:C
Model: WBDL-15CO2 Size: 6.8 kilogram Fire Rating: 10B:C
Model: WBDL-5CO2 Size: 2.27 kilogram Fire Rating: 5B:C
- The Pyrene Co. Ltd., Firepower House, Westmead Industrial Estate, Westlea, Swindon, Wilts SN5 7YJ, U.K.
Model: 'Firepower' TSC2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B
Model: 'Firepower' TSC5 Stored Pressure Type Size: 5 kilogram Fire Rating: 34B
- Thorn Security Ltd., Unit 8, Uplands Trading Estate, Blackhorse Lane, Walthamstow, London E17 4QJ, England.
Model: TG 90 Size: 1.13 kilogram
Model: TG 97 Size: 2 kilogram
Model: TG 98 Size: 5 kilogram
Model: TG 111 Size: 2 kilogram
Model: TG 112 Size: 5 kilogram
Model: TG 113 Size: 6.8 kilogram
Model: TG 115 Size: 3.2 kilogram
- Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China
'Tianbo' Model: TMCD5 Size: 5 kilogram Fire Rating: 70B
'Tianbo' Model: TMCD5A Size: 5 kilogram Fire Rating: 70B

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

'Tianbo' Model: TMCD2 Size: 2 kilogram Fire Rating: 34B
'Tianbo' Model: TMCD2A Size: 2 kilogram Fire Rating: 34B

Trade Fire Limited, Unit 9, Maritime Industrial Estate, Horizon Way, Charlton, London, U.K., SE7 7AY.

Model: TC 2KM Size: 2 kilogram Fire Rating: 34B
Model: TC 2SKM Size: 2 kilogram Fire Rating: 34B
Model: TC 5HH Size: 5 kilogram Fire Rating: 34B
Model: TC 5SKM Size: 5 kilogram Fire Rating: 34B

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, England.

Model: BC 2A Size: 2 kilogram Fire Rating: 13B
Model: BC 2S Size: 2 kilogram Fire Rating: 13B
Model: BC 3A Size: 3 kilogram Fire Rating: 21B
Model: BC 3S Size: 3 kilogram Fire Rating: 21B
Model: BC 5A Size: 5 kilogram Fire Rating: 34B
Model: BC 5S Size: 5 kilogram Fire Rating: 34B
Model: BC 6A Size: 6 kilogram Fire Rating: 34B
Model: BC 6S Size: 6 kilogram Fire Rating: 34B

UK Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: 'Britannia' BC2A Size: 2 kilogram Fire Rating: 34B
Model: 'Britannia' BC5A Size: 5 kilogram Fire Rating: 70B (aluminum body with hose and horn)

UBE Engineering Sdn. Bhd., No. 27 & 29, Jalan Utama 2/7, Maju Jaya Industrial Park, Taman Perindustrian Puchong Utama, (Section 2) Batu 14, Jalan Puchong, 47100 Puchong, Selangor.

Model: UFCO Size: 2.2 kilogram Fire Rating: 13B
Model: UFCO Size: 4.5 kilogram Fire Rating: 21B

Vickers Fire Appliance Co., 7/F, Kam Chung Factory Building, 30-38 Lam Tin Street, Kwai Chung, New Territories, Hong Kong.

Model: VCD-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B
Model: VCD-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 70B

Walter Kidde Portable Equipment Inc., 1394, South Third Street, Mebane, North Carolina 27302, U.S.A.

Size: 2.27 kilogram Fire Rating: 5-B:C
Size: 4.55 kilogram Fire Rating: 10-B:C
Size: 6.82 kilogram Fire Rating: 10-B:C
Size: 9.09 kilogram Fire Rating: 10-B:C

Winson Products Ltd., Shop A2, 354 Reclamation Street, Yaumatei, Kowloon, Hong Kong.

Model: FEX-CO2-2kg Size: 2 kilogram Fire Rating: 21B
Model: FEX-CO2-5kg Size: 5 kilogram Fire Rating: 55B

Yuhuan Fujie Fire Fighting Equipment Co. Ltd., Yuhuan Automobile – Motorcycle Industrial Zone, Zhejiang Province, China

Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B
Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Zhejiang Winner Fire Fighting Equipment Co. Ltd., Quinglong Road, Jiaxing, Xinhuang Town, 314008, China

Model: WN215/ML2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

上海海申消防器材廠，中國上海市浦東新區滬南路2170號

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：4B

余姚市歐倫泰防火設備有限公司，中國浙江省余姚市黃家埠五車堰

型號：MTZ2 充裝量：2 千克 滅火系數：2B

型號：MTZ5 充裝量：5 千克 滅火系數：4B

嘉興消防器材廠，中國浙江省嘉興市新篁鎮

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MT7 充裝量：7 千克 滅火系數：5B

天津市塘沽聯營消防器材廠，中國天津市塘沽區河南里7號

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

天津消防器材總廠，中國天津市西青區楊柳青營建路55號

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

型號：MT7 充裝量：7 千克 滅火系數：4B

廣州市消防器材廠，中國廣州市赤崗西路328號

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蜆涌工業村

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MTC/2 充裝量：2 千克 滅火系數：21B

型號：MTC/3 充裝量：3 千克 滅火系數：21B

型號：MTC/5 充裝量：5 千克 滅火系數：34B

廣東平安消防實業有限公司，中國廣東省佛山市南海區平州工業園

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

惠景消防工程公司，中國浙江上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

浙江威能消防器材股份有限公司，中國浙江省嘉興市南湖區鳳橋鎮新篁青龍路

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工工業專業區富民大道

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

浙江金盾消防器材有限公司，中國浙江省上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B
型號：MT3 充裝量：3 千克 滅火系數：2B
型號：MT5 充裝量：5 千克 滅火系數：3B

玉環富捷消防設備有限公司，中國浙江省玉環縣汽摩工業園區

型號：MT/2 充裝量：2 千克 滅火系數：21B
型號：MT/3 充裝量：3 千克 滅火系數：21B
型號：MT/5 充裝量：5 千克 滅火系數：34B
型號：MT/7 充裝量：7 千克 滅火系數：55B

袋鼠滅火器材(中國)有限公司，中國廣東省惠州市小金口鎮柏崗村(廣汕公路東北)

型號：MT/3 充裝量：3 千克 滅火系數：21B
型號：MT/5 充裝量：5 千克 滅火系數：34B