

推車式滅火器  
WHEELED TYPE EXTINGUISHERS

(二氧化碳類)  
(Carbon Dioxide Type)

- Amerex Corporation, P.O. Box 81, Trussville, Alabama 35173-0081, U.S.A.  
Model: 333 Size: 22.73 kilogram Fire Rating: 20B:C, Marine Type USCG Type B:C Size IV  
Model: 334 Size: 45.45 kilogram Fire Rating: 20B:C, Marine Type USCG Type B:C Size V
- a.b.s. s.r.l. Viale Lombardia, 310, 20861 Brugherio (MI), Italy  
Model: 18321 Stored Pressure Type Size: 20 kilogram Fire Rating: 233B  
Model: 18322 Stored Pressure Type Size: 30 kilogram Fire Rating: 233B  
Model: 18352 Stored Pressure Type Size: 50 kilogram Fire Rating: 233B
- Britannia Fire Ltd. Ashwellthorpe Industrial Estate, Ashwellthorpe, Norwich, NORFOLK NR 16 1ER, UNITED KINGDOM  
Model: NWC 10 Stored Pressure Type Size: 10 kilogram Fire Rating: 89B  
Model: NWC 20 Stored Pressure Type Size: 20 kilogram Fire Rating: 89B  
Model: NWC 30 Stored Pressure Type Size: 30 kilogram Fire Rating: 113B
- Buckeye Fire Extinguishers Company, PO Box 428, 110 Kings Road, Kings Mountain, NC 28086-0428, U.S.A.  
Model: C-50-SE Size: 22.73 kilogram Fire Rating: 20B:C  
Model: C-100-SE Size: 45.45 kilogram Fire Rating: 20B:C
- Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.  
Model: C.D.T. 120 Size: 9.1 kilogram  
Model: C.D.T. 150 Size: 22.7 kilogram  
Model: T.O.D. 9 Size: 9.1 kilogram  
Model: T.C.D. 23 Size: 22.7 kilogram  
Model: T.C.D. 45 Size: 45.4 kilogram
- Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.  
Model: KS 10 J Size: 10 kilogram Fire Rating: 70B  
Model: KS 20 J Size: 20 kilogram Fire Rating: 89B  
Model: KS 30 J Size: 30 kilogram Fire Rating: 113B  
Model: KS 60 J Size: 60 kilogram Fire Rating: 144B
- Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., Diestedder Strase 39, 59329 Wadersloh, Germany.  
Model: KS 10 Size: 10 kilogram Fire Rating: 113B  
Model: KS 20 Size: 20 kilogram Fire Rating: 144B  
Model: KS 30 Size: 30 kilogram Fire Rating: 144B
- Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China.  
Model: TMCD10 Stored Pressure Type Size: 10 kilogram Fire Rating: 144B  
Model: TMCD20 Stored Pressure Type Size: 20 kilogram Fire Rating: 183B  
Model: TMCD30 Stored Pressure Type Size: 30 kilogram Fire Rating: 183B
- U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.  
Model: NWC22 Size: 22 kilogram  
Model: NWC45 Size: 45 kilogram
- 浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工工業專業區富民大道  
型號：MTT/24 充裝量：24 千克 滅火系數：70B
- 玉環富捷消防設備有限公司，中國浙江省玉環縣汽摩工業園區  
型號：MTT/24 充裝量：24 千克 滅火系數：89B

## 推車式滅火器——續

## WHEELED TYPE EXTINGUISHERS—Contd.

(化學乾粉類)

(Dry Chemical Type)

Amerex Corporation, P.O. Box 81, Trussville, Alabama 35173-0081, U.S.A.

Model: 450 Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 451 Size: 68.18 kilogram Fire Rating: 240B:C

Model: 452 Size: 56.82 kilogram Fire Rating: 320B:C

Model: 467 Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 468 Size: 68.18 kilogram Fire Rating: 240B:C

Model: 469 Size: 56.82 kilogram Fire Rating: 320B:C

Model: 470 Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 471 Size: 68.18 kilogram Fire Rating: 240B:C

Model: 472 Size: 56.82 kilogram Fire Rating: 320B:C

Model: 489 Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C, Marine Type  
USCG Type B:C Size V

Model: 680 Size: 68.18 kilogram

Model: 681 Size: 113.64 kilogram

Angus Fire Armour Ltd., Thame Park Road, Thame, Oxfordshire, OX9 3RQ, England.

Model: ABC Gas Cartridge Type Size: 75 kilogram

Ansul Inc., 1 Stanton Street, Marinette, WI 54143, U.S.A.

Model: I-150-D Size: 68.18 kilogram Fire Rating: 240B:C, Marine Type USCG Type B:C  
Size VModel: I-350-D Size: 159.09 kilogram Fire Rating: 320B:C, Marine Type USCG Type B:C  
Size VModel: I-A-150-D Size: 56.82 kilogram Fire Rating: 40A:240B:C, Marine Type USCG Type  
A Size II, Type B:C Size VModel: I-A-350-D Size: 136.36 kilogram Fire Rating: 40A:320B:C, Marine Type USCG  
Type A Size II, Type B:C Size VModel: I-K-150-D Size: 56.82 kilogram Fire Rating: 320B:C, Marine Type USCG Type B:C  
Size VModel: I-K-350-D Size: 136.36 kilogram Fire Rating: 640B:C, Marine Type USCG Type  
B:C Size V

Badger-Powhatan A Figgie International Co., Charlottesville, VA 22906, U.S.A.

Model: 150MB Stored Pressure Type Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 150PB Stored Pressure Type Size: 56.82 kilogram Fire Rating: 240B:C

Model: 150RB Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C

Buckeye Fire Extinguishers Company, PO Box 428, 110 Kings Road, Kings Mountain, NC  
28086-0428, U.S.A.

Model: A-150-PT Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: A-150-RG Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: A150-SP Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: A-350-PT Size: 136.36 kilogram Fire Rating: 40A:240B:C

Model: A-350-RG Size: 136.36 kilogram Fire Rating: 40A:240B:C

Model: A50-SP Size: 22.73 kilogram Fire Rating: 30A:160B:C

Model: K-150-PT Size: 56.82 kilogram Fire Rating: 320B:C

Model: K-150-RG Size: 56.82 kilogram Fire Rating: 320B:C

Model: K150-SP Size: 56.82 kilogram Fire Rating: 320B:C

Model: K-350-PT Size: 136.36 kilogram Fire Rating: 320B:C

Model: K-350-RG Size: 136.36 kilogram Fire Rating: 320B:C

Model: K50-SP Size: 22.73 kilogram Fire Rating: 160B:C

Model: S-150-PT Size: 68.18 kilogram Fire Rating: 240B:C

Model: S-150-RG Size: 68.18 kilogram Fire Rating: 240B:C

Model: S-350-PT Size: 159.09 kilogram Fire Rating: 320B:C

Model: S-350-RG Size: 159.09 kilogram Fire Rating: 320B:C

推車式滅火器——續  
WHEELED TYPE EXTINGUISHERS—Contd.

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

Model: T.P.C. Size: 75 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., Diestedder Strasse 39, 59329 Wadersloh, Germany.

Model: P 50 G Size: 50 kilogram Fire Rating: AIII/H:144B

M.B. s.r.l., Via don Milani, 16-18 20025 Legnano, Italy

Model: PP25G Stored Pressure Type Size: 25 kilogram Fire Rating: II B (i.e. 1 no. of 233B + 2 nos. of 21B)

Model: PP50G Stored Pressure Type Size: 50 kilogram Fire Rating: III B (i.e. 1 no. of 233B + 3 nos. of 21B)

Model: PPE50G Gas Cartridge Type Size: 50 kilogram Fire Rating: III B (i.e. 1 no. of 233B + 3 nos. of 21B)

S.F.E.M.E., Les Linards, B.P. 45, 03103 Montlucon Cedex, France.

Model: SP 75S Size: 75 kilogram

Model: SP 75S Size: 75 kilogram

Sicli s.a., rue du Merlo 1, 1180 Bruxelles, Belgium.

Model: Type P50 AM1 Size: 50 kilogram Fire Rating: 55A:IVB

Model: Type P50 AM2 Size: 50 kilogram Fire Rating: 55A:IIB

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China.

Model: TMPD25 Stored Pressure Type Size: 25 kilogram Fire Rating: II B (i.e. 1 no. of 233B + 2 nos. of 21B)

Model: TMPD50 Stored Pressure Type Size: 50 kilogram Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: TMPD100 Stored Pressure Type Size: 100 kilogram Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: NWS50 Gas Cartridge Type Size: 50 kilogram

Model: NWS70 Gas Cartridge Type Size: 70 kilogram

Model: NWS165 Gas Cartridge Type Size: 165 kilogram

Walter Kidde Portable Equipment Inc., 1394, South Third Street, Mebane, North Carolina 27302, U.S.A.

Model: CF150PKM Size: 56.82 kilogram Fire Rating: 240B:C

Model: CF150RM Size: 68.18 kilogram Fire Rating: 240B:C

Model: CF150TCM Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: PRO-125TCM Stored Pressure Type Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: PRO-150RM Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C

Model: PRO-150RM-1 Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C

佛山市順德區翠聯消防器材有限公司，中國廣東省佛山市順德區大良鎮新滘工業區鴻業路18號  
型號：MFTZ/ABC50 充裝量：50 千克 滅火系數：10A:233B

廣州市消防器材廠，中國廣州市赤崗西路328號

型號：MFTZL35 充裝量：35 千克 滅火系數：27A：45B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蜆涌工業村

型號：MFTZ/ABC30 充裝量：30 千克 滅火系數：6A：183B

型號：MFTZL35 充裝量：35 千克 滅火系數：27A：45B

推車式滅火器——續  
WHEELED TYPE EXTINGUISHERS—Contd.

廣東平安消防實業有限公司，中國廣東佛山市南海區平洲工業園“張字號”廠房  
型號：MFTZ/ABC30 充裝量：30 公斤 滅火系數：6A：233B

浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工業專業區富民大道  
型號：MFTZ/ABC30 充裝量：30 公斤 滅火系數：6A：183B

玉環富捷消防設備有限公司 (Yuhuan Fujie Fire Fighting Equipment Co., Ltd)  
推車式乾粉滅火器 型號：MFTZ/ABC35 貯壓式 充裝量：35 公斤 滅火系數：4A：144B  
推車式乾粉滅火器 型號：MFTZ/ABC25 貯壓式 充裝量：25 公斤 滅火系數：4A：144B

袋鼠滅火器材 (中國) 有限公司，中國廣東省惠州市小金口鎮烏石管理區下劉村工業區  
型號：MFTZ/ABC30 充裝量：30 公斤 滅火系數：10A：183B  
型號：MFTZL35 充裝量：35 公斤 滅火系數：27A：45B

(泡沫類)  
(Foam Type)

A.B.S. srl Viale Lombardia, 310, 20861 Brugherio Sam Dam. (MI), Italia  
Model: 18225 Stored Pressure Type Size: 25 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18225\_3X Stored Pressure Type Size: 25 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18226 Stored Pressure Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18251 Stored Pressure Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18260 Gas Cartridge Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18260\_10 Gas Cartridge Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18281 Stored Pressure Type Size: 100 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18289\_10 Gas Cartridge Type Size: 100 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18289 Gas Cartridge Type Size: 100 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18284 Gas Cartridge Type Size: 150 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)  
Model: 18284\_10 Gas Cartridge Type Size: 150 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.  
Model: S 50 J Size: 50 litre Fire Rating: 55A:IV B

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., Diestedder Strasse 39, 59329 Wadersloh, Germany.  
Model: SKK 50 LW Size: 50 litre Fire Rating: 21A:183B

Rampart Engineering Co. Ltd., Peckham Grove, London SE15 6DN, United Kingdom.  
Model: TF 45 Size: 45 litre  
Model: TF 135 Size: 135 litre  
Model: TLW 45 Size: 45 litre  
Model: TLW 135 Size: 135 litre

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China.

推車式滅火器——續  
WHEELED TYPE EXTINGUISHERS—Contd.

Model: TMFM100 Stored Pressure Type Size: 100 litre Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: TMFM50 Stored Pressure Type Size: 50 litre Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: NWF45 Gas Cartridge Type Size: 45 litre

Model: NWF135 Gas Cartridge Type Size: 135 litre

廣州市消防器材廠，中國廣州市赤崗西路328號

型號：MJPTZ30 充裝量：30升 滅火系數：3A：30B

廣州市祝安消防器材有限公司，中國廣州市新港東路2519號

型號：MJPTZ25 充裝量：25升 滅火系數：27A：35B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蝦涌工業村

型號：MJPTZ65 充裝量：65升 滅火系數：21A：65B

(水劑類)  
(Water Type)

北京久久神龍消防器材有限公司，中國北京市大興區采育鎮京津塘科技園東西二路1號

型號：MSWTZ/25D20 充裝量：25公升 滅火系數：4A:183B

型號：MSWTZ/35D20 充裝量：35公升 滅火系數：6A:233B

佛山市順德區眾聯消防器材有限公司，中國廣東省佛山市順德區大良鎮新滘工業區鴻業路18號

型號：MPTZ/45 充裝量：45升 滅火系數：4A：183B

唐山曹妃甸恭安永泰消防科技有限公司，河北省曹妃甸工業區中日產業園區

推車式水基型滅火器 型號：MSTZ/25 充裝量：25升 滅火系數：4A：144B

推車式水基型滅火器 型號：MSTZ/45 充裝量：45升 滅火系數：6A：183B

推車式水基型滅火器 型號：MSTZ/65 充裝量：65升 滅火系數：10A：233B

寧波市平安消防設備製造有限公司，中國浙江省余姚市梁弄鎮東溪工業小區

型號：MSWTZ/25 充裝量：25公升 滅火系數：4A:183B

型號：MSWTZ/25D20 充裝量：25公升 滅火系數：4A:183B

型號：MSWTZ/35 充裝量：35公升 滅火系數：6A:233B

型號：MSWTZ/35D20 充裝量：35公升 滅火系數：6A:233B