L.N. 61 of 2020 Section 1 B1501

L.N. 61 of 2020

Building (Planning) (Amendment) Regulation 2020

(Made by the Secretary for Development under section 38 of the Buildings Ordinance (Cap. 123))

1. Commencement

This Regulation comes into operation on 1 September 2020.

2. Building (Planning) Regulations amended

The Building (Planning) Regulations (Cap. 123 sub. leg. F) are amended as set out in sections 3 and 4.

3. Regulation 7 substituted

Regulation 7—

Repeal the regulation

Substitute

"7. Eaves, cornices, mouldings, etc.

- (1) An architectural projection (including eaves, cornice and moulding) that projects over a street—
 - (a) must not project over the street more than 500 mm; and
 - (b) must not project at a height of less than 2.5 m above the ground level.
- (2) A pipe or gutter (including the appurtenances of the pipe or gutter) that projects over a street—
 - (a) must not project over the street more than 300 mm; and

aht of loss than 25 m

- (b) must not project at a height of less than 2.5 m above the ground level.
- (3) A specified structure that projects over a street—
 - (a) must not project over the street more than 750 mm; and
 - (b) must not project at a height of less than 2.5 m above the ground level.
- (4) A retractable awning that projects over a street—
 - (a) must not project over the street more than 500 mm (when retracted) or more than 2.5 m (when fully extended);
 - (b) must not project at a height of less than 2.5 m above the ground level;
 - (c) if it projects over a street that has a carriage-way—must have a horizontal clearance of not less than 600 mm from the pavement kerb line; and
 - (d) if it projects over a street that consists only of a footpath—must have a horizontal clearance of not less than 1.5 m from the centre line of the footpath.
- (5) A metal ventilation duct (including the associated supporting frame) that projects over a street—
 - (a) must not project over the street more than 750 mm;
 - (b) must not project at a height of less than 2.5 m above the ground level; and
 - (c) if the duct or any part of it is located on, or hung underneath the soffit of, a balcony, verandah or canopy of a building—must not

project beyond the edge of the balcony, verandah or canopy.

(6) In this regulation—

pipe (喉管) includes a water pipe and a drain pipe; specified structure (指明構築物) means—

- (a) a drying rack; or
- (b) a supporting frame for an air-conditioning unit, light fitting, or antenna or transceiver for public telecommunications services."
- 4. Third Schedule amended (persons with a disability)

Third Schedule, Chinese text, section 53(6)(c)—

Repeal

"在在"

Substitute

"在".

Michael WONG Wai-lun Secretary for Development

28 April 2020

L.N. 61 of 2020 B1507

Explanatory Note

Under section 31(1)(a) of the Buildings Ordinance (Cap. 123), a building or other structure must not be erected in, over, under or upon any portion of a street unless the building or structure complies with the relevant criteria stipulated in Part II of the Building (Planning) Regulations (Cap. 123 sub. leg. F) (principal Regulations). At present, the criteria for certain structures are set out in regulation 7 of the principal Regulations (existing provision).

- 2. The main purpose of this Regulation is to amend the principal Regulations, by replacing the existing provision with a new one, to impose criteria for certain other structures currently not covered by the existing provision. These structures are—
 - (a) supporting frames for light fitting, or antenna or transceiver for public telecommunications services;
 - (b) retractable awnings; and
 - (c) metal ventilation ducts and their associated supporting frames.