

二氧化碳滅火器  
CARBON DIOXIDE TYPE EXTINGUISHERS

A. Werner GMBH & Company, 5414 Vallendar, West Germany.

Model: CF-1002 Size: 2 kilogram

Model: CF-2006 Size: 6 kilogram

A.B.M. Victoria, Viale Lombardia 310, Brugherio, Italia.

Model: K2/B Size: 2 kilogram Fire Rating: 21B

Model: K5/EN Size: 5 kilogram Fire Rating: 89B

Model: K5P/B Size: 5 kilogram Fire Rating: 89B

ANAF S.p.A., Via del Commercio, 4, I-27020 Torre d' Isola (Pavia), Italia.

Model: CS2-A Size: 2 kilogram Fire Rating: 21B

Model: CS5-A Size: 5 kilogram Fire Rating: 89B

Abtex Ltd., Blackbrook Valley Park, Peartree Lane, Dudley, DY2 0XO United Kingdom.

Model: 920 Stored Pressure Type Size: 2 kilogram

Allied Safety Co., Ltd., Units 5-8 Highfield Industrial Estate, Bradley Road, Folkestone, Kent, CT19 6DD, United Kingdom.

Model: CA5 HH Size: 5 kilogram Fire Rating: 55B

Model: LC2 Size: 2 kilogram Fire Rating: 34B

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Amerex Fire International Limited, Unit 54, Springvale Industrial Estate, Cwmbran, Gwent, NP44 5BB, United Kingdom.

Model: 950 Size: 5 kilogram Fire Rating: 55B

Model: 920 (utilising the Carl Esser Swivel Horn) Size: 2 kilogram Fire Rating: 34B

Model: Gloria 920-80116 Size: 2 kilogram Fire Rating: 34B

Model: Gloria 920-80117 Size: 2 kilogram Fire Rating: 34B

Model: Gloria 950-80118 Size: 5 kilogram Fire Rating: 55B

Angus Fire Armour Ltd., Thame Park Road, Thame, Oxfordshire, OX9 3RQ, England.

Model: CA2SH Size: 2 kilogram

Model: CA3SH Size: 3 kilogram

Model: CA5HH Size: 5 kilogram

Model: CA6HH Size: 6 kilogram

Model: CS2SH Size: 2 kilogram

Model: CS3SH Size: 3 kilogram

Model: CS5HH Size: 5 kilogram

Model: CS6HH Size: 6 kilogram

Ansul Co., The Marinette, Wis. 54143.

Model: CD-10 Size: 4.55 kilogram Fire Rating: 5-B:C, Marine Type, USCG Type B:C, Size I

Asiatic Fire System Pte Ltd, 65 Joo Koon Circle, Singapore 629078

Model: KC-2EN Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: KC-5EN Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Associated Enterprises (S) Pte. Ltd., Block 28, #01-173, Sin Ming Drive, Singapore 575702.

Model: C-2CSEC Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: C-5CSEC Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Model: PRO-2-CD Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: PRO-5-CD Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Badger-Powhatan, Div. of A-T-O, Inc., Ranson, W. Va. 25438.

Model: B10V Size: 4.6 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I

Model: B15V Size: 6.8 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I

Model: B20V Size: 9.1 kilogram Fire Rating: 10-B:C

Model: B5V Size: 2.3 kilogram Fire Rating: 5-B:C, Marine Type, USCG, Type B:C Size I

Bedford & Company, 2/F., 14 Arran Street, Mongkok, Kowloon, Hong Kong.

Model: Bedford BC2 Size: 2 kilogram Fire Rating: 34B

Model: Bedford BC5 Size: 5 kilogram Fire Rating: 34B

Model: BK5 Size: 5 kilogram Fire Rating: 55B

Buckeye Fire Equipment Company, 102 Industrial Drive, Kings Mountain, NC 28086.

Model: 5 CD Part No. 45100 Size: 2.27 kilogram Fire Rating: 5B:C

Model: 10 CD Part No. 45600 Size: 4.55 kilogram Fire Rating: 10B:C

Model: 15 CD Part No. 46100 Size: 6.82 kilogram Fire Rating: 10B:C

Model: 20 CD Part No. 46600 Size: 9.09 kilogram Fire Rating: 10B:C

Ceasefire Industries Pvt. Ltd., 2nd Floor, Plot No. 4, Sector -135, Noida, Uttar Pradesh, 201 301, India

Model: CF 000700 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: CF 000701 Stored Pressure Type Size: 5 kilogram Fire Rating: 70B

Chubb Fire Limited, Maerdy Road, Ferndale, Rhondda, Mid Glamorgan, Wales 43CF 4AD, U.K.

Model: EC2 Size: 2 kilogram Fire Rating: 34B

Model: EC5 Size: 5 kilogram Fire Rating: 55B

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: EC20 Size: 2 kilogram Fire Rating: 34B  
Model: EC20C Size: 2 kilogram Fire Rating: 34B  
Model: EC50 Size: 5 kilogram Fire Rating: 70B  
Model: EC50C Size: 5 kilogram Fire Rating: 70B  
Model: FPC25C Size: 2 kilogram Fire Rating: 34B  
Model: FPC5C Size: 5 kilogram Fire Rating: 70B  
Model: OPC2C Size: 2 kilogram Fire Rating: 34B  
Model: OPC5C Size: 5 kilogram Fire Rating: 70B

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

Model: C5 Size: 5 kilogram Fire Rating: 55B  
Model: LC2 Size: 2 kilogram Fire Rating: 34B  
Model: SC2 Size: 2 kilogram Fire Rating: 34B  
Model: SC5 Size: 5 kilogram Fire Rating: 55B  
Model: TSC 5HH Size: 5 kilogram Fire Rating: 55B

Eversafe Extinguisher SDN. BHD., No. 2, Jalan 202, Seksyen 51, 46050, Petaling Jaya, Wilayah Persekutuan, Malaysia.

Model: ECO 10HH Size: 4.54 kilogram Fire Rating: 21B  
Model: ECO 15HH Size: 6.82 kilogram Fire Rating: 34B  
Model: ECO-2 Size: 1.13 kilogram Fire Rating: 13B  
Model: ECO-5 Size: 2.27 kilogram Fire Rating: 13B  
Model: NCO 10HH Size: 4.54 kilogram Fire Rating: 21B  
Model: NCO 11HH Size: 5 kilogram Fire Rating: 21B  
Model: NCO5 Size: 2.27 kilogram Fire Rating: 13B

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Daharul Ehsan, Malaysia.

Model: EEC-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B  
Model: EEC-2A1 e2 Size: 2 kilogram Fire Rating: 34B  
Model: EEC-2e2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B  
Model: EEC-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B  
Model: EEC-5A1 e1 Size: 5 kilogram Fire Rating: 55B  
Model: EEC-5e1 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Federal Iron Works Sdn. Bhd., 14 Jalan Tandang, Petaling Jaya, Selangor, Malaysia.

Model: 'Concord' Size: 1.1 kilogram  
Model: 'Concord' Size: 2.2 kilogram  
Model: 'Concord' Size: 4.5 kilogram

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.

Model: KS 2 J Size: 2 kilogram Fire Rating: 34B  
Model: KS 5 J Size: 5 kilogram Fire Rating: 89B

Feuerschutz Jockel GmbH & Co. KG, 42897 Remscheid-Lennep, Germany.

Jockel Model: K 5 AJ Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Fire Fighting Enterprises (Aust.) Ltd., 6, Hope St., Ermington, N.S.W. 2115 Australia.

Model: 'Quell' 108906 Size: 2.27 kilogram Fire Rating: 2B:(E)  
Model: 'Quell' 108908 Size: 5 kilogram Fire Rating: 5B:(E)  
Model: 'Quell' 109482 Size: 2.27 kilogram Fire Rating: 2B  
Model: 'Quell' 112195 Size: 5 kilogram Fire Rating: 5B

Flag Fire Equipment Ltd., Hwy. No. 2 & Patillo Road, R.R. #1, Tecumseh, Ontario, N8N 2L9, Canada.

Model: CO2-050-H Size: 2.27 kilogram  
Model: CO2-10-H Size: 4.54 kilogram

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: CO2-15-H Size: 6.82 kilogram

Model: CO2-20-H Size: 9.07 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 4724 Wadersloh

Model: KS2SB Size: 2 kilogram Fire Rating: 34B

Model: KS2SBS Size: 2 kilogram Fire Rating: 34B

Model: KS5S Size: 5 kilogram Fire Rating: 89B

Model: KS5SE Size: 5 kilogram Fire Rating: 89B

Model: KS6S Size: 6 kilogram

Model: KS6SE Size: 6 kilogram

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 64 Victoria Road, Burgess Hill, West Sussex, RH15 9LU

Model: C2GH Size: 2 kilogram Fire Rating: 55B

Hong Kong Industrial Product Co., Unit 4, 9/F., Siu Wai Industrial Centre, 29-33 Wing Hong Street, Cheung Sha Wan, Kowloon.

Model: CDE-2 Size: 2 kilogram Fire Rating: 34B:C

Model: CDE-5 Size: 5 kilogram Fire Rating: 70B:C

Model: CPR-2 Size: 2 kilogram Fire Rating: 34B

Model: CPR-5 Size: 5 kilogram Fire Rating: 70B

KIDDE Polska Sp. Z.o.o., Kolejowa 24, 39-100 Ropczyce, POLEN

Model: KS 2 ST Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5 ST Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Model: KS 2 SBS Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5 SE Stored Pressure Type Size: 5 kilogram Fire Rating: 89B

Kidde Thorn Fire Protection Ltd., Hollins Road, Oldham, Lancashire, OL8 3DX.

Model: 50060 (TG98) Size: 5 kilogram Fire Rating: 55B

Model: 50068 (TG111) Size: 2 kilogram Fire Rating: 34B

Model: 50076 (TG112) Size: 5 kilogram Fire Rating: 55B

Model: 50435 (TG102) (slim) Size: 2 kilogram Fire Rating: 34B

Model: 50786 (TG97) (squat) Size: 2 kilogram Fire Rating: 34B

Lead Profit International Industrial Limited, A7, 9/F, Merit Industrial Centre, 94 Tokwawan Road, Kowloon, Hong Kong

Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B

Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Lichfield Fire and Safety Equipment Company Limited (LIFECO), Unit 43s Siddons Factory Estate, Howard Street, Hilltop, West Bromwich, B70 OSU, United Kingdom.

Model: LC2 Size: 2 kilogram Fire Rating: 21B

Model: LC2S Size: 2 kilogram Fire Rating: 34B

Model: LC2SZ Size: 2 kilogram Fire Rating: 55B

Model: LC5 Size: 5 kilogram Fire Rating: 55B

Lingjack Engineering Works Pte. Ltd., No. 1 Woodlands Terrance, #03-01, Lingjack Industrial Building, Singapore 738471.

Model: C-2CSEC Type Size: 2 kilogram Fire Rating: 34B

Model: C-5CSEC Type Size: 5 kilogram Fire Rating: 55B

M.B.s.r.l., Via don Milani, 16-18 20025 Legnano, Italy

Model: CMSTOP Size: 5 kilogram Fire Rating: 113B

Minimax GmbH Federl Republic of Germany, Minimaxstraße 1, 72547 Bad Urach, Germany.

Model: CD2 Size: 2 kilogram Fire Rating: 34B

Model: CD5c Size: 5 kilogram Fire Rating: 89B

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Moynes Engineering Limited, Moynehall, Cavan, Country Cavan, Ireland.

Model: MC-2A Size: 2 kilogram Fire Rating: 34B

Model: MC-5A Size: 5 kilogram Fire Rating: 70B

Ningbo Meilin Machinery Co. Ltd., No. 1 Workhouse, Export Processing Zone, Ningbo 315806, China.

Model: MCA02 Size: 2 kilogram Fire Rating: 34B

Model: MCA05 Size: 5 kilogram Fire Rating: 55B

Model: MCS02 Size: 2 kilogram Fire Rating: 34B

Model: MCS05 Size: 5 kilogram Fire Rating: 55B

Ningbo ZhengXin Fire Fighting Equipment Co., Ltd., Room 15B2, 1199 Hua Shan Rd, Waigaoqiao, 200137 Shanghai, China

Model: CO5LB Size: 5 pound Fire Rating: 2B:C

Model: CO10LB Size: 10 pound Fire Rating: 10B:C

Model: CO15LB Size: 15 pound Fire Rating: 10B:C

Model: CO20LB Size: 20 pound Fire Rating: 10B:C

Nu-Swift International Limited, Elland, West Yorkshire, HX5 9DS, England, United Kingdom.

Model: 1501 Size: 1.1 kilogram

Model: 1502 Size: 2 kilogram

Phoenix Engineering Company, 32, Canford Bottom, Wimborne, Dorset, BH21 2HD, England.

Model: C2G Size: 2 kilogram Fire Rating: 34B

Model: C5G Size: 5 kilogram Fire Rating: 70B

Pii S.r.l., Via Sitya Yomo 11, I-20080 Pasturago di Vernate, Milano, Italy.

Model: CO202004 Size: 2 kilogram Fire Rating: 34B

Model: CO202014 Size: 2 kilogram Fire Rating: 34B

Model: CO202015 (with Super Horn) Size: 2 kilogram Fire Rating: 55B

Model: CO202016 (with Standard Horn) Size: 2 kilogram Fire Rating: 34B

Model: CO205006 Size: 5 kilogram Fire Rating: 89B

Model: CO205007 Size: 5 kilogram Fire Rating: 89B

Quell Fire & Safety Equipment, 6 Hope Street, Ermington, NSW 2115, Australia.

Model: 112195 Size: 5 kilogram Fire Rating: 5B:(E)

Model: 112193 (Fixed Horn) Size: 2 kilogram Fire Rating: 2B:(E)

Model: 112219 (Swivel Horn) Size: 2 kilogram Fire Rating: 2B:(E)

SAE S.r.l., Corso Kennedy, 30, I-10070 Robassomero (TO), Italy.

Model: KS 2A Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: KS 5A Stored Pressure Type Size: 5 kilogram Fire Rating: 70B

Saf-fire Products Limited, 22 Hazelford Way, Newstead, Nottinghamshire, NG15 0DQ, U.K.

Model: CD2 Size: 2 kilogram Fire Rating: 34B

Model: CD5 Size: 5 kilogram Fire Rating: 55B

Saudi Factory for Fire Equipment Company (SFFECO), Riyadh 11515, Kingdom of Saudi Arabia.

Model: CD2G Size: 2 kilogram Fire Rating: 21B

Model: CD2S Size: 2 kilogram Fire Rating: 34B

Model: CD2SZ Size: 2 kilogram Fire Rating: 55B

Model: CD5G Size: 5 kilogram Fire Rating: 55B

Sicli s.a., rue du Merlo 1, 1180 Bruxelles, Belgium.

Model: CO2/2M1 Size: 2 kilogram Fire Rating: 34B

Model: CO2/5M5 Size: 5 kilogram Fire Rating: 89B

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Soda-Club Ltd., Mishor Adumim Plant, Ugda Street 50, P.O. Box 77, Mishor Adumim Industrial Zone, Jerusalem 98510, Israel.

Model: T-117/55 Size: 2 kilogram Fire Rating: 55B

Steel Recon Industries Sdn. Bhd., No. 7, Lorong SS13/3D, Off Jalan SS13/3, Subang Jaya Industrial Area, 47500 Subang Jaya, Selangor Darul Ehsan, Malaysia.

Model: FEX 139 Stored Pressure Type Size: 2.2 kilogram Fire Rating: 21B

Model: FEX 140 Stored Pressure Type Size: 4.5 kilogram Fire Rating: 34B

Steel Recon Industries Sdn. Bhd., No. 8, Jalan Subang 7, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor Darul Ehsan, Malaysia.

Model: FEX 180 Size: 2 kilogram Fire Rating: 34B

Model: FEX 181 Size: 5 kilogram Fire Rating: 55B

Model: FEX 182 Size: 2 kilogram Fire Rating: 34B

Model: FEX 183 Size: 5 kilogram Fire Rating: 55B

Strike First Corporation, 777 Tapscott Road, Scarborough, Ontario M1X 1A2, Canada.

Model: WBDL-10CO2 Size: 4.54 kilogram Fire Rating: 10B:C

Model: WBDL-15CO2 Size: 6.8 kilogram Fire Rating: 10B:C

Model: WBDL-5CO2 Size: 2.27 kilogram Fire Rating: 5B:C

The Pyrene Co. Ltd., Firepower House, Westmead Industrial Estate, Westlea, Swindon, Wilts SN5 7YJ, U.K.

Model: 'Firepower' TSC2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

Model: 'Firepower' TSC5 Stored Pressure Type Size: 5 kilogram Fire Rating: 34B

Thorn Security Ltd., Unit 8, Uplands Trading Estate, Blackhorse Lane, Walthamstow, London E17 4QJ, England.

Model: TG 90 Size: 1.13 kilogram

Model: TG 97 Size: 2 kilogram

Model: TG 98 Size: 5 kilogram

Model: TG 111 Size: 2 kilogram

Model: TG 112 Size: 5 kilogram

Model: TG 113 Size: 6.8 kilogram

Model: TG 115 Size: 3.2 kilogram

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China

'Tianbo' Model: TMCD5 Size: 5 kilogram Fire Rating: 70B

'Tianbo' Model: TMCD5A Size: 5 kilogram Fire Rating: 70B

'Tianbo' Model: TMCD2 Size: 2 kilogram Fire Rating: 34B

'Tianbo' Model: TMCD2A Size: 2 kilogram Fire Rating: 34B

Trade Fire Limited, Unit 9, Maritime Industrial Estate, Horizon Way, Charlton, London, U.K., SE7 7AY.

Model: TC 2KM Size: 2 kilogram Fire Rating: 34B

Model: TC 2SKM Size: 2 kilogram Fire Rating: 34B

Model: TC 5HH Size: 5 kilogram Fire Rating: 34B

Model: TC 5SKM Size: 5 kilogram Fire Rating: 34B

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, England.

Model: BC 2A Size: 2 kilogram Fire Rating: 13B

Model: BC 2S Size: 2 kilogram Fire Rating: 13B

Model: BC 3A Size: 3 kilogram Fire Rating: 21B

Model: BC 3S Size: 3 kilogram Fire Rating: 21B

Model: BC 5A Size: 5 kilogram Fire Rating: 34B

Model: BC 5S Size: 5 kilogram Fire Rating: 34B

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: BC 6A Size: 6 kilogram Fire Rating: 34B  
Model: BC 6S Size: 6 kilogram Fire Rating: 34B

UK Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: 'Britannia' BC2A Size: 2 kilogram Fire Rating: 34B  
Model: 'Britannia' BC5A Size: 5 kilogram Fire Rating: 70B (aluminum body with hose and horn)

UBE Engineering Sdn. Bhd., No. 27 & 29, Jalan Utama 2/7, Maju Jaya Industrial Park, Taman Perindustrian Puchong Utama, (Section 2) Batu 14, Jalan Puchong, 47100 Puchong, Selangor.

Model: UFCO Size: 2.2 kilogram Fire Rating: 13B  
Model: UFCO Size: 4.5 kilogram Fire Rating: 21B

Vickers Fire Appliance Co., 7/F, Kam Chung Factory Building, 30-38 Lam Tin Street, Kwai Chung, New Territories, Hong Kong.

Model: VCD-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B  
Model: VCD-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 70B

Walter Kidde Portable Equipment Inc., 1394, South Third Street, Mebane, North Carolina 27302, U.S.A.

Size: 2.27 kilogram Fire Rating: 5-B:C  
Size: 4.55 kilogram Fire Rating: 10-B:C  
Size: 6.82 kilogram Fire Rating: 10-B:C  
Size: 9.09 kilogram Fire Rating: 10-B:C

Winson Products Ltd., Shop A2, 354 Reclamation Street, Yaumatei, Kowloon, Hong Kong.

Model: FEX-CO2-2kg Size: 2 kilogram Fire Rating: 21B  
Model: FEX-CO2-5kg Size: 5 kilogram Fire Rating: 55B

Yuhuan Fujie Fire Fighting Equipment Co. Ltd., Yuhuan Automobile – Motorcycle Industrial Zone, Zhejiang Province, China

Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B  
Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B

Yuhuan Fujie Fire Fighting Technology Co. Ltd., No. 8, Jinhui Road, Yuhuan Economic Development Zone, Yuhuan 317600 Zhejiang, China

Brand: Yuhuan Fujie Size: 2 kilogram Fire Rating: 34B  
Brand: Yuhuan Fujie Size: 5 kilogram Fire Rating: 89B

Zhejiang Orientx Fire Safety Equipment Co. Ltd., Wucheyan, Huangjiabu Town, Yuyao City, Zhejiang, 315466, China

Model: OCE2-LWB117 Size: 2 kilogram Fire Rating: 34B  
Model: OCE5-LWB152 Size: 5 kilogram Fire Rating: 70B  
Model: K2C Size: 2 kilogram Fire Rating: 34B  
Model: K5C Size: 5 kilogram Fire Rating: 89B

Zhejiang Winner Fire Fighting Equipment Co. Ltd., Quinglong Road, Jiaxing, Xinhuang Town, 314008, China

Model: WN215/ML2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B

上海海申消防器材廠，中國上海市浦東新區瀘南路2170號

型號：MT2 充裝量：2 千克 滅火系數：2B  
型號：MT3 充裝量：3 千克 滅火系數：2B  
型號：MT5 充裝量：5 千克 滅火系數：4B

## 二氧化碳滅火器——續

## CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

上海鳴宇消防設備製造有限公司江山分公司，中國浙江省江山市清湖鎮龍飛路 19 號

型號：MT/2 充裝量：2 公斤 滅火系數：21B:C:E

型號：MT/5 充裝量：5 公斤 滅火系數：34B:C:E

余姚市歐倫泰防火設備有限公司，中國浙江省余姚市黃家埠五車堰

型號：MTZ2 充裝量：2 千克 滅火系數：2B

型號：MTZ5 充裝量：5 千克 滅火系數：4B

嘉興消防器材廠，中國浙江省嘉興市新塢鎮

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MT7 充裝量：7 千克 滅火系數：5B

天津市塘沽聯營消防器材廠，中國天津市塘沽區河南里 7 號

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

天津消防器材總廠，中國天津市西青區楊柳青營建路 55 號

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

型號：MT7 充裝量：7 千克 滅火系數：4B

廣州市消防器材廠，中國廣州市赤崗西路 328 號

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蜆涌工業村

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MTC/2 充裝量：2 千克 滅火系數：21B

型號：MTC/3 充裝量：3 千克 滅火系數：21B

型號：MTC/5 充裝量：5 千克 滅火系數：34B

廣東平安消防實業有限公司，中國廣東省佛山市南海區桂城街道平州工業園永順路

型號：MT2 充裝量：2 千克 滅火系數：2B

型號：MT3 充裝量：3 千克 滅火系數：3B

型號：MT5 充裝量：5 千克 滅火系數：4B

型號：MT/2 充裝量：2 千克 滅火系數：21B:C:E

型號：MT/3 充裝量：3 千克 滅火系數：21B:C:E

型號：MT/5 充裝量：5 千克 滅火系數：34B:C:E

惠景消防工程公司，中國浙江上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

浙江威能消防器材股份有限公司，中國浙江省嘉興市南湖區鳳橋鎮新塢青龍路

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工工業專業區富民大道

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B



二氧化碳滅火器——續  
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

浙江金盾消防器材有限公司，中國浙江省上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B

型號：MT3 充裝量：3 千克 滅火系數：2B

型號：MT5 充裝量：5 千克 滅火系數：3B

玉環富捷消防設備有限公司，中國浙江省玉環縣汽摩工業園區

型號：MT/2 充裝量：2 千克 滅火系數：21B

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B

型號：MT/7 充裝量：7 千克 滅火系數：55B

袋鼠滅火器材(中國)有限公司，中國廣東省惠州市小金口鎮柏崗村(廣汕公路東北)

型號：MT/3 充裝量：3 千克 滅火系數：21B

型號：MT/5 充裝量：5 千克 滅火系數：34B