

推車式滅火器
WHEELED TYPE EXTINGUISHERS

(二氧化碳類)
(Carbon Dioxide Type)

Amerex Corporation, P.O. Box 81, Trussville, Alabama 35173-0081, U.S.A.

Model: 333 Size: 22.73 kilogram Fire Rating: 20B:C, Marine Type USCG Type B:C Size IV

Model: 334 Size: 45.45 kilogram Fire Rating: 20B:C, Marine Type USCG Type B:C Size V

a.b.s. s.r.l. Viale Lombardia, 310, 20861 Brugherio (MI), Italy

Model: 18321 Stored Pressure Type Size: 20 kilogram Fire Rating: 233B

Model: 18322 Stored Pressure Type Size: 30 kilogram Fire Rating: 233B

Model: 18352 Stored Pressure Type Size: 50 kilogram Fire Rating: 233B

Britannia Fire Ltd. Ashwellthorpe Industrial Estate, Ashwellthorpe, Norwich, NORFOLK NR 16 1ER, UNITED KINGDON

Model: NWC 10 Stored Pressure Type Size: 10 kilogram Fire Rating: 89B

Model: NWC 20 Stored Pressure Type Size: 20 kilogram Fire Rating: 89B

Model: NWC 30 Stored Pressure Type Size: 30 kilogram Fire Rating: 113B

Buckeye Fire Extinguishers Company, PO Box 428, 110 Kings Road, Kings Mountain, NC 28086-0428, U.S.A.

Model: C-50-SE Size: 22.73 kilogram Fire Rating: 20B:C

Model: C-100-SE Size: 45.45 kilogram Fire Rating: 20B:C

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

Model: C.D.T. 120 Size: 9.1 kilogram

Model: C.D.T. 150 Size: 22.7 kilogram

Model: T.O.D. 9 Size: 9.1 kilogram

Model: T.C.D. 23 Size: 22.7 kilogram

Model: T.C.D. 45 Size: 45.4 kilogram

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Dahrul Ehsan, Malaysia.

Model: MCO-10 Size: 10 kilogram Fire Rating: 70B

Model: MCO-20 Size: 20 kilogram Fire Rating: 89B

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.

Model: KS 10 J Size: 10 kilogram Fire Rating: 70B

Model: KS 20 J Size: 20 kilogram Fire Rating: 89B

Model: KS 30 J Size: 30 kilogram Fire Rating: 113B

Model: KS 60 J Size: 60 kilogram Fire Rating: 144B

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., Diestedder Strasse 39, 59329 Wadersloh, Germany.

Model: KS 10 Size: 10 kilogram Fire Rating: 113B

Model: KS 20 Size: 20 kilogram Fire Rating: 144B

Model: KS 30 Size: 30 kilogram Fire Rating: 144B

推車式滅火器——續

WHEELED TYPE EXTINGUISHERS—Contd.

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China.

Model: TMCD10 Stored Pressure Type Size: 10 kilogram Fire Rating: 144B

Model: TMCD20 Stored Pressure Type Size: 20 kilogram Fire Rating: 183B

Model: TMCD30 Stored Pressure Type Size: 30 kilogram Fire Rating: 183B

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: NWC22 Size: 22 kilogram

Model: NWC45 Size: 45 kilogram

浙江浙安消防設備有限公司：中國浙江省蘭溪市蘭江輕工工業專業區富民大道

型號：MTT/24 充裝量：24 千克 滅火系數：70B

玉環富捷消防設備有限公司：中國浙江省玉環縣汽摩工業園區

型號：MTT/24 充裝量：24 千克 滅火系數：89B

(化學乾粉類)

(Dry Chemical Type)

Amerex Corporation, P.O. Box 81, Trussville, Alabama 35173-0081, U.S.A.

Model: 450 Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 451 Size: 68.18 kilogram Fire Rating: 240B:C

Model: 452 Size: 56.82 kilogram Fire Rating: 320B:C

Model: 467 Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 468 Size: 68.18 kilogram Fire Rating: 240B:C

Model: 469 Size: 56.82 kilogram Fire Rating: 320B:C

Model: 470 Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 471 Size: 68.18 kilogram Fire Rating: 240B:C

Model: 472 Size: 56.82 kilogram Fire Rating: 320B:C

Model: 489 Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C, Marine Type USCG Type B:C Size V

Model: 680 Size: 68.18 kilogram

Model: 681 Size: 113.64 kilogram

Angus Fire Armour Ltd., Thame Park Road, Thame, Oxfordshire, OX9 3RQ, England.

Model: ABC Gas Cartridge Type Size: 75 kilogram

Ansul Inc., 1 Stanton Street, Marinette, WI 54143, U.S.A.

Model: CR-I-150-D Gas Cartridge Type Size: 150 pound Fire Rating: 240B:C

Model: I-150-D Size: 68.18 kilogram Fire Rating: 240B:C, Marine Type USCG Type B:C Size V

Model: I-350-D Size: 159.09 kilogram Fire Rating: 320B:C, Marine Type USCG Type B:C Size V

Model: I-A-150-D Size: 56.82 kilogram Fire Rating: 40A:240B:C, Marine Type USCG Type A Size II, Type B:C Size V

Model: I-A-350-D Size: 136.36 kilogram Fire Rating: 40A:320B:C, Marine Type USCG Type A Size II, Type B:C Size V

Model: I-K-150-D Size: 56.82 kilogram Fire Rating: 320B:C, Marine Type USCG Type B:C Size V

Model: I-K-350-D Size: 136.36 kilogram Fire Rating: 640B:C, Marine Type USCG Type B:C Size V

Badger-Powhatan A Figgie International Co., Charlottesville, VA 22906, U.S.A.

Model: 150MB Stored Pressure Type Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: 150PB Stored Pressure Type Size: 56.82 kilogram Fire Rating: 240B:C

Model: 150RB Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C

推車式滅火器——續

WHEELED TYPE EXTINGUISHERS—Contd.

Buckeye Fire Extinguishers Company, PO Box 428, 110 Kings Road, Kings Mountain, NC 28086-0428, U.S.A.

Model: A-150-PT Size: 56.82 kilogram Fire Rating: 40A:240B:C
Model: A-150-RG Size: 56.82 kilogram Fire Rating: 40A:240B:C
Model: A150-SP Size: 56.82 kilogram Fire Rating: 40A:240B:C
Model: A-350-PT Size: 136.36 kilogram Fire Rating: 40A:240B:C
Model: A-350-RG Size: 136.36 kilogram Fire Rating: 40A:240B:C
Model: A50-SP Size: 22.73 kilogram Fire Rating: 30A:160B:C
Model: K-150-PT Size: 56.82 kilogram Fire Rating: 320B:C
Model: K-150-RG Size: 56.82 kilogram Fire Rating: 320B:C
Model: K150-SP Size: 56.82 kilogram Fire Rating: 320B:C
Model: K-350-PT Size: 136.36 kilogram Fire Rating: 320B:C
Model: K-350-RG Size: 136.36 kilogram Fire Rating: 320B:C
Model: K50-SP Size: 22.73 kilogram Fire Rating: 160B:C
Model: S-150-PT Size: 68.18 kilogram Fire Rating: 240B:C
Model: S-150-RG Size: 68.18 kilogram Fire Rating: 240B:C
Model: S-350-PT Size: 159.09 kilogram Fire Rating: 320B:C
Model: S-350-RG Size: 159.09 kilogram Fire Rating: 320B:C

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

Model: T.P.C. Size: 75 kilogram

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Dahrul Ehsan, Malaysia.

Model: MPM-25 Size: 25 kilogram Fire Rating: Type I B
Model: MPG-25 Gas Cartridge Type Size: 25 kilogram Fire Rating: Type I B
Model: MPM-50 Stored Pressure Type Size: 50 kilogram Fire Rating: Type II B
Model: MPG-50 Gas Cartridge Type Size: 50 kilogram Fire Rating: Type II B

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., Diestedder Strasse 39, 59329 Wadersloh, Germany.

Model: P 50 G Size: 50 kilogram Fire Rating: AIII/H:144B

M.B. s.r.l., Via don Milani, 16-18 20025 Legnano, Italy

Model: PP25G Stored Pressure Type Size: 25 kilogram Fire Rating: II B (i.e. 1 no. of 233B + 2 nos. of 21B)
Model: PP50G Stored Pressure Type Size: 50 kilogram Fire Rating: III B (i.e. 1 no. of 233B + 3 nos. of 21B)
Model: PPE50G Gas Cartridge Type Size: 50 kilogram Fire Rating: III B (i.e. 1 no. of 233B + 3 nos. of 21B)

S.F.E.M.E., Les Linards, B.P. 45, 03103 Montlucon Cedex, France.

Model: SP 75S Size: 75 kilogram
Model: SP 75S Size: 75 kilogram

Sicli s.a., rue du Merlo 1, 1180 Bruxelles, Belgium.

Model: Type P50 AM1 Size: 50 kilogram Fire Rating: 55A:IVB
Model: Type P50 AM2 Size: 50 kilogram Fire Rating: 55A:IIB

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China.
Model: TMPD25 Stored Pressure Type Size: 25 kilogram Fire Rating: II B (i.e. 1 no. of 233B + 2 nos. of 21B)

Model: TMPD50 Stored Pressure Type Size: 50 kilogram Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: TMPD100 Stored Pressure Type Size: 100 kilogram Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

推車式滅火器——續

WHEELED TYPE EXTINGUISHERS—Contd.

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: NWS50 Gas Cartridge Type Size: 50 kilogram

Model: NWS70 Gas Cartridge Type Size: 70 kilogram

Model: NWS165 Gas Cartridge Type Size: 165 kilogram

Walter Kidde Portable Equipment Inc., 1394, South Third Street, Mebane, North Carolina 27302, U.S.A.

Model: CF150PKM Size: 56.82 kilogram Fire Rating: 240B:C

Model: CF150RM Size: 68.18 kilogram Fire Rating: 240B:C

Model: CF150TCM Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: PRO-125TCM Stored Pressure Type Size: 56.82 kilogram Fire Rating: 40A:240B:C

Model: PRO-150RM Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C

Model: PRO-150RM-1 Stored Pressure Type Size: 68.18 kilogram Fire Rating: 240B:C

佛山市順德區眾聯消防器材有限公司，中國廣東省佛山市順德區大良鎮新滘工業區鴻業路 18 號
型號：MFTZ/ABC50 充裝量：50 千克 滅火系數：10A:233B

廣州市消防器材廠，中國廣州市赤崗西路 328 號
型號：MFTZL35 充裝量：35 千克 滅火系數：27A：45B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮鎮涌工業村
型號：MFTZ/ABC30 充裝量：30 千克 滅火系數：6A：183B
型號：MFTZL35 充裝量：35 千克 滅火系數：27A：45B

廣東平安消防實業有限公司，中國廣東佛山市南海區平洲工業園“張字號”廠房
型號：MFTZ/ABC30 充裝量：30 公斤 滅火系數：6A：233B

浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工業專業區富民大道
型號：MFTZ/ABC30 充裝量：30 千克 滅火系數：6A：183B

玉環富捷消防設備有限公司 (Yuhuan Fujie Fire Fighting Equipment Co., Ltd)
推車式乾粉滅火器 型號：MFTZ/ABC35 貯壓式 充裝量：35 千克 滅火系數：4A：144B
推車式乾粉滅火器 型號：MFTZ/ABC25 貯壓式 充裝量：25 千克 滅火系數：4A：144B

袋鼠滅火器材(中國)有限公司，中國廣東省惠州市小金口鎮烏石管理區下劉村工業區
型號：MFTZ/ABC30 充裝量：30 千克 滅火系數：10A：183B
型號：MFTZL35 充裝量：35 千克 滅火系數：27A：45B

(泡沫類)
(Foam Type)

A.B.S. srl Viale Lombardia, 310, 20861 Brugherio Sam Dam. (MI), Italia
Model: 18225 Stored Pressure Type Size: 25 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)
Model: 18225_3X Stored Pressure Type Size: 25 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)
Model: 18226 Stored Pressure Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)
Model: 18251 Stored Pressure Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)
Model: 18260 Gas Cartridge Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)
Model: 18260_10 Gas Cartridge Type Size: 50 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)
Model: 18281 Stored Pressure Type Size: 100 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)

推車式滅火器——續

WHEELED TYPE EXTINGUISHERS—Contd.

Model: 18289_10 Gas Cartridge Type Size: 100 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: 18289 Gas Cartridge Type Size: 100 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: 18284 Gas Cartridge Type Size: 150 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: 18284_10 Gas Cartridge Type Size: 150 litre Fire Rating: IVB (i.e. 1 no. of 233B + 4 nos. of 21B)

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Dahrul Ehsan, Malaysia.

Model: MFM-45 Stored Pressure Type Size: 45 litre Fire Rating: Type II B

Model: MFG-45 Gas Cartridge Type Size: 45 litre Fire Rating: Type II B

Model: MFM-135 Stored Pressure Type Size: 135 litre Fire Rating: Type IV B

Model: MFG-135 Gas Cartridge Type Size: 135 litre Fire Rating: Type IV B

Model: MFG-150 Gas Cartridge Type Size: 150 litre Fire Rating: Type IV B

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.

Model: S 50 J Size: 50 litre Fire Rating: 55A:IV B

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., Diestedder Strasse 39, 59329 Wadersloh, Germany.

Model: SKK 50 LW Size: 50 litre Fire Rating: 21A:183B

Rampart Engineering Co. Ltd., Peckham Grove, London SE15 6DN, United Kingdom.

Model: TF 45 Size: 45 litre

Model: TF 135 Size: 135 litre

Model: TLW 45 Size: 45 litre

Model: TLW 135 Size: 135 litre

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China.

Model: TMFM100 Stored Pressure Type Size: 100 litre Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

Model: TMFM50 Stored Pressure Type Size: 50 litre Fire Rating: IV B (i.e. 1 no. of 233B + 4 nos. of 21B)

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: NWF45 Gas Cartridge Type Size: 45 litre

Model: NWF135 Gas Cartridge Type Size: 135 litre

廣州市消防器材廠，中國廣州市赤崗西路328號

型號：MJPTZ30 充裝量：30升 滅火系數：3A：30B

廣州市祝安消防器材有限公司，中國廣州市新港東路2519號

型號：MJPTZ25 充裝量：25升 滅火系數：27A：35B

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蜆涌工業村

型號：MJPTZ65 充裝量：65升 滅火系數：21A：65B

(水劑類)
(Water Type)

北京久久神龍消防器材有限公司，中國北京市大興區采育鎮京津塘科技園東西二路1號

型號：MSWTZ/25D20 充裝量：25公升 滅火系數：4A:183B

型號：MSWTZ/35D20 充裝量：35公升 滅火系數：6A:233B

推車式滅火器——續
WHEELED TYPE EXTINGUISHERS—Contd.

佛山市順德區眾聯消防器材有限公司，中國廣東省佛山市順德區大良鎮新滘工業區鴻業路 18 號
型號：MPTZ/45 充裝量：45 升 滅火系數：4A：183B

唐山曹妃甸恭安永泰消防科技有限公司，河北省曹妃甸工業區中日產業園區
推車式水基型滅火器 型號：MSTZ/25 充裝量：25 升 滅火系數：4A：144B
推車式水基型滅火器 型號：MSTZ/45 充裝量：45 升 滅火系數：6A：183B
推車式水基型滅火器 型號：MSTZ/65 充裝量：65 升 滅火系數：10A：233B

寧波市平安消防設備製造有限公司，中國浙江省余姚市梁弄鎮東溪工業小區
型號：MSWTZ/25 充裝量：25 公升 滅火系數：4A:183B
型號：MSWTZ/25D20 充裝量：25 公升 滅火系數：4A:183B
型號：MSWTZ/35 充裝量：35 公升 滅火系數：6A:233B
型號：MSWTZ/35D20 充裝量：35 公升 滅火系數：6A:233B

廈門一泰消防科技開發有限公司，中國福建省廈門市同安區工業集中區思明園 17 號
型號：MSTZ/25 充裝量：25 公升 滅火系數：6A:183B
型號：MSTZ/45 充裝量：45 公升 滅火系數：10A:233B
型號：MSTZ/65 充裝量：65 公升 滅火系數：10A:233B