

二氧化碳滅火器
CARBON DIOXIDE TYPE EXTINGUISHERS

- A. Werner GMBH & Company, 5414 Vallendar, West Germany.
Model: CF-1002 Size: 2 kilogram (Approval Expiry Date: 1.1.2026)
Model: CF-2006 Size: 6 kilogram (Approval Expiry Date: 1.1.2026)
- A.B.M. Victoria, Viale Lombardia 310, Brugherio, Italia.
Model: K2/B Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: K5/EN Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
Model: K5P/B Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
- ANAF S.p.A., Via del Commercio, 4, I-27020 Torre d' Isola (Pavia), Italia.
Model: CS2-A Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: CS5-A Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
- Abtex Ltd., Blackbrook Valley Park, Peartree Lane, Dudley, DY2 0XO United Kingdom.
Model: 920 Stored Pressure Type Size: 2 kilogram (Approval Expiry Date: 1.1.2026)
- Allied Safety Co., Ltd., Units 5-8 Highfield Industrial Estate, Bradley Road, Folkestone, Kent, CT19 6DD, United Kingdom.
Model: CA5 HH Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: LC2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
- Amerex Fire International Limited, Unit 54, Springvale Industrial Estate, Cwmbran, Gwent, NP44 5BB, United Kingdom.
Model: 950 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: 920 (utilising the Carl Esser Swivel Horn) Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: Gloria 920-80116 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: Gloria 920-80117 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: Gloria 950-80118 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Angus Fire Armour Ltd., Thame Park Road, Thame, Oxfordshire, OX9 3RQ, England.

Model: CA2SH Size: 2 kilogram (Approval Expiry Date: 1.1.2026)

Model: CA3SH Size: 3 kilogram (Approval Expiry Date: 1.1.2026)

Model: CA5HH Size: 5 kilogram (Approval Expiry Date: 1.1.2026)

Model: CA6HH Size: 6 kilogram (Approval Expiry Date: 1.1.2026)

Model: CS2SH Size: 2 kilogram (Approval Expiry Date: 1.1.2026)

Model: CS3SH Size: 3 kilogram (Approval Expiry Date: 1.1.2026)

Model: CS5HH Size: 5 kilogram (Approval Expiry Date: 1.1.2026)

Model: CS6HH Size: 6 kilogram (Approval Expiry Date: 1.1.2026)

Ansul Co., The Marinette, Wis. 54143.

Model: CD-10 Size: 4.55 kilogram Fire Rating: 5-B:C, Marine Type, USCG Type B:C, Size I (Approval Expiry Date: 1.1.2026)

Asiatic Fire System Pte Ltd, 65 Joo Koon Circle, Singapore 629078

Model: KC-2EN Stored Pressure Type Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: KC-5EN Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Associated Enterprises (S) Pte. Ltd., Block 28, #01-173, Sin Ming Drive, Singapore 575702.

Model: C-2CSEC Stored Pressure Type Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: C-5CSEC Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: PRO-2-CD Stored Pressure Type Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: PRO-5-CD Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Badger-Powhatan, Div. of A-T-O, Inc., Ranson, W. Va. 25438.

Model: B10V Size: 4.6 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I (Approval Expiry Date: 1.1.2026)

Model: B15V Size: 6.8 kilogram Fire Rating: 10-B:C, Marine Type, USCG, Type B:C Size I (Approval Expiry Date: 1.1.2026)

Model: B20V Size: 9.1 kilogram Fire Rating: 10-B:C (Approval Expiry Date: 1.1.2026)

Model: B5V Size: 2.3 kilogram Fire Rating: 5-B:C, Marine Type, USCG, Type B:C Size I (Approval Expiry Date: 1.1.2026)

Bedford & Company, 2/F., 14 Arran Street, Mongkok, Kowloon, Hong Kong.

Model: Bedford BC2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: Bedford BC5 Size: 5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: BK5 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Buckeye Fire Equipment Company, 102 Industrial Drive, Kings Mountain, NC 28086.

Model: 5 CD Part No. 45100 Size: 2.27 kilogram Fire Rating: 5B:C (Approval Expiry Date: 1.1.2026)

Model: 10 CD Part No. 45600 Size: 4.55 kilogram Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)

Model: 15 CD Part No. 46100 Size: 6.82 kilogram Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)

Model: 20 CD Part No. 46600 Size: 9.09 kilogram Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Ceasefire Industries Pvt. Ltd., 2nd Floor, Plot No. 4, Sector -135, Noida, Uttar Pradesh, 201 301, India

Model: CF 000700 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: CF 000701 Stored Pressure Type Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

Chubb Fire Limited, Maerdy Road, Ferndale, Rhondda, Mid Glamorgan, Wales 43CF 4AD, U.K.

Model: EC2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: EC5 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: EC20 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: EC20C Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: EC50 Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

Model: EC50C Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

Model: FPC2SC Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: FPC5C Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

Model: OPC2C Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: OPC5C Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

Chubb Fire Security Ltd., Pyrene House, Sunbury-on-Thames, Middlesex TW16 7AR, England, United Kingdom.

Model: C5 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: LC2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: SC2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: SC5 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: TSC 5HH Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Eversafe Extinguisher SDN. BHD., No. 2, Jalan 202, Seksyen 51, 46050, Petaling Jaya, Wilayah Persekutuan, Malaysia.

Model: ECO 10HH Size: 4.54 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: ECO 15HH Size: 6.82 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: ECO-2 Size: 1.13 kilogram Fire Rating: 13B (Approval Expiry Date: 1.1.2026)

Model: ECO-5 Size: 2.27 kilogram Fire Rating: 13B (Approval Expiry Date: 1.1.2026)

Model: NCO 10HH Size: 4.54 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: NCO 11HH Size: 5 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: NCO5 Size: 2.27 kilogram Fire Rating: 13B (Approval Expiry Date: 1.1.2026)

Eversafe Extinguisher Sdn. Bhd., Lot 878, Jalan Subang 9, Taman Perindustrian Subang, 47500 Subang Jaya, Selangor Dahrul Ehsan, Malaysia.

Model: EEC-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: EEC-2A1 e2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: EEC-2e2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: EEC-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: EEC-5A1 e1 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: EEC-5e1 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Federal Iron Works Sdn. Bhd., 14 Jalan Tandang, Petaling Jaya, Selangor, Malaysia.

Model: 'Concord' Size: 1.1 kilogram (Approval Expiry Date: 1.1.2026)

Model: 'Concord' Size: 2.2 kilogram (Approval Expiry Date: 1.1.2026)

Model: 'Concord' Size: 4.5 kilogram (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Feuerschutz Jockel, 42897 Remscheid-Lennep, Germany.

Model: KS 2 J Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: KS 5 J Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)

Feuerschutz Jockel GmbH & Co. KG, 42897 Remscheid-Lennep, Germany.

Jockel Model: K 5 AJ Stored Pressure Type Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)

Fire Fighting Enterprises (Aust.) Ltd., 6, Hope St., Ermington, N.S.W. 2115 Australia.

Model: 'Quell' 108906 Size: 2.27 kilogram Fire Rating: 2B:(E) (Approval Expiry Date: 1.1.2026)

Model: 'Quell' 108908 Size: 5 kilogram Fire Rating: 5B:(E) (Approval Expiry Date: 1.1.2026)

Model: 'Quell' 109482 Size: 2.27 kilogram Fire Rating: 2B (Approval Expiry Date: 1.1.2026)

Model: 'Quell' 112195 Size: 5 kilogram Fire Rating: 5B (Approval Expiry Date: 1.1.2026)

Flag Fire Equipment Ltd., Hwy. No. 2 & Patillo Road, R.R. #1, Tecumseh, Ontario, N8N 2L9, Canada.

Model: CO2-050-H Size: 2.27 kilogram (Approval Expiry Date: 1.1.2026)

Model: CO2-10-H Size: 4.54 kilogram (Approval Expiry Date: 1.1.2026)

Model: CO2-15-H Size: 6.82 kilogram (Approval Expiry Date: 1.1.2026)

Model: CO2-20-H Size: 9.07 kilogram (Approval Expiry Date: 1.1.2026)

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 4724 Wadersloh

Model: KS2SB Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: KS2SBS Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: KS5S Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)

Model: KS5SE Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)

Model: KS6S Size: 6 kilogram (Approval Expiry Date: 1.1.2026)

Model: KS6SE Size: 6 kilogram (Approval Expiry Date: 1.1.2026)

Gloria-Werke H. Schulte-Frankenfeld GmbH & Co., 64 Victoria Road, Burgess Hill, West Sussex, RH15 9LU

Model: C2GH Size: 2 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Hong Kong Industrial Product Co., Unit 4, 9/F., Siu Wai Industrial Centre, 29-33 Wing Hong Street, Cheung Sha Wan, Kowloon.

Model: CDE-2 Size: 2 kilogram Fire Rating: 34B:C (Approval Expiry Date: 1.1.2026)

Model: CDE-5 Size: 5 kilogram Fire Rating: 70B:C (Approval Expiry Date: 1.1.2026)

Model: CPR-2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: CPR-5 Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

KIDDE Polska Sp. Z.o.o., Kolejowa 24, 39-100 Ropczyce, POLEN

Model: KS 2 ST Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: KS 5 ST Stored Pressure Type Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)

Model: KS 2 SBS Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: KS 5 SE Stored Pressure Type Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)

Kidde Thorn Fire Protection Ltd., Hollins Road, Oldham, Lancashire, OL8 3DX.

Model: 50060 (TG98) Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: 50068 (TG111) Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: 50076 (TG112) Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)

Model: 50435 (TG102) (slim) Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

- Model: 50786 (TG97) (squat) Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
- Lead Profit International Industrial Limited, A7, 9/F, Merit Industrial Centre, 94 Tokwawan Road, Kowloon, Hong Kong
Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Lichfield Fire and Safety Equipment Company Limited (LIFECO), Unit 43s Siddons Factory Estate, Howard Street, Hilltop, West Bromwich, B70 OSU, United Kingdom.
Model: LC2 Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: LC2S Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: LC2SZ Size: 2 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: LC5 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Lingjack Engineering Works Pte. Ltd., No. 1 Woodlands Terrance, #03-01, Lingjack Industrial Building, Singapore 738471.
Model: C-2CSEC Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: C-5CSEC Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- M.B.s.r.l., Via don Milani, 16-18 20025 Legnano, Italy
Model: CM5TOP Size: 5 kilogram Fire Rating: 113B (Approval Expiry Date: 1.1.2026)
- Minimax GmbH Federl Republic of Germany, MinimaxstraBe 1, 72547 Bad Urach, Germany.
Model: CD2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: CD5c Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
- Moyné Engineering Limited, Moynéhall, Cavan, Country Cavan, Ireland.
Model: MC-2A Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: MC-5A Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)
- Ningbo Meilin Machinery Co. Ltd., No. 1 Workhouse, Export Processing Zone, Ningbo 315806, China.
Model: MCA02 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: MCA05 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: MCS02 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: MCS05 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Ningbo ZhengXin Fire Fighting Equipment Co., Ltd., Room 15B2, 1199 Hua Shan Rd, Waigaoqiao, 200137 Shanghai, China
Model: CO5LB Size: 5 pound Fire Rating: 2B:C (Approval Expiry Date: 1.1.2026)
Model: CO10LB Size: 10 pound Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)
Model: CO15LB Size: 15 pound Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)
Model: CO20LB Size: 20 pound Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)
- Nu-Swift International Limited, Elland, West Yorkshire, HX5 9DS, England, United Kingdom.
Model: 1501 Size: 1.1 kilogram (Approval Expiry Date: 1.1.2026)
Model: 1502 Size: 2 kilogram (Approval Expiry Date: 1.1.2026)
- Phoenix Engineering Company, 32, Canford Bottom, Wimborne, Dorset, BH21 2HD, England.
Model: C2G Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: C5G Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)
- Pii S.r.l., Via Sitya Yomo 11, I-20080 Pasturago di Vernate, Milano, Italy.
Model: CO202004 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: CO202014 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

- Model: CO202015 (with Super Horn) Size: 2 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: CO202016 (with Standard Horn) Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: CO205006 Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
Model: CO205007 Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
- Quell Fire & Safety Equipment, 6 Hope Street, Ermington, NSW 2115, Australia.
Model: 112195 Size: 5 kilogram Fire Rating: 5B:(E) (Approval Expiry Date: 1.1.2026)
Model: 112193 (Fixed Horn) Size: 2 kilogram Fire Rating: 2B:(E) (Approval Expiry Date: 1.1.2026)
Model: 112219 (Swivel Horn) Size: 2 kilogram Fire Rating: 2B:(E) (Approval Expiry Date: 1.1.2026)
- SAE S.r.l., Corso Kennedy, 30, I-10070 Robassomero (TO), Italy.
Model: KS 2A Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: KS 5A Stored Pressure Type Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)
- Saf-fire Products Limited, 22 Hazelford Way, Newstead, Nottinghamshire, NG15 0DQ, U.K.
Model: CD2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: CD5 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Saudi Factory for Fire Equipment Company (SFFECO), Riyadh 11515, Kingdom of Saudi Arabia.
Model: CD2G Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: CD2S Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: CD2SZ Size: 2 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: CD5G Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Sicli s.a., rue du Merlo 1, 1180 Bruxelles, Belgium.
Model: CO2/2M1 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: CO2/5M5 Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
- Soda-Club Ltd., Mishor Adumim Plant, Ugda Street 50, P.O. Box 77, Mishor Adumim Industrial Zone, Jerusalem 98510, Israel.
Model: T-117/55 Size: 2 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Steel Recon Industries Sdn. Bhd., No. 7, Lorong SS13/3D, Off Jalan SS13/3, Subang Jaya Industrial Area, 47500 Subang Jaya, Selangor Darul Ehsan, Malaysia.
Model: FEX 139 Stored Pressure Type Size: 2.2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: FEX 140 Stored Pressure Type Size: 4.5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
- Steel Recon Industries Sdn. Bhd., No. 8, Jalan Subang 7, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor Darul Ehsan, Malaysia.
Model: FEX 180 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: FEX 181 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
Model: FEX 182 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: FEX 183 Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Strike First Corporation, 777 Tapscott Road, Scarborough, Ontario M1X 1A2, Canada.
Model: WBDL-10CO2 Size: 4.54 kilogram Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)
Model: WBDL-15CO2 Size: 6.8 kilogram Fire Rating: 10B:C (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

Model: WBDL-5CO2 Size: 2.27 kilogram Fire Rating: 5B:C (Approval Expiry Date: 1.1.2026)

The Pyrene Co. Ltd., Firepower House, Westmead Industrial Estate, Westlea, Swindon, Wilts SN5 7YJ, U.K.

Model: 'Firepower' TSC2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: 'Firepower' TSC5 Stored Pressure Type Size: 5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Thorn Security Ltd., Unit 8, Uplands Trading Estate, Blackhorse Lane, Walthamstow, London E17 4QJ, England.

Model: TG 90 Size: 1.13 kilogram (Approval Expiry Date: 1.1.2026)

Model: TG 97 Size: 2 kilogram (Approval Expiry Date: 1.1.2026)

Model: TG 98 Size: 5 kilogram (Approval Expiry Date: 1.1.2026)

Model: TG 111 Size: 2 kilogram (Approval Expiry Date: 1.1.2026)

Model: TG 112 Size: 5 kilogram (Approval Expiry Date: 1.1.2026)

Model: TG 113 Size: 6.8 kilogram (Approval Expiry Date: 1.1.2026)

Model: TG 115 Size: 3.2 kilogram (Approval Expiry Date: 1.1.2026)

Tianbo & Mega Safety Limited, Room 602, No 38, Lane 2250, Donjing Road, Shanghai, China

'Tianbo' Model: TMCD5 Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

'Tianbo' Model: TMCD5A Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)

'Tianbo' Model: TMCD2 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

'Tianbo' Model: TMCD2A Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Trade Fire Limited, Unit 9, Maritime Industrial Estate, Horizon Way, Charlton, London, U.K., SE7 7AY.

Model: TC 2KM Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: TC 2SKM Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: TC 5HH Size: 5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: TC 5SKM Size: 5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

U.K. Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, England.

Model: BC 2A Size: 2 kilogram Fire Rating: 13B (Approval Expiry Date: 1.1.2026)

Model: BC 2S Size: 2 kilogram Fire Rating: 13B (Approval Expiry Date: 1.1.2026)

Model: BC 3A Size: 3 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: BC 3S Size: 3 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)

Model: BC 5A Size: 5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: BC 5S Size: 5 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: BC 6A Size: 6 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: BC 6S Size: 6 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

UK Fire International Limited, The Safety Centre, Mountergate, Norwich, Norfolk, NR1 1PY, U.K.

Model: 'Britannia' BC2A Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)

Model: 'Britannia' BC5A Size: 5 kilogram Fire Rating: 70B (aluminum body with hose and horn) (Approval Expiry Date: 1.1.2026)

二氧化碳滅火器——續
CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

- UBE Engineering Sdn. Bhd., No. 27 & 29, Jalan Utama 2/7, Maju Jaya Industrial Park, Taman Perindustrian Puchong Utama, (Section 2) Batu 14, Jalan Puchong, 47100 Puchong, Selangor.
Model: UFCO Size: 2.2 kilogram Fire Rating: 13B (Approval Expiry Date: 1.1.2026)
Model: UFCO Size: 4.5 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
- Vickers Fire Appliance Co., 7/F, Kam Chung Factory Building, 30-38 Lam Tin Street, Kwai Chung, New Territories, Hong Kong.
Model: VCD-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: VCD-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)
- Walter Kidde Portable Equipment Inc., 1394, South Third Street, Mebane, North Carolina 27302, U.S.A.
Size: 2.27 kilogram Fire Rating: 5-B:C (Approval Expiry Date: 1.1.2026)
Size: 4.55 kilogram Fire Rating: 10-B:C (Approval Expiry Date: 1.1.2026)
Size: 6.82 kilogram Fire Rating: 10-B:C (Approval Expiry Date: 1.1.2026)
Size: 9.09 kilogram Fire Rating: 10-B:C (Approval Expiry Date: 1.1.2026)
- Winson Products Ltd., Shop A2, 354 Reclamation Street, Yaumatei, Kowloon, Hong Kong.
Model: FEX-CO2-2kg Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: FEX-CO2-5kg Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Yuhuan Fujie Fire Fighting Equipment Co. Ltd., Yuhuan Automobile – Motorcycle Industrial Zone, Zhejiang Province, China
Model: CDE-2 Stored Pressure Type Size: 2 kilogram Fire Rating: 21B (Approval Expiry Date: 1.1.2026)
Model: CDE-5 Stored Pressure Type Size: 5 kilogram Fire Rating: 55B (Approval Expiry Date: 1.1.2026)
- Yuhuan Fujie Fire Fighting Technology Co. Ltd., No. 8, Jinhui Road, Yuhuan Economic Development Zone, Yuhuan 317600 Zhejiang, China
Brand: Yuhuan Fujie Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Brand: Yuhuan Fujie Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 1.1.2026)
- Zhejiang Orientx Fire Safety Equipment Co. Ltd., Wucheyan, Huangjiabu Town, Yuyao City, Zhejiang, 315466, China
Model: OCE2-LWB117 Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
Model: OCE5-LWB152 Size: 5 kilogram Fire Rating: 70B (Approval Expiry Date: 1.1.2026)
Model: K2C Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 9.1.2026)
Model: K5C Size: 5 kilogram Fire Rating: 89B (Approval Expiry Date: 9.1.2026)
- Zhejiang Winner Fire Fighting Equipment Co. Ltd., Quinglong Road, Jiaxing, Xinhuang Town, 314008, China
Model: WN215/ML2 Stored Pressure Type Size: 2 kilogram Fire Rating: 34B (Approval Expiry Date: 1.1.2026)
- 上海申消防器材廠，中國上海市浦東新區滬南路2170號
型號：MT2 充裝量：2 千克 滅火系數：2B (認可失效日期：1.1.2026)
型號：MT3 充裝量：3 千克 滅火系數：2B (認可失效日期：1.1.2026)
型號：MT5 充裝量：5 千克 滅火系數：4B (認可失效日期：1.1.2026)
- 上海鳴宇消防設備製造有限公司江山分公司，中國浙江省江山市清湖鎮龍飛路19號
型號：MT/2 充裝量：2 公斤 滅火系數：21B:C:E (認可失效日期：9.1.2026)
型號：MT/5 充裝量：5 公斤 滅火系數：34B:C:E (認可失效日期：9.1.2026)
- 余姚市歐倫泰防火設備有限公司，中國浙江省余姚市黃家埠五車堰
型號：MTZ2 充裝量：2 千克 滅火系數：2B (認可失效日期：1.1.2026)
型號：MTZ5 充裝量：5 千克 滅火系數：4B (認可失效日期：1.1.2026)

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

嘉興消防器材廠，中國浙江省嘉興市新塢鎮

型號：MT2 充裝量：2 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：3B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：4B (認可失效日期：1.1.2026)

型號：MT7 充裝量：7 千克 滅火系數：5B (認可失效日期：1.1.2026)

天津市塘沽聯營消防器材廠，中國天津市塘沽區河南里7號

型號：MT2 充裝量：2 千克 滅火系數：1B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：3B (認可失效日期：1.1.2026)

天津消防器材總廠，中國天津市西青區楊柳青營建路55號

型號：MT2 充裝量：2 千克 滅火系數：1B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：3B (認可失效日期：1.1.2026)

型號：MT7 充裝量：7 千克 滅火系數：4B (認可失效日期：1.1.2026)

廣州市消防器材廠，中國廣州市赤崗西路328號

型號：MT2 充裝量：2 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：3B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：4B (認可失效日期：1.1.2026)

廣東勝捷消防設備有限公司，中國廣州市番禺區沙灣鎮蜆涌工業村

型號：MT2 充裝量：2 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：3B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：4B (認可失效日期：1.1.2026)

型號：MTC/2 充裝量：2 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MTC/3 充裝量：3 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MTC/5 充裝量：5 千克 滅火系數：34B (認可失效日期：1.1.2026)

廣東平安消防實業有限公司，中國廣東省佛山市南海區桂城街道平州工業園永順路

型號：MT2 充裝量：2 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：3B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：4B (認可失效日期：1.1.2026)

型號：MT/2 充裝量：2 千克 滅火系數：21B:C:E (認可失效日期：1.1.2026)

型號：MT/3 充裝量：3 千克 滅火系數：21B:C:E (認可失效日期：1.1.2026)

型號：MT/5 充裝量：5 千克 滅火系數：34B:C:E (認可失效日期：1.1.2026)

惠景消防工程公司，中國浙江上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：3B (認可失效日期：1.1.2026)

浙江威能消防器材股份有限公司，中國浙江省嘉興市南湖區鳳橋鎮新塢青龍路

型號：MT/2 充裝量：2 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MT/5 充裝量：5 千克 滅火系數：34B (認可失效日期：1.1.2026)

浙江浙安消防設備有限公司，中國浙江省蘭溪市蘭江輕工業專業區富民大道

型號：MT/2 充裝量：2 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MT/3 充裝量：3 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MT/5 充裝量：5 千克 滅火系數：34B (認可失效日期：1.1.2026)

浙江金盾消防器材有限公司，中國浙江省上虞市小越鎮

型號：MT2 充裝量：2 千克 滅火系數：1B (認可失效日期：1.1.2026)

型號：MT3 充裝量：3 千克 滅火系數：2B (認可失效日期：1.1.2026)

型號：MT5 充裝量：5 千克 滅火系數：3B (認可失效日期：1.1.2026)

二氧化碳滅火器——續

CARBON DIOXIDE TYPE EXTINGUISHERS—Contd.

玉環富捷消防設備有限公司，中國浙江省玉環縣汽摩工業園區

型號：MT/2 充裝量：2 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MT/3 充裝量：3 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MT/5 充裝量：5 千克 滅火系數：34B (認可失效日期：1.1.2026)

型號：MT/7 充裝量：7 千克 滅火系數：55B (認可失效日期：1.1.2026)

袋鼠滅火器材(中國)有限公司，中國廣東省惠州市小金口鎮柏崗村(廣汕公路東北)

型號：MT/3 充裝量：3 千克 滅火系數：21B (認可失效日期：1.1.2026)

型號：MT/5 充裝量：5 千克 滅火系數：34B (認可失效日期：1.1.2026)